## B-4434 SANDTOWN-WINCHESTER/PENN-NORTH RECONNAISSANCE LEVEL SURVEY

Apartment House	827 Arlington Street
	632 Baker Street
Apostolic Church of Deliverance	904 Calhoun Street
	924 North Calhoun Street
	1015-1029 Calhoun Street
	1336-40 Calhoun Street
	1357-73 Calhoun Street
	1645 North Calhoun Street
	1700 Calhoun Street (corner, Calhoun & Cumberland Streets)
	1703-13 & 1715-29 Calhoun Street
	1714 & 1716 Calhoun Street
	915-929 Carey Street
	1135 North Carey Street (DOE)
	921-923 Carrollton Avenue
Primary School No. 9 (African-American)	1024 North Carrollton
Rowhouses	view NW towards rear of 1501 block, Clifton Street
	1550-66 Clifton Street (between Pennsylvania & Woodbrook)
	1601 block, Clifton Street (between Fulton & Pennsylvania)
	1200 block, Cloverdale (formerly Park Terrace)
Reformed English Church Simmons Memorial Baptist Church	601 Cumberland Street (corner, Cumberland & Pennsylvania)

	1611-33 Laurens Street
Auto House	1633 Laurens Street
Funeral Home	1701 Laurens Street
	2359-69 McCulloh Street
8	2447-57 McCulloh Street
	2500 block, McCulloh (between Whitelock & Traction)
	900 block, Monroe Street
	1100 block, Monroe Street
Site of Maryland Pavement Co. Baltimore Asphalt Paving Co.	1320 Monroe Avenue (Monroe at Lorman)
	1110-1138 Mosher Street
	1217 Mosher Street
Steps, & tire flowerpot from Afro-American Clean Block Campaign	1301 block, Mosher Street
	1505-09 Mosher Street
Harvey Johnson Towers	1510 Mosher Street (corner, Gilmor & Mosher)
	1513-1517 Mosher Street
	1601-09 Mosher Street
	1621-1629 Mosher Street
	1703-09 Mosher Street
	1703-1717 Mosher Street
	1708-16 Mosher Street

902-930 Mount Street

927-49 Mount Street

1000-1010 Mount Street

1001-49 Mount Street

Baltimore Police Dept., Western
District Station

1034 Mount Street

1100-08 Mount Street

1101-61 Mount Street

Enoch Pratt Library, Branch 17

Corner, North & Pennsylvania

Aveunes

1330-1356 North Avenue

1602-08 (partial) North Avenue

Christ M.P. Church Fulton Baptist Church 1630 North Avenue

Alley dwellings

900 block, Parrish Alley

1426-34 North Parrish Alley

2101 block, Pennsylvania

Avenue

Willard's Store

2302 Pennsylvania Avenue

William A. Sigler Co.

2304 Pennsylvania Avenue

Baltimore Refrigeration Supply

2600 block, Pennsylvania

Avenue

2671-75 Pennsylvania Avenue

2700 block, Pennsylvania

Avenue

Enoch Pratt Free Library, Fremont Branch Greater Spirit of Truth Church 664 Pitcher Street

Crook's Garage Blue Shield Auto Body	Northwest corner, Retreat & Pennsylvania Avenue
	1408-14 Retreat Street
	1512-26 Retreat Street
	1404 Riggs Street
Hope School Baptist Church	1425 Riggs Street
	1427 Riggs Street
	1510-1518 Riggs Street
	1513-1519 Riggs Street
	1520-26 Riggs Street
	1521-1527 Riggs Street
	1603-13 Riggs Street
	1604-10 Riggs Street
	1615-19 Riggs Street
	1702-20 Riggs Street
Alley dwellings	2500 block, Salem Street
Store/saloon	2500 block, Salem Street
Alley dwellings	2501-39 Salem Street
Alley dwellings	600-606 School Street (formerly, 606-12 Chappell Street)
	900-938 Stricker Street
	901-39 Stricker Street
	1000-1042 Stricker Street
	1001-39 Stricker Street

1038 Stricker Street

1039 Stricker Street

1100-54 Stricker Street

1206-16 Stricker Street

1207-17 Stricker Street

1613-41 Westwood Street (formerly Northwest Street)

Alley dwellings

(formerly

Alley dwellings

Alley dwellings

Nehemiah Housing

The Tabernacle of God Church

Consolidated Gas & Electric, Power Substation Electrical Substation 902-928 Whatcoat Street & 911-

913, 919-923 Whatcoat

Norris Alley)

1006-1026 Whatcoat Street

(formerly Norris Alley)

1008-1028 Whatcoat Street

(formerly Norris Alley)

1215-1223 Whatcoat Street

1101 block, Whitelock Street

1511-19 Winchester Street

1512 Winchester Street

2500 block, Woodbrook Avenue

2500-2522 Woodbrook Avenue

2538-2540 Woodbrook Avenue

1101 block, North Woodyear

1816-26 Woodyear Place

Alley dwellings

Alley dwellings

## B-4434 SANDTOWN-WINCHESTER/PENN-NORTH RECONNAISSANCE LEVEL SURVEY

Elderly Housing	1000-10 Gilmor Street
	1014-38 Gilmor Street
	1031-37 Gilmor Street
Holy Trinity Episcopal Church	1100 Gilmor Street (northwest corner, Gilmor & Tenant)
	1103-41 Gilmor Street
	1106-1108 Gilmor Street
	1110-1114 Gilmor Street
Pentecostal Church	1116 Gilmor Street
	1220-32 Gilmor Street
Lillian Jones Recreation Center	1323 Gilmor Street
	1621-25 Gilmor Street (former Chinese laundry and/or bakery)
George Nelson Elementary School	711 Gold Street
Lafayette Grocery	1500 Lafayette Avenue
	1504-1508 Lafayette Avenue
Lafayette Square Multi-Service Center	1510 Lafayette Avenue (corner, Lafayette and Gilmor)
	1608-28 Lafayette Avenue
	1700-24 Lafayette Avenue
	1800-1808 Lafayette Street
	1901 block, Lafayette Street
	1601-09 Laurens Street

Original Drawings are located at the City Archives for the following schools in the Sandtown Winchester Neighborhood:

Colored Primary School No. 9
(School No. 111)
1024 N. Carrollton Avenue
4 sheets, undated
Front and Rear Elevations
Elevation South Side
Elevation North Side
1st, 2nd and Basement floor plans, (recent)

B-4469

West Baltimore Colored Elementary School
Buckler and Fenhagen, Architects
James Posey, Consulting Mechanical Engineer
Henry Massart, Consulting Structural Engineer
December 8, 1930
7 sheets
West Elevation
East Elevation
North Elevation
Plan of Ground Floor
Plan of 2nd Floor
Plan of 3rd Floor
Plan of Basement


Plans for Addition to Public School No. 60 July 1908 1 sheet East and South Elevations

Primary School No. 11 Gilmor and Mosher Streets 1 sheet, undated North Elevation (demolished)


B-4467
Colored School No. 9
Cagey and Chapell Streets
Alfred Mason, Architect
4 sheets, undated
Elevation, Cagey Street
North Elevation
South Elevation
Rear Elevation

B-4468
School Building No. 112
Laurens and Calhoun Streets
J. E. Laferty, Architect
7 sheets, 1920?
Elevation, Calhoun Street
Elevation on Laurels Street
Rear Elevation
Ground Floor Plan
1st Floor Plan
2nd Floor Plan
3rd Floor Plan

B-4434 Sandtown-Winchster/Penn North Survey District Block N/A Lot N/A Baltimore City Baltimore West Quad.



B-4434 Sandtown-Winchster/Penn North Survey District Block N/A Lot N/A Baltimore City Baltimore West Quad.



SANDTOWN-WINCHESTER/PENN-NORTH Survey No. B-4434
RECONNAISSANCE-LEVEL SURVEY FORM  Neg. No8/22
0440940 VC (0500
Historic Name
Address(es) 827 Arlington Street
Resource/Property Type Rowhouses
Commercial Structure
Public/Institutional Building
Attached x Public Housing
x Freestanding Site
Other
Note:
Stories10
Primary Material <u>brick</u> Secondary Material <u>steel, concrete</u>
Roof Formflat
No. of Bays in Unit/Facade10? If Rowhouse: Flat Front Swell Front Porc
Window Type: Double-Hung Door Type: Single-Leaf
1/1 Sash Double-Leaf
2/2 Sash Number of panels (if visible)
2/1 Sash Transom
Other Sash
Transom
Architectural Style Contemporary Date cpre-1978
Notawarthy Fasturas, International Style apartment block with heigh garger walls, helpenies
Noteworthy Features: International Style apartment block with brick screen walls, balconies
projecting from end bays. Windows are horizontally sliding sash.
Alterations: Stucco
Vinyl/Aluminum Window/Door Changes
Awnings Missing Corno e Elements
First-Floor Use Change Other:
Status:x Occupied Vacant Mixed
NR Evaluation: Contributingx Non-Contributing
Recommended for Intensive Level: Yes x No
Surveyor: Joey Lampl Affiliation: Robinson & Associates Date: February-April 1992



SANDTOWN WINCH ESTER / PENN. NORTH #B-4434 BALTIMORE, MD ELIZABETH GO LAMPL MARCH 1992 CITY OF BALTIMORE, COMMISSION FOR HISTORICAL AND AKCHITETURAL PRESERVATION APARTMENT HOUSE 827 ARLINGTON ST. WEST ELEWATION ROLL 8/NEG 22

RECONNAISSANCE-LEVEL SURVEY FORM
Historic Name
Historic Name
Address(es) 632 Baker Street (entrance detail)
Resource/Property Typex Rowhouses
Commercial Structure Public/Institutional Building Public Housing Site Other Note:
Stories(?)
Primary Material <u>brick</u> Secondary Material <u>marble, wood</u>
Roof Formflat
No. of Bays in Unit/Facade? If Rowhouse: _x Flat Front Swell Front Porch
Window Type: x Double-Hung Door Type: x Single-Leaf x 1/1 Sash Double-Leaf 2/2 Sash Number of panels (if visible) x Transom Transom
Architectural Style Italianate Date c. 1852-90
Summary/Noteworthy Features: Example of particularly sophisticated carving of marble steps and stone door surround. This fine doorway is only found at the corner of this block and may indicate the tastes of a wealthier original owner. Arched door opening with elegant bolection marble surround, decorative keystone. Flat-arched windows. Curved marble step enclosures flank porch steps.
Alterations: Formstone Stucco  Vinyl/Aluminum Window/Door Changes  Awnings Missing Cornice Elements  First-Floor Use Change Other:
Status: Vacant Mixed
NR Evaluation:x Contributing Non-Contributing
Recommended for Intensive Level: Yes x No Surveyor: Joey Lampl Affiliation: Robinson & Associates Date: February-April 1992



SANDTOWN - WIN CHE STER / PEAN - NORTH # B-4434 BALTIMORE, MD ELIZABETH GO LAMPL MARCH 1992 CITY OF BALTIMORE, COMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 632 BAKER ST. ( DOOR DETAIL) SOUTHEAST ELEVATION ROLL 5/NEG 36

	STER/PENN-NORTH EVEL SURVEY FORM	Survey No.	B-4434
RECONNAISSANCE-L	EVEL SURVET FORM	Neg. No	4/34
Historic Name			27 27 27 27 27 27 27 27 27 27 27 27 27 2
Current Name/Use A	postolic Church of Deliverand	ce	
1//	Calhoun Street		
7 Iddress(es)	eamoun Street		· · · · · · · · · · · · · · · · · · ·
Resource/Property Type (Purpose Built)	x Rowhouses Commercial		
(Turpose Built)			
	x Public/Instit		
Attached	Public Hous	sing	
x Freestanding	Site		
	Other		
	Note: only unit fro	m row remaining	
Stories 2	<u> </u>		
Stories			
Primary Materialbricl	Secondar	ry Material <u>woo</u>	d (marble?)
Roof Form flat			
No. of Bays in Unit/Faca	ade 3 If Rowhouse: _	x Flat Front	_ Swell Front Porch
Window Tomos w Dou	ble Hung Door Times	Cinala I auf	
	ble-Hung Door Type: _	Single-Lear	
<u>x</u> 1/1	Sash _	x Double-Leaf	THE COMME IN MARKS NOW
2/2 :		Number of par	els (if visible)
2/1 :	Sash _	x Transom	85 85 85
Oth			
Tran			
1141	isom		
Architectural StyleIta	lianate	Date c.	1852-1890
A	Altered on first floor with corned. Bracketed cornice with	500 S-07	•
Alterations: x Fo		Stucco	
Vi	nyl/Aluminum	x Window/Doo	or Changes
A		x Missing Cor	
	PARTICULAR STATE CONTROL OF THE STATE OF THE		moe Elements
I1	ist-11001 Ose Change	Other	
Status:x_ Occupied	Vacant	Mixed	
NR Evaluation:x	Contributing Non-	Contributing	
Recommended for Inten	sive Level: Yes	<u>x</u> No	
Surveyor: Joey Lampl Date: February-April 19		on & Associates	



SANDTOWN - WINCHESTER / PENN - NORTH # B-4434 BALTIMORE, ND ELIZABETH QO LAMPL MARCH 1992 CITY OF BALTIMORE, GHHISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 904 CALHOUN ST. (FORMER STORE) WEST ELEVATION ROLL 4/NEG 34

SANDTOWN-WINCHESTER/PENN-NORTH	
RECONNAISSANCE-LEVEL SURVEY FOR	M Neg. No4/24
Historic Name	
Current Name/Use	
Address(es) 924 North Calhoun Street	
	ercial Structure
	/Institutional Building
Attached Public	Housing
Site	
x Other	T 1745 9747 24 27 Jan
16	rant may have been stables/garage
Stories1	
Primary Material <u>brick</u> Sec	condary Material wood
Roof Form flat	
No. of Bays in Unit/Facade 3 If Rowhous	se: Flat Front Swell Front Porch
Window Type: _x Double-Hung Door Type 1/1 Sash	e: <u>x</u> Single-Leaf Double-Leaf
2/2 Sash	Number of panels (if visible)
2/1 Sash	Transom
Z/1 Sash _x Other Sash	ITalisoili
A CONTRACT OF THE PROPERTY OF	
Transom	
Architectural Style Vernacular	Date c. <u>post-1914</u>
Noteworthy Features: Denticulated cornice. Ghung sash to either side; all have 12 lights. He All openings flat-headed, set in slight recess.	avy steel lintels. Door placed off-center to right.
Alterations: Formstone	Stucco
Vinyl/Aluminum	x Window/Door Changes
Awnings	Missing Cornice Elements
x First-Floor Use Change	
Status:x Occupied Vacant	Mixed
NR Evaluation:x Contributing	Non-Contributing
Recommended for Intensive Level:	Yes <u>x</u> No
Surveyor: Joey Lampl Affiliation: R Date: February-April 1992	Associates





SANDIOWN. WINCHESTER PENN-NORTH
#B-4434

BALTIMORE, MD

ELIZABETH 90 LAMPL
MARCH 1992

CITY & BALTIMORE, COMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION

924 N. CALHOUN ST
EAST ELEVATION

POLL "/NEG 24

SANDTOWN-WINCHESTER/PENN-NORTH	Survey No. B-4434
RECONNAISSANCE-LEVEL SURVEY FORM	Neg. No4/33
Historic Name	
Command Name of Lan	
Address(es) 1015-1029 Calhoun Street	
Resource/Property Type  x Rowhouses Commercial S Public/Institut	ional Building
_x_ Attached Public Housing	ıg
Freestanding Site	
<u>x</u> Other	
Note: semi-detached	
Stories 2 + B	
Primary Material <u>brick</u> Secondary	Material marble, wood
Roof Formflat	
No. of Bays in Unit/Facade 2, 3 If Rowhouse: x	Flat Front Swell Front Porch
_x_ 2/2 Sash	_ Single-Leaf _ Double-Leaf _ Number of panels (if visible) _ Transom
Architectural Style <u>Italianate</u>	Date c. <u>1852-90</u>
Summary/Noteworthy Features: Representative of small and semi-detached structures within the Sandtown neighbors constructed during the same period of time and share a porch at 1029 was in place by 1890. Bracketed cornice panels. Flat window openings. Marble sills. Segments surrounds.	hborhood. This block of units was a two-bay, two-story character. The with modillions and jigsawn ventilator
Vinyl/Aluminum Awnings	x Stucco x Window/Door Changes x Missing Cornice Elements Other:
Status: _x Occupied _ Vacant _ M  NR Evaluation: _x Contributing _ Non-Co  Recommended for Intensive Level: _x Yes	ontributing
Surveyor: Joey Lampl Affiliation: Robinson	a & Associates






SANDTOWN WINCHESTER / PENN-NORTH # 13-4434 BALTIMORE, MD ELIZABETH OO LAMPL MARCH 1992 CITY OF BALTIMORE, COMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 1015 (+1) - 1029 (14) CALHOUR ST. WEST ELEVATION ROLL 4/NEG 33

SANDTOWN-WINCHESTER/PENN-NORTH RECONNAISSANCE-LEVEL SURVEY FORM	Survey No. <u>B-4434</u>
NECONIA MODANCE-EEVEE DONVET TORM	Neg. No5/6
Historic Name	
Current Name/Use New Saint Paul Church	
Address(es) 1336-40 Calhoun Street	
Resource/Property Type  Rowhouses  Commercial S  Attached Attached Public/Institut  Site Other	Structure tional Building
Primary Material <u>brick</u> Secondary	Material
Roof Formflat	
No. of Bays in Unit/Facade3 If Rowhouse:	Flat Front Swell Front Porch
2/2 Sash	Single-Leaf Double-Leaf Number of panels (if visible) Transom
Architectural Style Vernacular	Date cpost-1914
Noteworthy Features: Facade is refaced in formstone; with irregular stepped gable, glass-block cross inset, stuflank porch. Possible conversion of former, non-church	accoed panel above. Arched windows
Vinyl/Aluminum x Awnings	x Stucco (?) Window/Door Changes Missing Cornice Elements Other:
Status:x Occupied Vacant M	lixed
NR Evaluation:x Contributing Non-Co	ontributing
Recommended for Intensive Level: Yes	<u>x</u> No
Surveyor: Joey Lampl Affiliation: Robinson Date: February-April 1992	a & Associates

the control of the co



SANDTOWN-WINCHESTER/ PENN-NORTH

#B-4434

BALTIMORE, MD

ELIDABETH SO LAMPL


MARCH 1992

CTU OF BALTIMORE, GUNISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION

118W SAITT PAUL CHURCH

1326-40 BLOCK CALHOUN ST EAST ELEVATION ROLL 5/NEG 6

	SANDTOWN-WINCHESTER/PENN-NORTH RECONNAISSANCE-LEVEL SURVEY FORM	Survey No. <u>B-4434</u>
	RECONNAISSANCE-LEVEL SURVET FORM	Neg. No5/4
	Historic Name	
	Current Name/Use	
	Address(es) 1357-73 Calhoun	
	Resource/Property Typex Rowhouses	
	Commercial : Public/Institu Attached Public Housi Freestanding Site Other Note:	tional Building
	Stories 3 + B	74
	Primary Material <u>brick</u> Secondary	y Material <u>marble, wood</u>
	Roof Form flat	
	No. of Bays in Unit/Facade 3 If Rowhouse: x	Flat Front Swell Front Porch
<b>-</b> ,	<u>x</u> 2/2 Sash	<ul> <li>x Single-Leaf</li> <li>Double-Leaf</li> <li>Number of panels (if visible)</li> <li>x Transom</li> </ul>
	Architectural Style <u>Italianate</u>	Date c. <u>1852-90</u>
	Summary/Noteworthy Features: Once elegant row of wrought iron balconies, metal (?) lintels, and marble dits original elegance through loss of features and re-sic Segmental window and door heads.	loor surrounds. Now robbed of much of
	Vinyl/Aluminum Awnings	x Stucco x Window/Door Changes Missing Cornice Elements x Other: brick refacing or repointing
	Status: Occupied Vacant x N  NR Evaluation: x Contributing Non-C	Mixed Contributing
	Recommended for Intensive Level: Yes	x No
	Surveyor: Joey Lampl Affiliation: Robinson Date: February-April 1992	n & Associates





SANDTOWN-WINCHESTER / PENN-NORTH # 8-0434 BALTIHORE, MD.

ELIZABETH QO LAMPL

MARCH 1992

ROLL 5/NEG 4

CITY OF BALTIMORE, COMMISSION FOR HISTORIAL ? ARCHITECTURAL PRESERVATION


T'EW MORTH ON CALHOUN - 1357-73 CALHOUN, WEST ELEVATION

RECONNAISSANCE-LEVEL SURVEY FORM  Survey No. <u>B-4434</u>
Neg. No. <u>5/20</u>
Historic Name Frederick Douglass High School  Current Name/Use
Address(es) 1645 North Calhoun Street
Resource/Property Type Rowhouses Commercial Structure
Attached Public/Institutional Building Attached Public Housing Site Other
Stories 3
Primary Material <u>brick</u> Secondary Material <u>limestone</u>
Roof Form flat
No. of Bays in Unit/Facade9_ If Rowhouse: Flat Front Swell Front Porc
Window Type: _x _ Double-Hung
Architectural Style Jacobean Revival Date c. 1922
Noteworthy Features: Brick and stone parapet, with projecting entrance and corner bays. Large, elaborately carved stone door surrounds, entrance bays with flanking buttresses; stone architrave cornice, beltcourses, finial blocks in parapet. Windows arranged in groups of 4 stone lintels, sills and quoins.
Alterations: Formstone Stucco  Vinyl/Aluminum Window/Door Changes  Awnings Missing Cornice Elements  First-Floor Use Change Other:
Status:x Occupied Vacant Mixed
NR Evaluation: Contributing Non-Contributing
Recommended for Intensive Level: x Yes No
Surveyor: Joey Lampl Affiliation: Robinson & Associates Date: February-April 1992



SANDTOWN - WINCHESTER / PENN - NORTH #B-4434 BALTIMORE, MD EUZABETH QO LAMPL MARCH 1992 CITY OF BALTIMORE, COMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION FREDERICK DOUGLASS HIGH SCHOOL ; 1615 N. ML + D. J. 57. VIEW FACING SOUTHEACT ROLL 5/NEG 20

	y No. <u>B-4434</u>
RECONNAISSANCE-LEVEL SURVEY FORM	
Neg. 1	No. <u>5/22</u>
Historic Name	
Current Name/Use store	
Address(es) 1700 Calhoun Street (corner, Calhoun & Cumberlar	od Straats)
Address(es) 1700 Camoun Street (corner, Camoun & Cumbernar	id Sifeets)
Resource/Property Type	ling
x Attached Public Housing	
Freestanding Site	
Other	
Note:	
Stories 2	
Primary Material Secondary Material	stamped metal, wood
Roof Formflat	
No. of Bays in Unit/Facade 1 x 6 If Rowhouse: x Flat From Porch  Window Type: Double-Hung Door Type: x Single-Letter Double-Hung Double-I	eaf Leaf of panels (if visible)
Architectural Style Italianate I	Date c. <u>1852-1901</u>
Summary/Noteworthy Features: Important extant indicator of contributions during the turn-of-the-century. Entrance of store contribution in this case, located in a corner elevation. Original store show we All windows boarded up; most segmental-headed, doors and wind Bracketed cornice with jigsawn molding. Stamped metal store entover door.	forms to the layout of streets; indow at right side elevation. ows have brick lintels.
Awnings x Missir	ow/Door Changes ng Cornice Element :
Surveyor: Joey Lampl Affiliation: Robinson & Associ	ates



SANDTOWN - WINCHESTER / PENN NORTH

# B- 4434

BALTIMORE, MD

ELIZABETH OP LAMPL

MARCH 1992 GMISSION FOL

CITY OF BALTIMORE, MISTORICAL AND ARCHITECTURAL

PRESERVATION


STORE, 1700 CALHOUN ST.

CORNER, CALHON & CUMBERLAND STS.

VIEW FACING WEST

ROLL 5/NEG 22

SANDTOWN-WINCHESTER/PENN-NORTH	Survey No.	B-4434		
RECONNAISSANCE-LEVEL SURVEY FORM	Neg. No.	5/21		
Historic Name				
Current Name/Use				
Address(es) 1703-13 and 1715-29 Calhoun Stree	t			
Resource/Property Type  x Rowhouses Commercial S Public/Instituti Public Housin Site Other Note:	ional Building g			
Stories 2 + B				
Primary Material <u>brick</u> Secondary	Material ston	e, stamped metal		
Roof Form flat				
No. of Bays in Unit/Facade 3 If Rowhouse: Flat Front _x Swell Front  Porch  Window Type: _x Double-Hung Door Type: _? Single-Leaf x 1/1 Sash Double-Leaf 2/2 Sash Number of panels (if visible) 2/1 Sash Transom Other Sash Transom				
Architectu al Style "Swell Fronts"/Renaissance & Roman	nesque Revival D	Date c. <u>1890-1901;1901-14</u>		
Summary/Noteworthy Features: Cohesive, but dual-charactered row. In foreground, rare neighborhood example of flat-fronted Swell Front (1901-14), representing the Renaissance Revival version of this originally Romanesque Revival form. In background, earlier and more prevalent, rounded version of the Swell Front completes the block (1890-1901). Renaissance Revival form has protruding flat-bay and denticulated cornice breaking over recessed 1-bay entrance section. Sandstone (?) door and window lintels, sills. Rounded version has architrave cornice and segmental openings.				
Alterations: x Formstone	Stucco Window/Do Missing Cor Other:	nice Elements		
Status:x Occupied Vacant M.  NR Evaluation:x Contributing Non-Contributing Non-Contributing Yes  Recommended for Intensive Level: Yes  Surveyor: Joey Lampl	ontributing _x_ No			





SANDTOWN - WINCHESTER / FEMN-NORTH #13-4434 BALTIMORE, MD ELIZABETH GO LAMPL MARCH 1992 CITY OF BALTIHORE, COMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 1703-29 N. CALHOUN ST. SOUTHWEST ELEVATIONS ROLL 5/NEG 21

DECONNAISSANCE LEVEL SUDVEY FORM
RECONNAISSANCE-LEVEL SURVEY FORM  Neg. No5/23
Historic Name
Current Name/Use
Address(es) 1714 and 1716 Calhoun Street (detail)
Resource/Property Typex Rowhouses Commercial Structure
Public/Institutional Building
x Attached Public Housing
Freestanding Site
Other
Note:
Stories <u>2 (+ B?)</u>
Primary Material <u>brick</u> Secondary Material <u>wood</u>
Roof Form flat
No. of Bays in Unit/Facade 2 If Rowhouse: x Flat Front Swell Front Porch
Window Type: x Double-Hung Door Type: x Single-Leaf
x 1/1 Sash Double-Leaf
2/2 Sash 4 Number of panels (it visible) 2/1 Sash Transom
Other Sash Transom
Transom
Architectural Style Italianate Date c. 1852-1901
Summary/Noteworthy Features: Characteristic of decorative work in the rowhouses of the
neighborhood, these units show dogtooth brickwork and jigsaw scroll work embellishment.
Bracketed cornice with jigsawn molding. Segmental window and door heads. Decorative brick
voussoirs, panels of dogtooth brick below 2nd-story windows and at frieze.
Alterations: Formstone Stucco
Vinyl/Aluminum x Window/Door Changes
Awnings Missing Cornice Elements
First-Floor Use Change Other:
Status:x Occupied Vacant Mixed
ND Evaluation - Contributing No. Contributing
NR Evaluation:x Contributing Non-Contributing  Recommended for Intensive Level: Yesx No
Recommended for intensive Level: ies No
Surveyor: Joey Lampl Affiliation: Robinson & Associates
Date: February-April 1992
Zano. Zanourjahin 1772





SANDTOWN-WINCHESTER / PENN-NORTH

#B-4434

BALTIMORE, MD

ELIZABETH QO LAMPL

MARCH 1992

CITY OF BALTIMORE, COMMISSION FOR HISTORICAL AND

ARCHITECTURAL PRESERVATION

1714 (L) and 1716 (R) CALHOUN ST.

NORTHEAST ELEVATION DETAIL

ROLL 5/NEG 23

SANDTOWN-WINCHESTER/PENN-NORTH RECONNAISSANCE-LEVEL SURVEY FORM	Survey No. B-4434
	Neg. No. <u>4/21</u>
Historic Name	
Historic Name	
Address(es) 915-929 Carey Street	
Resource/Property Typex Rowhouses Commercial Str	ructure
x Attached Public/Institution Public Housing Site Other Note:	•
Stories 2 (back buildings)	
Primary Material <u>brick</u> Secondary Material Bric	Material
No. of Bays in Unit/Facade1 If Rowhouse: ]	Flat Front Swell Front Porch
2/2 Sash	Single-Leaf Double-Leaf Number of panels (if visible) Transom
Architectural Style <u>Italianate</u>	Date c. <u>1852-90</u>
Noteworthy Features: View of two-story back buildings rear wall show kitchen function.	to three-story dwellings. Chimneys at
Vinyl/Aluminum Awnings	Stucco Window/Door Changes Missing Cornice Elements Other:
Status: Occupied Vacantx Mix	ked
NR Evaluation:x Contributing Non-Con	itributing
Recommended for Intensive Level: Yes	_x_ No
Surveyor: Joey Lampl Affiliation: Robinson	& Associates
Date: February-April 1992	



SANDTOWN - WINCHESTER / PENN - NORTH

# B - 4434

BALTIMORE, MD

ELIZABETH 90 LAMPL

MARCH 1992

CITY OF BALTIMORE, COMMISSION FOR 14 STORICAL AND ARCHITECTURAL PRESERVATION

VIEW FACING SOUTHWEST OF BACK BUILDINGS, 915-929 CAREY ST.

ROLL 4/NEG 21

MARYLAND HISTORICAL



William Donald Schaefer Governor

Jacqueline H. Rogers Secretary, DHCD

## CONTRIBUTING RESOURCE MARYLAND HISTORICAL TRUST INTERNAL NR-ELIGIBILITY REVIEW FORM

Property Name: //35 North Carey tuet Survey Number:
Property Address: 135N. Cavey St, Baltimore, Maryland
Project: Rental Rehabilitation Program Agency: HUD/Baltimore DHCD
Site visit by MHT Staff: yes Name Date
District Name: Sandtown - Winchester Survey Number: B-4434
Listed X Eligible boundaries to be developed by CHAP comment
Criteria: _A _B
The resourcecontributes/does not contribute to the historic significance of this historic district in:
Justification for decision: (Use continuation sheet if necessary and attach map)
1/35 North Carey Street, a simple, three Story, brich withouse with altahantle details, is representative of the building Stock of this primarily residential neighborhood. Developed between the 1810s and larly 20th Century, the houses of Sandfourn-Winchester feature minimal decorative details concentrated at dovucing, and belt courses ect. The district is significant in the Context of the when divelopment of Bultimore in the late 19th and early 20th Centuries.
Documentation on the property is presented in: <u>Mached</u> (HAP Meme
Prepared by: Junet L. Davis, Historical Preservation Analyst, CHAP  Stignated Hannold  Reviewer, Office of Preservation Services  Date
NR program concurrence:yesno
Reviewer, NR program Date

Survey	No.	B-4434	
The Company of the Common Action			

## MARYLAND COMPREHENSIVE HISTORIC PRESERVATION PLAN DATA - HISTORIC CONTEXT

I.	Geographic Region:	8
	Western Shore	(all Eastern Shore counties, and Cecil) (Anne Arundel, Calvert, Charles, Prince George's and St. Mary's) (Baltimore City, Baltimore, Carroll,
		Frederick, Harford, Howard, Montgomery) (Allegany, Garrett and Washington)
ıı.	Chronological/Developmental Pe	riods:
	Paleo-Indian Early Archaic Middle Archaic Late Archaic Early Woodland Middle Woodland Late Woodland/Archaic Contact and Settlement Rural Agrarian Intensification Agricultural-Industrial Transis Industrial/Urban Dominance Modern Period Unknown Period ( prehistor:	
III.	Prehistoric Period Themes:	IV. Historic Period Themes:
	Subsistence Settlement  Political Demographic Religion Technology Environmental Adaption	Agriculture Architecture, Landscape Architecture, and Community Planning Economic (Commercial and Industrial) Government/Law Military Religion Social/Educational/Cultural Transportation
V. Re	esource Type:	
	Category: Hestornet	Shucture
	Historic Environment: Who	in Residential Neighborhood
	Historic Function(s) and Use(s)	en Residential Neighborhowel  : Residence
	Known Design Source:	

NAME &	Janet L. Davis Historical Preservation Analyst
AGENCY AME & ADDRESS	Preservation (C.H.A.P.) Suite 1037
SUBJECT	Section 106 Review - 1135 N. Carey Street

CITY of BALTIMORE M E M O



DATE: December 12, 1990

TO Arthur D. Gray, Chief Multi-Family & Commercial Development Department of Housing and Community Development - Suite 1036 417 E. Fayette Street

> The property at 1135 N. Carey Street is eligible for the National Register in the context of a historic district in the Sandtown-Winchester area. This district has not yet been fully surveyed with identified boundaries, but it is the goal of a Memorandum of Agreement now being negotiated between the Maryland Historical Trust and the Department of Housing and Community Development. Preliminary assessment of the area by CHAP during the Nehemiah Project, for which the MOA is intended, showed tentative boundaries to be Franklin Street, Monroe Street, North Avenue, and Pennsylvania-Fremont Avenues. The district is primarily a residential area of rowhouse dating from the 1870's to the early 20th century featuring 2-and 3-story brick buildings with minimal decorative details concentrated at doorways, cornices oriel windows, and occasional belt courses of molded brick. The potential district is significant in the context of the urban development of Baltimore in the late 19th and early 20th centuries.

The photographs forwarded with your memo are herewith returned. If you have any questions regarding this review, please give me a call at 396-4866.

JLD/1w

Enclosures

cc. Jo Ellen Freese Mohamed El-Menshawy





SANDTOWN-WIN			Survey No.	B-4434	
RECONNAISSAN	CE-LEVEL 3	URVEY FORM	Neg. No	4/18	
Historic Name					
Current Name/Use				The second second	
Address(es)	921-923 Carro	ollton Avenue (deta	ail)	<del></del>	
Resource/Property  _x Attached		x Rowhouse Commerci Public/Inst Public Ho	al Structure citutional Building		
Freestanding		Site Other			
Stories 3 + B		Trote.			
<del>7</del>	<del></del> -				
Primary Material _	brick	Second	ary Materialmar	ble, wood	
Roof Form <u>flat</u>					
No. of Bays in Un	it/Facade3	_ If Rowhouse:	x Flat Front	_ Swell Front	Porch
_	Double-Hung 1/1 Sash 2/2 Sash 2/1 Sash Other Sash Transom		Single-Leafx Double-Leaf4 Number of parx Transom	nels (if visible)	
Architectural Style	Italianate	·····	Date c.	1852-1890	
Lafayette Square. elaborate jigsawn v	The tall proposors suggest the Bracketed co	ortions, paired door le slightly grander	elegant three-bay, the rs within segmental scharacter of this lowed windows. Original	surrounds, and espe- ver portion of Sand	cially town,
	Formstone Vinyl/Alum Awnings First-Floor	inum Use Change	Stucco Window/Doo Missing Cor		
Status:x Oc	cupied	Vacant	Mixed		
NR Evaluation: Recommended for	x Contribution	uting Nonel: Yes	-Contributing _x_ No		
Surveyor: Joey La Date: February-A	CARLO DESCRIPTION OF	Affiliation: Robin	son & Associates		






SANDTOWN - WINCHESTER PENN - NORTH #3-4434 BALTIMORE, MD SCIZABETH JO LAMPL MARCH 1992 CITY OF BALTIHORE, GAMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 921-23 CARROLLTON AVE. WEST ELEVATION ROLL 4 NEG 18

RECONNAISSANCE-LEVEL SURVEY FORM
Neg. No. 4/35  Historic Name Primary School No. 9 (African-American)
Current Name/Use
Address(es)1024 N. Carrollton
Resource/Property Type Rowhouses
Commercial Structure
x Public/Institutional Building
x Attached Public Housing
Freestanding Site
Other
Note:
Stories 2 + B
Primary Material <u>brick</u> Secondary Material <u>granite</u>
Roof Form <u>pitched</u> ?
No. of Bays in Unit/Facade 3 If Rowhouse: Flat Front Swell Front Porch
Window Type: _x Double-Hung Door Type: _x Single-Leaf
x 1/1 Sash Double-Leaf
2/2 Sash Number of panels (if visible)
2/2 Sash Runnoct of panels (it visible)
Other Sash
Transom
ITalisoni
Architectural Style Romanesque Revival Date c. 1892-90
Noteworthy Features: Sturdy three-bay brick schoolhouse with granite trim. Brick entry vestibule. Grouped windows set within 2-story arched recess. 1st-story windows flat and segmentally arched. 2nd-story windows segmentally and round arched. Rooftop parapet with central gable and series of small brick arched niches.
Alterations: Formstone Stucco
Vinyl/Aluminum x Window/Door Changes
Awnings Missing Cornice Elements
First-Floor Use Change Other:
Status:x Occupied Vacant Mixed
NR Evaluation: x Contributing Non-Contributing
Recommended for Intensive Level: Yes _x No
Surveyor: Joey Lampl Affiliation: Robinson & Associates Date: February-April 1992



SANDTOWN - WINCHESTER / PENN - NORTH # B-4434 BALTIMORE, MD ELIZAGETH GO LAMPL MARCH 1992 CITY OF BALTIMORE, GMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION HISTORIC: PRIMARY SCHOOL NO. 9 (AFRICAN-AMERICAN) CURRENT: SOUTHWEST GRNER, N. CARROLLTON: RIGGS , 1024 N. CARROLLTON SAST ELEVATION ROLL 4/NEG 35

SANDTOWN-WINCHESTER/PENN-NORTH	Survey No.	B-4434
RECONNAISSANCE-LEVEL SURVEY FORM	Neg. No.	7/7
Historic Name		
Current Name/Use	- Clifton Standt	
Address(es) View NW towards rear of 1501 block	k, Chiton Street	
Resource/Property Type x Rowhouses Commercial S Public/Institute	ional Building	
x Attached Public Housin	g	
Freestanding Site Other		
Note:		
Stories 2 + B		
Primary Material <u>brick</u> Secondary	Material <u>stucc</u>	0
Roof Form flat		
No. of Bays in Unit/Facade 2, 3 If Rowhouse:	Flat Front	_ Swell Front Porch
2/2 Sash	Single-Leaf Double-Leaf Number of pan Transom	els (if visible)
Architectural Style <u>Late Italianate</u>	Date o	:. <u>1852-90</u>
Summary/Noteworthy Features: The back elevations of "back buildings" are one bay narrower than the width of Most have one-story open porches with tin roofs. Som to second story. Chimneys have curved brick hoods. For openings. View is taken from the vacant lot of a demoken to the second story.	f each unit and a e porches have l Rear elevations f	share a central chimney. been enclosed and raised eatue flat-headed
Vinyl/Aluminum	Stucco Window/Doo Missing Cor Other:	
Status: x Occupied Vacant Mink Evaluation: x Contributing Non-Confidence Recommended for Intensive Level: Yes Surveyor: Joey Lampl Affiliation: Robinson Date: February-April 1992	ntributing _x_ No	



1501 Block (rear)



# B-4434 BALTIMORE, MD ELIZABETH SO LAMPL CITY OF BALTIMORE, GMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESSENATION MARCH 1992 DEMOLISHED ALLEY DWELLINGS (in fireground), 1502-30 KENSETT ST.


VIEW NW TOWARDS REAR OF ISOI BLOCK, CLIFTON ST.

ROLL 7/ NEG 7

SANDTOWN - WINCHESTER / PENN-NORTH

\*\*\*

	CHESTER/PENN-NORTH	Survey No.	B-4434
RECONNAISSANG	CE-LEVEL SURVEY FORM	Neg. No.	6/21
Historic Name			
Current Name/Use			
Address(es)	1550-66 Clifton Street (betwee	n Pennsylvania & Wo	oodbrook)
Resource/Property  _x Attached Freestanding	Commerce Public/In Public H Site	cial Structure stitutional Building	
	Other		
2007 10 1000 1000 1			1120 - 1
Stories $2 + B$	<del>_</del> 2		
Primary Material _	brick Secon	ndary Material <u>woo</u>	d (stone?)
Roof Formflat			
No. of Bays in Uni	t/Facade2 If Rowhouse:	_x_Flat Front	_ Swell Front Porch
x x	Double-Hung Door Type: 1/1 Sash 2/2 Sash 2/1 Sash Other Sash Transom	_x Single-Leaf Double-Leaf Number of par _x Transom	
Architectural Style	Italianate	Date c.	1852-90
door orientation, as	hy Features: Basically unified It and cornice height probably due and two stories, and have brack openings.	to hand of two build	ers. Both sets of units
110	x Formstone Vinyl/Aluminum Awnings First-Floor Use Change	Stucco x Window/Do x Missing Cor Other:	
Status: Occ	cupied Vacantx	Mixed	
NR Evaluation:	x Contributing No	on-Contributing	
Recommended for	Intensive Level: Ye	es <u>x</u> No	
Surveyor: Joey La		inson & Associates	





SANDTOWN - WINCHESTER / PENN - NORTH # B . 4434	
BALTIMORE, MD	
ELIZABETH SO LAMPL MARCH 1992 CITY OF BALTIMORE, COMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION	
1530- 6 CLIFTON ST. (BETWEEL PENN ; WOODBROOK) SOUTHEAST ELEVATION ROLL 6/ NEG 21	

SANDTOWN-WINCHESTER/PENN-NORTH RECONNAISSANCE-LEVEL SURVEY FORM	Survey No. <u>B-4434</u>		
RECONNABBANCE-EEVEE SORVETTORM	Neg. No6/19		
Historic Name			
Current Name/Use			
Address(es) 1601 Block Clifton Street (between Fulton & Pennsylvania)			
Resource/Property Typex_ Rowhouses			
Commercia			
Public/Inst			
x Attached Public Ho			
Freestanding Site	<b>6</b>		
Other			
Stories 2 + B			
Primary Material <u>brick</u> Secondary Material <u>metal, stamped metal</u>			
Roof Form flat			
No. of Bays in Unit/Facade 3? If Rowhouse: Flat Front _x Swell Front Porch			
Window Type: x Double-Hung Door Type:	Single-Leaf		
x 1/1 Sash	Onligic-Leaf		
$\frac{\lambda}{2/2}$ Sash	Number of panels (if visible)		
2/1 Sash	Transom		
Other Sash	Hansom		
Other Sash Transom			
ITalisoili			
Architectural Style <u>"Swell Front"/Romanesque Revival</u> Date c. <u>1890-1901</u>			
Summary/Noteworthy Features: Unusual and intriguing streetscape in that units are oriented at staggered angle to curving street. Swell and protruding flat bays suggest the Swell Front form, but the corbelled brick cornice is a holdover from the Italianate. Cornice also has stamped metal denticulated molding above. Rough-faced stone lintels and sills, also steps and watertable.			
AV	C		
Alterations: x Formstone Vinyl/Aluminum Awnings	Stucco		
Vinyl/Aluminum	Window/Door Changes		
	x Missing Cornice Elements		
First-Floor Use Change	Other:		
Status:x Occupied Vacant	Mixed		
NR Evaluation: X Contributing Non-Contributing			
Recommended for Intensive Level: Yes x No			
Surveyor: Joey Lampl Affiliation: Robinson & Associates Date: February-April 1992			



1601 Block



SANDTOWN - WINCHESTER /PENN NORTH # B-4434 BALTIMORE, MD ECIZABETH GO LAMPL MARCH 1992 GUMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION (CITY OF BALTIMORE) 1601 PLOCK CLIFTON ST. (BETWEEN FULTON : PENN) MORTH ELEVATION ( VIEW FACING EAST) ROLL 6/NEG 19

RECONNAISSANCE-LEVEL SURVEY FORM			
Neg. No			
Historic Name			
Current Name/Use			
Address(es) 1200 Block Cloverdale (formerly Park Terrace)			
Resource/Property Type x Rowhouses Commercial Structure			
Public/Institutional Building			
x Attached Public Housing			
Freestanding Site			
Other			
Note:			
Stories 3 + B			
Primary Material brick Secondary Material wood			
Roof Formflat			
No. of Bays in Unit/Facade 2 & 3 If Rowhouse: _x Flat Front Swell Front Porch			
Window Type: x Double-Hung Door Type: x Single-Leaf			
x 1/1 Sash Double-Leaf			
2/2 Sash Number of panels (if visible) 2/1 Sash X Transom			
Other Sash			
Transom			
Architectural Style Late Italianate Date c. 1890-1901			
Summary/Noteworthy Features: Example of the late Italianate style which employed a corbelled brick cornice; flat openings; paired windows; and rock-faced foundations, sills and lintels.			
Alterations: x Formstone Stucco			
Vinyl/Aluminumx Window/Door Changes			
Awnings Missing Cornice Elements			
First-Floor Use Change Other:			
Status:x Occupied Vacant Mixed			
NR Evaluation: x Contributing Non-Contributing			
Recommended for Intensive Level: Yes Yo			
Surveyor: Joey Lampl Affiliation: Robinson & Associates Date: February-April 1992			



1200 Block



SANDTOWN - WINCHESTER / PENN - NORTH #B-4434 BALTIMORE, MD ELIZABETH QO LAMPL MARCH 1992 CITY OF BALTIMORE, COMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESSEVATION 1200 BLOCK CLOVERDALE (FORMERLY PARK TERRACE) NORTHWEST ELEVATION ROLL 7/ NEG 19

SANDTOWN-WINCHESTER/PENN-NORTH	Survey No. <u>B-4434</u>
RECONNAISSANCE-LEVEL SURVEY FORM	Neg. No5/31
Historic Name Reformed English Church	Neg. No
Current Name/Use Simmons Memorial Baptist Church	
Address(es) 601 Cumberland Street (corner, Cumber	
Resource/Property Type Rowhouses	**************************************
Commercial Structure	cture al Building
x Freestanding Site Other	
Stories1	
Primary Material granite Secondary Ma	aterial <u>limestone</u>
Roof Form end-gable	
No. of Bays in Unit/Facade 3 If Rowhouse: Fla	
Window Type: Double-Hung Door Type: Si	
A STATE OF THE PARTY OF THE PAR	ouble-Leaf
2/2 Sash N	umber of panels (if visible)
	ransom
Other Sash Transom	
Hanson	
Architectural Style Gothic Revival	Date c. 1852-1901
Noteworthy Features: Simple mass under large front gable pointed-arched windows, and a rose window in gable. Sma floor. Rough-faced random ashlar. Contrasting stone trim features stone buttresses.	aller flat-headed windows on first
Awnings	Stucco Window/Door Changes Missing Cornice Elements Other:
Status:x Occupied Vacant Mixed	1
NR Evaluation: v Contributing Non-Contri	ibuting
NR Evaluation:x Contributing Non-Contributing Non-Contributing Yes	No
Surveyor: Joey Lampl Affiliation: Robinson & Date: February-April 1992	Associates



SANOTOWN - WINCHESTER, /PENN-NORTH #3-4434 BALTIMORE, MD SUZABETH GO LAMPL MARCH 1992 CITY OF BALTIMORE, GMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION HISTORIC: REFORMED ENGLISH CHURCH CORRENT: SIMMONS MEMORIAL BAPTIST CHURCH GOI CUMBERLAND ST. (GRNER, CUMBERLAND & PENNSYLANIA) ROLL 5 'NEG 31

SANDTOWN-WINCHESTER/PENN-NORTH	Survey No. B-4434		
RECONNAISSANCE-LEVEL SURVEY FORM	Neg. No		
Historic Name			
Current Name/Use	Auto-Article Company Management Company		
Address(es) 2327-51 Druid Hill Avenue			
Resource/Property Typex Rowhouses			
Commercial	Structure		
Public/Institu			
x Attached Public Housi	ing		
Freestanding Site			
Other			
	<del></del>		
Stories 2 + B			
Primary Material <u>brick</u> Secondary	y Material <u>marble, stamped metal</u>		
Roof Formflat			
No. of Bays in Unit/Facade 3 If Rowhouse: x	_ Flat Front Swell Front _x Porch		
Window Type: x Double-Hung Door Type:	Single-Leaf		
$\frac{x}{x}$ 1/1 Sash	Double-Leaf		
2/2 Sash	Double-Leaf Number of panels (if visible)		
2/1 Sash	Transom		
? Other Sash			
Transom			
Architectural Style"Daylight Houses"/Classical Revi	val Date c. 1901-14		
Summary/Noteworthy Features: Exemplative of a late North neighborhood, these Daylight Houses have been Italianates and two-story Swell Fronts. The setback, of swell of its attached southern Swell Front neighbor. It Adamesque swags. Both flat- and segmental-stone with architrave cornices carried on slender (columns), projecting bay.	n "sandwiched" in between three-story or front plane of the porches, matches the Features stamped metal cornice with ndow heads; stone sills. Front porches		
Alterations: Formstone Vinyl/Aluminum X Awnings First-Floor Use Change	Stucco  Window/Door Changes  Missing Cornice Elements  Other:		
Status:x Occupied Vacant N	Mixed		
NR Evaluation:x Contributing Non-Contributing			
	_x_ No		
Surveyor: Joey Lampl Affiliation: Robinso	on & Associates		
Date: February-April 1992			





# B-4434 BALTIMORE, MD SLIZABETH OO LAMPL MARCH 1992 CITY OF BALTIMORE, GMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 2363-57. PONTO) ON LEFT; 2327-51, IN CENTER; 2311-25 on RIGHT DEVID HILL AVENUE: 2300 BLOCK BETWEEN CLENDENIN AND WHITELOCK VIEW FACING SOUTHEAST ROLL 7/ NEG 27

SANDTOWN · WINCHESTER / PENN · NORTH

SANDTOWN-WINCHESTER/PENN-NORTH Survey No. B-4434 RECONNAISSANCE-LEVEL SURVEY FORM
Neg. No
Historic Name
Current Name/Use
Address(es) 2401 Block, Druid Hill Avenue
Resource/Property Type x Rowhouses Commercial Structure
x Attached Public/Institutional Building   public Housing Site   Other
Note:
Primary Material <u>brick</u> Secondary Material <u>sandstone</u> , stamped metal
Roof Formflat
No. of Bays in Unit/Facade 2 If Rowhouse: x Flat Front Swell Front Porc
Window Type: _x Double-Hung Door Type: _x Single-Leaf _x 1/1 Sash Double-Leaf _ 2/2 Sash Number of panels (if visible) _ 2/1 Sash x Transom _ Other Sash _ Transom
Architectural Style Classical Revival Date c. 1901-14
Summary/Noteworthy Features: Fine, long block of flat-fronted, two-story Classical Revival rowhouses. Photo illustrates how fire walls indicate cornice progression to accommodate grade change. Metal cornice has delicate Adamesque swags. Arched openings on 1st floor with double windows, which have varied window types. Segmental-headed windows on 2nd floor.
Alterations: Formstone Stucco  Vinyl/Aluminum x Window/Door Changes  x Awnings x Missing Cornice Elements  First-Floor Use Change Other:
Status:x _ Occupied Vacant Mixed  NR Evaluation:x _ Contributing Non-Contributing
Recommended for Intensive Level: <u>x</u> Yes No
Surveyor: Joey Lampl Affiliation: Robinson & Associates Date: February-April 1992



2401 Block



# B-4434 BALTIMORE, ND SUZABETH GO LAMPL MARCH 1992 CITY OF BALTIMORE, GUMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 2401 BLOCK DRUD HILL AVENUE VIEW FACING NORTH ROLL 7/ NEB 28

SANDTOWN - WINCHESTER / PENN- NORTH

SANDTOWN-WINCHESTER/PENN-NORTH Survey No. B-4434
RECONNAISSANCE-LEVEL SURVEY FORM
Neg. No
Historic Name Current Name/Use
Address(es) 2528 Druid Hill Avenue
ZZZZ Druk Tim Avenue
Resource/Property Type Rowhouses  (Purpose Built) Commercial Structure Public/Institutional Building Attached Public Housing X Freestanding Site
x_ Other
Note: detached house
Stories <u>2 1/2</u>
Primary Material <u>brick</u> Secondary Material <u>wood</u>
Roof Form <u>mansard</u>
No. of Bays in Unit/Facade If Rowhouse: Flat Front Swell Front Porch
Window Type: x Double-Hung Door Type: x Single-Leaf x 1/1 Sash Double-Leaf 2/2 Sash Number of panels (if visible) 2/1 Sash x Transom Other Sash Transom
Architectural Style Second Empire Date c. 1852-90
Noteworthy Features: Front porch raised on brick piers, runs full width; carved wood pillars, turned balustrade. Flat-arched openings with now-shortened windows. Arched single and paired dormers with surrounds. Pilastered brick chimneys. Bracketed cornice. Original iron fence.
Alterations:  Formstone Vinyl/Aluminum X Window/Door Changes Awnings Missing Cornice Elements ' First-Floor Use Change Other:
Status:x Occupied Vacant Mixed
NR Evaluation: X Contributing Non-Contributing
Recommended for Intensive Level: x Yes No
Surveyor: Joey Lampl Affiliation: Robinson & Associates Date: February-April 1992





SFILDTOWN - WINCHESTEE / PENN-NORTH # B-4434 BALTIMORE, MD ELIZABETH 90 LAMPL MARCH 1992 1 CITY OF BALTIMORE, COMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION SEET PLOID HILL AVE. ROLL 7/NEG 12

DECONNAISSANCE LEVEL SUDVEY FORM
RECONNAISSANCE-LEVEL SURVEY FORM  Neg. No7/32
Historic Name
Current Name/Use Nehemiah Housing Development
Address(es) 2454-80 Etting Street
Resource/Property Type x Rowhouses
(Purpose Built) Commercial Structure
Public/Institutional Building
_x_ Attached Public Housing
Freestanding Site
Other
Note:
Stories 2 + B
Primary Material brick Secondary Material wood
Roof Formgable
No. of Bays in Unit/Facade 3 If Rowhouse: x Flat Front Swell Front Porch
Window Type: x Double-Hung Door Type: x Single-Leaf
1/1 Sash Double-Leaf
2/2 Sash 6 Number of panels (if visible)
2/1 Sash Transom
x Other Sash
Transom
Architectural Style Contemporary Vernacular Date c. 1990
Noteworthy Features: Flat-arched openings. Slight overhang.
Alterations: Stucco
Vinyl/Aluminum Window/Door Changes
Awnings Missing Cornice Elements
First-Floor Use Change Other:
That-1 loof Ose Change Other.
Status:x Occupied Vacant Mixed
NR Evaluation: Contributing x Non-Contributing
Recommended for Intensive Level: Yes Yesx No
Surveyor: Joey Lampl Affiliation: Robinson & Associates Date: February-April 1992





SANDTOWN - WINCHESTER PENN-NORTH # B-4434 BALTIMORE, MD ELIZABETH QO LAMPL MARCH 1992 CITY OF BALTIMORE, GUMISSION FOR HISTORICAL AND ARCHITECTURAL PRESCRUATION 2454-80 ETTING ST. NEHEMIAH HOUSING DEVELOPMENT VIEW FACING NORTHWEST ROLL 7/NEG 32


SANDTOWN-WINCHESTER/PENN-NORTH RECONNAISSANCE-LEVEL SURVEY FORM  Neg. No
Address(cs)
Resource/Property Type
Primary Materialbrick Secondary Materialmarble, wood, stamped metal
Timaly Waterial Secondary Waterial marble, wood, stamped metal
Roof Form flat
No. of Bays in Unit/Facade 2, 3 If Rowhouse: x Flat Front Swell Front Porch
Window Type: _x Double-Hung Door Type: _x Single-Leaf _x 1/1 Sash Double-Leaf 2/2 Sash Number of panels (if visible) 2/1 Sash x Transom Other Sash Transom
Architectural Style <u>Italianate/Renaissance Revival</u> Date c. <u>1852-1890; 1890-1901</u>
Summary/Noteworthy Features: Block is good example of multiple builders working in complementary, but subtly different architectural strains of the Italian-derived styles. Threestory, two-bay units at right (in distance in photo) are 1852-90; 2-story houses, three-bay units at left are 1890-1901. Units have variety of denticulated and corbelled brick cornices, windows and doors with stone sills, lintels. The more Renaissance Revival examples feature paired windows with shared keystone.
Alterations: x Formstone Stucco Vinyl/Aluminum x Window/Door Changes x Awnings Missing Cornice Elements First-Floor Use Change Other:
Status:x Occupied Vacant Mixed  NR Evaluation:x Contributing Non-Contributing  Recommended for Intensive Level: Yesx No
Surveyor: Joey Lampl Affiliation: Robinson & Associates Date: February-April 1992





SANDTOWN - WINCHESTER / PENN - NORTH #13-4434 BALTIMORE, MD SUZABETH SO LAMPL MARCH 1992 CITY OF BALTIMORE, COMMISSION FOR MISTORICAL AND ARCHITECTURAL PRESERVATION 2501. 2549 FRANKES ST. SOUTHWEST ELEVATIONS ROLL 7/NEG 6

RECONNAISSANCE-LEVEL SURVEY FORM  Neg. No4/37			
Historic Name			
Current Name/Use			
Address(es) 1300 Block, North Fremont at Robert			
Resource/Property Typex Rowhouses Commercial Structure			
Commercial Structure Public/Institutional Building Public Housing Site Other Note:			
Stories 3 + B			
Primary Material <u>brick</u> Secondary Material <u>marble</u>			
Roof Form flat			
No. of Bays in Unit/Facade 2 If Rowhouse: x Flat Front Swell Front Porch			
Window Type: _x Double-Hung Door Type: _x Single-Leaf1/1 Sash Double-Leaf2/2 Sash Number of panels (if visible)2/1 Sash Transom Other Sash Transom			
Architectural Style Italianate Date c. 1852-90			
Summary/Noteworthy Features: Representative three-bay (first floor), three-story Italianate row on Fremont Street. Most of the character of the continuity of the street has been eroded by heavy demolition on both sides of the street, but in particular, on the east. Segmental door heads and flat-arched window heads. Unit at far right appears to have been given new brick veneer.			
Alterations: Formstone x Stucco  Vinyl/Aluminum Window/Door Changes  Awnings Missing Cornice Elements  First-Floor Use Change x Other: brick veneer			
Status:x Occupied Vacant Mixed			
NR Evaluation:			



1300 Block



#B.4434 BALTIMORE, MD ELIZABETH GO LAMPL MARCH 1992 CITY OF BALTIMORE, COMMISSION FOR HISTORICAL AND ARCHITECURAL PRESERVATION VIEW FACING SOUTWEST OF 1300 BLOCK, N FREMONT AVE. AT ROBERT for 4/NEG 37

SANDTOWN - WINCHESTER / PENN - NORTH

SANDTOWN-WINCHESTER/PENN-NORTH RECONNAISSANCE-LEVEL SURVEY FORM	Survey No.	B-4434		
RECONNAISSANCE-LEVEL SORVET FORM	Neg. No.	3/24; 1/3		
Historic Name				
Address(es) 911(?) - 927-29 Fulton Avenue				
Resource/Property Type  x Rowhouses Commercia Public/Institut Public Housin Site Other Note: new row to report Type  x Rowhouses Commercia Public/Institut Other Note: new row to report Type	ional Building ag	l row		
Primary Material <u>brick</u> Secondary	Material conc	rete		
Roof Formflat				
No. of Bays in Unit/Facade 3 If Rowhouse: x	Flat Front	Swell Front Porch		
2/2 Sash	Single-Leaf Double-Leaf Number of pan Transom	els (if visible)		
Architectural Style Neo-Italianate	Date	c. <u>1990</u>		
Summary/Noteworthy Features: Completely new row of cooperative apartments designed to simulate original, which blew down in a windstorm during the course of rehabilitation. Jackarched openings with concrete keystones, bracketed cornice with ventilator panels, patterned brick reliefs below frieze. Rear elevalations feature smooth stucco walls with irregularly placed windows and tall, brick-clad fire escape stairs.				
Vinyl/Aluminum Awnings	Stucco Window/Doo Missing Core Other: reface	nice Elements		
Status:x Occupied Vacant Mixed  NR Evaluation: Contributingx Non-Contributing				
Recommended for Intensive Level: Yes x No				
Surveyor: Joey Lampl Affiliation: Robinson Date: February-April 1992	& Associates			





901 Block



SANDTOWN-WINCHESTER / PENN-NORTH #B-4434 BACTHORE, MD ELIZABETH GO LAMPL MARCH '902 CITY OF BALTHORE, GMPISSION FOR HISTORICAL AND ARCHITEOURAL PRESENATION. GOPGIATIC APARTHENIS 911(2)-929-09 FOUN AVENUE WEST ECGUATION ROLL 3/NEG 24



SANDTOWN - WINCHESTER /PENN-NORTH = B-4434 BAUTHORE, MD ELIZABETH OD LAMPL ARCHITECTURAL PRESERVATION FOR HISTORICAL AND MARCH 1982 401 BLOCK, FOLTON AIR. (SER ROLL 3/NEG 24) VEW FACING NORTHWEST ROLL 1/NEG 3 20/2

RECONNAISSANCE-LEVEL SURVEY FORM
Neg. No. <u>3/28, 29</u>
Historic Name
Address(es) 1000-1032 Fulton Avenue
Resource/Property Typex Rowhouses Commercial Structure
Public/Institutional Building Attached Public Housing Site Other Note: 1000-1018(neg. 28); 1016-1032 (neg. 29)
Stories 3 + B
Primary Material <u>brick</u> Secondary Material <u>marble, wood</u>
Roof Form flat
No. of Bays in Unit/Facade 3 If Rowhouse: x Flat Front Swell Front Porc
Window Type: x Double-Hung Door Type: x Single-Leaf x 1/1 Sash Double-Leaf 2/2 Sash Number of panels (if visible) 2/1 Sash x Transom Transom
Architectural Style <u>Italianate/Queen Anne</u> Date c. <u>1852-1901</u>
Summary/Noteworthy Features: Representative long block of Italianate three-bay, three-story row with some units featuring Queen Anne decorative brickwork. Bracketed cornice has jigsawn molding, some ventilator panels still extant. Segmental-headed door and window openings on most units, flat-arched on others. Molded brick belt courses, door hoods, and window voussoirs apparent on #1000-1010. Three-story bay added to #1000 between 1901-14.
Alterations: x Formstone Stucco Vinyl/Aluminum x Window/Door Changes Awnings Missing Cornice Elements First-Floor Use Change Other:
Status: Occupied Vacant x Mixed
NR Evaluation: X Contributing Non-Contributing Recommended for Intensive Level: Yesx _ No
Surveyor: Joey Lampl Affiliation: Robinson & Associates Date: February-April 1992







SANDTOWN - WINCHESTER PENN-NORTH #6-4434 BAUTHORE, MD EUZABETH OO LAMPL CITY OF BACHNORE, GAMISSION FOR HISTORICAL AND ARCHITECTURAL MARCH 1902 1000 - 10'E (parial, Ct.) FUCTON AVE. EAST ELEWATION ROLL 3/28



SANDTOWN - WHICHESTER /PENN-NORTH #B-4434 BALTHORE, MD ELIZABETH GO LAMPL MARCH 1992 CITY OF BACTIPORE, GMMISSION FOR I STORICAL AND ARCHITECTURAL PRESERVATION 10.0 ( portal 1841 - 1035 FULTON AVE. SAST ELEVATION ROLL SINEG 29

SANDTOWN-WINCHESTER/		Survey No	B-4434
RECONNAISSANCE-LEVEL	SURVEY FORM	Neg No	3/21-23
Historic Name		Neg. No	3/21-23
Historic Name Current Name/Use			
Address(es)1001-1045 Full			
	No. of the last of		
Resource/Property Type	x_ Rowhouses	3	
) (1996)   (1996)   1960)   1960)   1960)   1960)   1960)   1960)   1960)   1960)   1960)   1960)   1960)   1	x Commercia		
	Public/Insti		
x Attached	Public Hou	ısing	
Freestanding	Site		
	Other		
S	Note:		
Stories 3 + B			
Deimann Matarial Lain	C1		to assert
Primary Material brick	Seconda	ary material <u>marc</u>	ole, wood
Roof Form <u>flat</u>			140
No. of Bays in Unit/Facade	If Rowhouse:	x Flat Front	Swell Front Porch
Window Type: _ x Double-Hu	ing Door Type	x Single-Leaf	
$\frac{x}{x}$ 1/1 Sash		Double-Leaf	
2/2 Sash		Number of pan	els (if visible)
2/1 Sash		x Transom	()
Other Sash	4.	Against narrascottanessacras	
Transom			
Architectural Style <u>Italianate</u>	Oueen Anne	Date c	1852-1901
Thomsecular Style	Queen rume	Dailo 0.	1002 1701
Summary/Noteworthy Features: rowhouses with degree of lost of southern end. Variety of corbosubstantial interest to facades. door openings, some window kedecorative brick work on #100	or altered building fal elled and beaded bric Bracketed cornice; fl eystones, some molde	bric at northern end k work in Queen A lat-arched and segme d brick hoods. Mo	l, and greater integrity at nne fashion adds ental-headed window and lded brick beltcourses,
Alterations:x Formstonx Vinyl/Alux Awnings		x Stucco x Window/Doc x Missing Corr	1일:
11151-1100	n ose change	onler	
Status: Occupied	Vacant x	Mixed	
NR Evaluation:x Contr			
Recommended for Intensive Le		<u>x</u> No	
Surveyor: Joey Lampl Date: February-April 1992	Affiliation: Robin	son & Associates	









SANDTOWN - WINCHESTER / PENN - NORTH 7-B-4434 BALTIMORE, MD ELIZABETH OF LAMPL MARCH 1992 CITY OF BALTIMORE, GAMISSION FOR 4 STORICAL AND ARCHITECTURAL PRESERVATION 1029 (partal, right) - 1045 FULTON AVE. WEST ELEVATION ROLL 3/ NEG 21



SANOTOWN-WNICHESTER / PENN-NORTH #B-4434 BACTHORE, ND ELIZACETH GO LAMPL MARCH 1992 CITY OF BALTIMORE, GMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 1001 - 1023 ( parked , 1882 ) FULTON AVE. WEST ELEVATION ROLL 3/ NEG 23





SANDTOWN - WINCHESTER / PENN-NORTH 7-B-4434 BACTMORE ND EUZABEH CO LAMPL MARCH 1992 CITY OF BAITHORE, CHRISSION FOR HISTORICAL AND ARCHITECTURAL PRESCRUATION 1015 (paral 1914) - 1035 (portial "H") FUETON AVE, WEST ELEVATION ROLL 3/NEG 22

SANDTOWN-WIN			Survey No.	B-4434
RECONNAISSAN	CE-LEVEL SUR	EVEY FORM	Neg. No.	3/32, 33
Historic Name		20 <u>21 22</u> 21 3		CONTRACTOR OF THE PROPERTY OF
Current Name/Use				
Address(es)	1100-1140 Fultor	n Avenue		
Resource/Property		x Rowhouse	ial Structure	
x Attached			titutional Building	
Freestanding	W. series	Public Ho	Justing	
Precialiding	Source	Site Other		
			ag 22), 1100 40 (non	. 22)
Stories _3 + B	INC	ne: 1100-16 (ne	eg. 32); 1100-40 (neg	(. 33)
		Second	dary Material <u>mar</u>	ble, wood
Walter				
No. of Bays in Un	it/Facade3	If Rowhouse:	_x Flat Front _	_ Swell Front Porch
_	Double-Hung 1/1 Sash 2/2 Sash 2/1 Sash Other Sash Transom	Door Type:	_x Single-Leaf Double-Leaf Number of par _x Transom	nels (if visible)
10 KINCTHEP IN NOTES 201	** *** *******************************		Date c.	1852-90
Addinicetural Style	Italialiate		Date c.	1032-70
line cornice and the molding, flat-arche synthetic materials. Second type, #113 units having gables	ne gabled cornice. d window heads, but molded brick 0-40, are 3-bay us and ventilator p	Majority of uwith mostly seg k voussoirs over nits with corbel anels above.	nits have bracketed of mental door heads. It door and sunk pand led brick cornice, which is second type has	Most units refaced with els still visible on #1110. nich alternate with 2-bay
x	Formstone Vinyl/Aluminu Awnings First-Floor U		?         Stucco           x         Window/Do           Missing Cor           Other:	
Status: Oc NR Evaluation: Recommended for	x Contributi	ng No		
Surveyor: Joey La Date: February-A		ffiliation: Robi	nson & Associates	

2/2/

SANDTOWN-WINCHESTER/PENN-NORTH	Survey No. B-4434
RECONNAISSANCE-LEVEL SURVEY FORM	Neg. No/
Historic Name	•
Current Name/Use	
Address(es)	
Resource/Property Type (Purpose Built)  x Attached Freestanding  Site Other Note: first-floor store	onal Building
Primary Material <u>brick</u> Secondary	Material marble, wood
Roof Formflat	
No. of Bays in Unit/Facade 3 If Rowhouse: x	Flat Front Swell Front Porch
2/2 Sash	Single-Leaf Double-Leaf Number of panels (if visible) Transom
Architectural Style Italianate	Date c
mostly segmental door heads, one flat-arched. Most unmolded brick voussoirs over door and sunk panels still v	nolding. Flat-arched window heads, with its refaced with synthetic materials, but
Certification	Stucco
	Window/Door Changes
Awnings	Missing Cornice Elements Other:
Status: Occupied Vacant x Mi	xed
NR Evaluation:x Contributing Non-Con	ntributing
Recommended for Intensive Level: Yes	<u>x</u> No
Surveyor: Joey Lampl Affiliation: Robinson Date: February-April 1992	& Associates







SANOTOWN - WINCHESTER / PENN-NORTH # 8-4434 BALTIMORE, MD SUZABETH OF LAMPL CITY OF BALTIMORE, COMMISSION FOR HISTORICAL AND ARCHITETURAL PRESERVATION 1100-16 PARTIAL ET POUTON PUE. SAST ELEVATION ROLL 3/NEG 32



SANDTOWN- WINCHESTER / PENN-NORTH # 8-4424 BALTIHORE, MD ELIZABETH GO LAMPL MARCH 1992 CITY OF BALTIMORE, CAMMISSION FOR HISTORICAL AND PRESERVATION 1100-40 FULTON ANE, (PACTIAL, FULLER MEMORIAL AT RIGHT, C. 1901-14) VIEW FACING SOTHWEST POLL 3/ NEG 33

SANDTOWN-WINCHESTER/PENN-NORTH	Survey No. B	-4434
RECONNAISSANCE-LEVEL SURVEY FORM	NI NI-	2/19/20
Historic Name		3/18-20
Current Name/Use		
Address(es) 1101-53 Fulton Ave.		
Resource/Property Typex Rowhouses Commercial Stru Public/Institution Y Attached Public Housing Site	cture al Building	
Other		
Note: <u>1101-27 (neg. 20)</u> Stories <u>3 + B</u>	; 1131-45 (neg.	. 19); 1139-53 (neg. 18)
Primary Material <u>brick</u> Secondary Ma	aterial <u>marbl</u>	le, wood
Roof Form flat		
No. of Bays in Unit/Facade 3, 2 If Rowhouse: x Fl	at Front	Swell Front Porch
2/2 Sash N	ingle-Leaf Double-Leaf Jumber of pane Transom	els (if visible)
Architectural Style <u>Italianate/Late Second Empire</u>	Da	ate c1852-1901
Summary/Noteworthy Features: Long Italianate row of bomay reflect tastes of three builders. Cornice line changes of block, higher straight cornice in middle, and then slight cornice at northern end of block. Unfortunate use of vin cornices. Other units have intact bracketed cornice with and door openings, pedimented brick door hoods; some 2	, with straight of the lower mansaryl siding at son ventilator pane	cornice at southern end and roof above bracketed ne of the mansard units' ls. Segmental window
	d	
Surveyor: Joey Lampl Affiliation: Robinson & Date: February-April 1992	Associates	









SAMOTOWN - WINCHESTER / PENN-NORTH TB-4434 BAUTHORE, MD ELIZABETH GO LAMPL MARCH 1992 CITY OF BALTIMORE, COMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 1101-27 (partial, 'EX) FUCTON AVE. MOTAURIS TREW ROLL 3/NG 20



SANOTOWN-WACHESTER / PENN-NORTH #13-4434 BALTHORE, MD FLIZABETH OD LAMPL MARCH 1992 CITY OF BACTHORE, GMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESENTATION. 131 (partal 10/4) - 1145 (partal, 1841) FULTON AVE. WEST SCREAMEN ROLL 3/ NEG 19 2 0 3




SANDTOWN - WINCHESTER / PENN - NORTH #8-4434 BACTHORE, HD SUZABETH 90 CAMPE CITY OF BALTIMORE, GMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESTRUATION MARCH 1992 1139 ( partal 12) - 1153 FULTON AVE. WEST ELEVATION ROLL 3/ NEG 18 303

RECONNAISSANCE-LEVEL SURVEY FORM
Historic Name Fuller Memorial Baptist Church
Current Name/Use Baptist Church Address(es) 1142 Fulton Avenue (at Winchester)
Address(es)1142 Fulton Avenue (at winchester)
Resource/Property Type Rowhouses Commercial Structure
x Attached x Public/Institutional Building Public Housing Site Other Note:
Stories 1 + B
Primary Material granite Secondary Material sandstone
Roof Form gable
No. of Bays in Unit/Facade5
Window Type: Double-Hung Door Type: Single-Leaf 1/1 Sash x Double-Leaf 2/2 Sash Number of panels (if visible) 2/1 Sash x Transom Other Sash Transom
Architectural Style English Gothic Revival Date c. 1901-14
Noteworthy Features: Facade has 2 crenellated towers of different heights, main entrance in base of taller, right tower. Buttresses between window bays along Winchester. Stained glass windows of various shapes and sizes. Rusticated ashlar masonry with contrasting dressed sandstone trim.
Alterations:  Formstone  Vinyl/Aluminum  Awnings  First-Floor Use Change  Stucco  Window/Door Changes  Missing Cornice Elements  Other:
Status:x Occupied Vacant Mixed
NR Evaluation: X Contributing Non-Contributing
Recommended for Intensive Level:x Yes No
Surveyor: Joey Lampl Affiliation: Robinson & Associates Date: February-April 1992




SANDTOWN - WINCHESTER / PENN - NORTH # 8-4434 BALTIMORE, MD ELIZABETH GO LAMPL MARCH 1992 CITY OF BALTIMORE, COMMISSION FOR HISTORICAL AND ARCHITECURAL PRESERVATION HISTORIC: FOLLER HUMCRIAL BAPTIST CHURCH CHRENT: CHURCH CURRENT: MALL IN FULTON AVE. (at windrester) NORTH & EAST ELEVATIONS ROLL 3/NEG 36



SANDTOWN - WINCHESTER / PENN-NORTH # B-4434 BALTIMORE, MD ELIZABETH OF LAMPL MARCH 1992 CITY OF BALTIMORE, COMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION MISTORIC: FULLER MEMORIAL BAPTIST CHURCH 1142 FULTON AVE. (at Windhester) EAST ELGUATION ROLL 3/NEG 34

SANDTOWN-WINCHESTER/PENN-NORTH RECONNAISSANCE-LEVEL SURVEY FORM	Survey No.	B-4434
RECONNAISSANCE-LEVEL SURVET FORM	Neg. No.	3/17
Historic Name		V/12:
Current Name/Use		
Address(es) 1193-1203 Fulton Avenue		
Resource/Property Type  x Rowhouses Commercial St	ructure	
AttachedPublic/InstitutionAttachedPublic HousingSiteOther Note: first-floor store	5	
Stories 3 + B	at corner	
Primary Material <u>brick</u> Secondary I  Roof Form <u>flat</u>	Material <u>marb</u>	le, stamped metal
Roof Form		
No. of Bays in Unit/Facade 2, 3 If Rowhouse: x	Flat Front x	Swell Front Porch
2/2 Sash	Single-Leaf Double-Leaf Number of par Transom	nels (if visible)
Architectural Style <u>"Swell Front"/Renaissance Revival</u>	Dat	te c. <u>1901-14</u>
Summary/Noteworthy Features: Largely intact late "Swe projecting bays. (1191 demolished.) Stone window linted doors; other doors and some first-floor double windows dressed stone, swell facades have rough-faced stone. St. block infill in first-floor windows of #1201. Original sto	els and sills, and have stone arch amped metal co	I stone lintels over some nes. Flat facades have princes with swags. Glass
Awnings	Stucco Window/Doo Missing Cor Other: glass	nice Elements
Status: _x Occupied _ Vacant _ Min NR Evaluation: _x Contributing _ Non-Con	xed ntributing	
Recommended for Intensive Level: Yes	<u>x</u> No	
Surveyor: Joey Lampl Affiliation: Robinson Date: February-April 1992	& Associates	





SANDTOWN - WINCHESTER / PENN-NORTH #B-4434 BALTIMORE, MD ELIZABETH GO LAMPL MARCH 1992 CTILL OF BALTIMORE, COMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 1198-1203 FOLION AVE. (1191 DEMOLISHED) WEST ELEVATION ROLL 3/NEG IT

RECONNAISSANCE-LEVEL SURVEY FORM
Neg. No3/35  Historic Name Fulton Park Stables (c. 1901); Dept. Street Cleaning Stables (c. 1914)  Current Name/Use King's Deliverance Holiness Church  Address(es) 1200 Fulton Avenue
Resource/Property Type Rowhouses
Commercial StructurePublic/Institutional BuildingAttachedPublic Housingx FreestandingSitex? Other Note: might be refaced historic stables or post-1914 construction
Stories1
Primary Material <u>brick</u> Secondary Material <u>concrete block</u>
Roof Form flat
No. of Bays in Unit/Facade5
Window Type: Double-Hung Door Type:x Single-Leaf 1/1 Sash Double-Leaf 2/2 Sash Number of panels (if visible) 2/1 Sash x Transom Other Sash Transom
Architectural Style Vernacular Date c. Pre-1901 ?
Noteworthy Features: If refaced historic building, all original details are hidden under refacing. Small front windows are glass block.
Alterations: Formstone Stucco Vinyl/Aluminum x Window/Door Changes Awnings Missing Cornice Elements x First-Floor Use Change x? Other: refaced
Status: x Occupied Vacant Mixed
NR Evaluation:x Contributing Non-Contributing
Recommended for Intensive Level: Yes x No
Surveyor: Joey Lampl Affiliation: Robinson & Associates Date: February-April 1992



SANDTOWN - WINCHESTER /PENN - NORTH #B-4434 BALTIMORE, MD ELIZABETH QO LAMPL MARCH 1992 CITY OF BALTHORE, CHMISSION FOR MISTORICAL AND ARCHITECURAL ARESERVATION HISTORIC( ?): FUCTON PARK STABLES, C1901 3 DET, STREET CLEANING HISTORIC( !): FUCTON PARK STABLES, CHURCH STABLES, 1914 (REFACING)
CURRENT: KINGS DELIVERANCE HOLINESS CHURCH STABLES, 1914 (REFACING)
OR NEW? 1200 FULTON AVE. BUL 3/ NOG 35

SANDTOWN-WINCHESTER/PENN-NORTH	Survey No. <u>B-4434</u>	
RECONNAISSANCE-LEVEL SURVEY FORM		
	Neg. No6/15	
Historic Name The Brethren Church		
Current Name/Use True Gospel Apostolic Faith C		
Address(es)1506 (?) Fulton Avenue (north o	f Presstman)	
Resource/Property Type Rowhouses	s	
(Purpose Built) Commercia		
x Public/Inst		
	75IIIg	
x Freestanding Site		
Other		
	- 10 - 12 - 12 - 13 - 14 - 15 - 15 - 15 - 15 - 15 - 15 - 15	
Stories1		
Primary Material <u>brick</u> Second	ary Material wood, stone	
And the second s		
Roof Form gable		
Troot Torin		
No. of Bays in Unit/Facade3 If Rowhouse:	Flat Front Swell Front Porch	
No. of Bays in Chit/Tacade If Rownouse.	That From Swell From Forch	
W'-1 T - D 11 H D T	C' 1 . T C	
Window Type: Double-Hung Door Type:		
1/1 Sash	x Double-Leaf	
	Number of panels (if visible)	
2/1 Sash	x Transom	
Other Sash		
Transom		
The state of the s		
Architectural Style Victorian Vernacular	Date c 1901-14	
Themseesian bejoe violentari vernadalar	Dute 0	
Notamenthy Fostures, Simple cable front feedle per	anounced everbone and modillion cornice	
Noteworthy Features: Simple gable-front facade pro		
Stained-glass windows in Gothic pointed-arch opening	igs, small arched window above entrance in	
center. Stone sills.		
Alterations: Formstone	Stucco	
Vinyl/Aluminum	? Window/Door Changes	
Awnings	Missing Cornice Elements	
First-Floor Use Change	Other:	
Instition osc change	other.	
Status:x Occupied Vacant	Mirad	
Statusx Occupied vacant	WIXCU	
	120 T W 17	
NR Evaluation:x Contributing Non	-Contributing	
Recommended for Intensive Level: x Yes No		
### T-724		
Surveyor: Joey Lampl Affiliation: Robin	son & Associates	
Date: February-April 1992		
27 (2000) 19 (20		





BALTIMORE, MD

ELIZABETH QO LAMPL

MARCH 1992

CITY OF BALTIMORE, GMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION

HISTORIC: THE BRETHREN CHURCH

CURRENT: TRUE GOSPEL APOSTOLIC FAITH CHURCH, SAST ELEVATION


1506 (?) FULTON AVE. (NORTH OF PRESSTIMAN)

ROLL 6/NEG 15

SANDTOWN-WINCHESTER / PENN-NORTH

# 3-4434

RECONNAISSANCE-LEVEL SURVEY FORM	Survey No. <u>B-4434</u>
RECOMMAISSANCE-LEVEL SURVET FORM	Neg. No6/17
Historic Name	10 10 10 10 10 10 10 10 10 10 10 10 10 1
Current Name/Use	
Address(es)1803-1827 North Fulton	
Resource/Property Type Rowhouses Commercial Stru	uctura
Public/Institution	nal Building
x Attached Public Housing	iai Danaing
Freestanding Site	
Other	
Note:	
Stories 2 + B	
Primary Material <u>brick</u> Secondary M	aterial stone, wood
Roof Form <u>flat</u>	
No. of Bays in Unit/Facade 3 If Rowhouse: F	lat Front Swell Front Porch
Window Type: _x Double-Hung Door Type: _x S	Single Leaf
	Double-Leaf
	Number of panels (if visible)
	Transom
Other Sash	
Transom	
Architectural Style Queen Anne	Date c. <u>1852-1901</u>
Summary/Noteworthy Features: This highly unusual form	was found only near the North
Avenue section of the survey area. It is a Queen Anne	
Queen Anne detail appearing in the form of scrollwork p	
intermittent units. This block of three-bay units has project	ecting 2-bay sections, alternating
rounded and flat projections. Rough-faced stone foundat	ions, sills, and beltcourse which forms
lintels. Denticulated wood (?) cornice.	
Alamati	Character
	_ Stucco
Vinyl/Aluminum x	_ Window/Door Changes
	_ Missing Cornice Elements
Flist-Floor Ose Change	Other:
Status:x Occupied Vacant Mixe	ed.
NR Evaluation: x Contributing Non-Cont	ributing
Recommended for Intensive Level: Yes	_x_No
Surveyor: Joey Lampl Affiliation: Robinson & Date: February-April 1992	z Associates





SANDTOWN - WINCHESTER / PENN-NORTH #B-4434 BALTIMORE, ND EUZABETH QO LAMPL MARCH 1992 CITY OF BALTIMORE, GMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 1803 (DOOR AT RT.) TO 1827 N. FULTON ST. WEST ELEVATION ROLL 6/NEG. 17

SANDTOWN-WINCHESTER/PENN-NORTH	Survey No.	B-4434
RECONNAISSANCE-LEVEL SURVEY FORM	Neg. No.	6/18
Historic Name The Christian Church		
Current Name/Use <u>Ekklesia Bible Chapel</u>		
Address(es) 2000 Fulton Avenue		
Resource/Property Type (Purpose Built)  Attached Attached Freestanding  Stories 1  Rowhouses  Commercial St Public/Institution Public Housing Site Other Note: A church on s	onal Building	born map
Primary Material <u>brick</u> Secondary	Material woo	d
Roof Form <u>pitched gable</u>		
No. of Bays in Unit/Facade5 If Rowhouse:	Flat Front	_ Swell Front Porch
2/2 Sash	Single-Leaf Double-Leaf Number of par Transom	nels (if visible)
Architectural Style Vernacular	Date	c. <u>1901-14?</u>
Noteworthy Features: Simple front gable structure with alterations to openings. Two large double windows in ecovered. Central arched door surrounded by soldier condoors, transom filled in and covered by sign. Door flan windows, also filled in, with transom, soldier course bricabove door. Two flights of steps set parallel to facade	either end bay: I urse brick surro ked by two sma k surrounds. Fi	ook opaque, probably und, modern plate glass ll arched single-light illed-in bulls-eye window
Awnings	Stucco Window/Doo Missing Cor Other:	
Status:x Occupied Vacant Mix  NR Evaluation:x Contributing Non-Contributing Yes	ntributing	
Surveyor: Joey Lampl Affiliation: Robinson Date: February-April 1992	& Associates	





SANDTOWN WINCHESTER / PENN-NORTH

#B-4434

BALTIMORE, MD

ELIZABETH OF LAMPL
MAKCH 1992


CITY OF BALTIMORE, GUMISSION FOR HISTORICAL AND ARCHITECTURAL
PRESERVATION

HISTORIC: STE CHRISTIAN CHURCH

CUERENT: EKKLESIA BIBLE CHAPEL 2000 FULTON AVE. ROLL 6/186 18

SANDTOWN-WINCHESTER/PENN-NORTH RECONNAISSANCE-LEVEL SURVEY FORM	Survey No. <u>B-4434</u>	
RECONNAISSANCE-LEVEL SURVEY FORM	Neg. No8/1	
Historic Name		
Current Name/Use		
Audiess(cs) 2201-2233 Futfoli Avenue		
Resource/Property Typex Rowhouse		
<u>x</u> Commerci		
Public/Inst	titutional Building	
x Attached Public Ho	ousing	
Freestanding Site		
Other	waan 1014 29	
Stories 2 + B	veen 1914-28	
Stories 2 + B		
Primary Material <u>brick</u> Second	dary Material <u>marble</u> , wood	
Roof Formflat		
No. of Bays in Unit/Facade3 If Rowhouse:	x Flat Front Swell Front Porch	
Window Type: _x Double-Hung Door Type:	x Single-Leaf	
<u>x</u> 1/1 Sash	Double-Leaf	
2/2 Sash	Number of panels (if visible)	
	x Transom	
Other Sash		
Transom		
Architectural Style <u>Italianate/Queen Anne</u>	Date cpre-1890	
Summary/Noteworthy Features: Representative of area's main thoroughfares. Originally residential ro Bracketed cornice with jigsawn moldings and ventile hint of Queen Anne influence seen in beaded brick hoods.	ow converted to storefronts between 1914-28. ator panels. Segmental opening heads with	
Alterations: x Formstone Vinyl/Aluminum Awnings x First-Floor Use Change	x Stucco x Window/Door Changes x Missing Cornice Elements x Other: greatly varied	
Status: Occupied Vacantx	_ Mixed	
NR Evaluation: X Contributing Nor	n-Contributing	
Recommended for Intensive Level: Yes x No		
	nson & Associates	
Date: February-April 1992		








SANOTOWN - LICHESTER / PENN - NORTH # B-4434 BALTIMORE MD ELIZABETH OF LAMPL MARCH 1992 COMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION (CITY OF BALTIMORE) YEW FACING SITTHMEST OF FULTON AVE. 2201-33 FOR ON AVE. ROLL & NEG 1 (partial, left)

SANDTOWN-WINCHESTER/PE RECONNAISSANCE-LEVEL SU		Survey No.	B-4434
RECONNAISSANCE-LEVEL SC	RVEI FORM	Neg. No.	1/5, 2/1, 1/37
Historic Name			
Current Name/Use			
Address(es) 900-42 Gilmor	Street		
	x Rowhouses x Commercial S		
x Attached Freestanding	Public/Instituti Public Housin Site Other	g	. 029 42 (nog 1/27)
Stories 3 + B	Note: 900 (neg.1/5); 9	00-30 (neg. 2/1)	; 928-42 (neg. 1/37)
Primary Material <u>brick</u>	Secondary	Material <u>mar</u>	ble, wood
Roof Form flat			
No. of Bays in Unit/Facade3_	_ If Rowhouse: _x	Flat Front	_ Swell Front Porch
Window Type:         x         Double-Hung           x         1/1 Sash           2/2 Sash         2/1 Sash           Other Sash         Transom		Single-Leaf Double-Leaf Number of par Transom	nels (if visible)
Architectural StyleItalianate/Q	ueen Anne	Dat	te c. <u>1852-90</u>
Summary/Noteworthy Features: Features: Features with typical marble basements, ste hoods and beaded brickwork. 902 ventilator panels. Flat-arched win Beaded brick beltcourses and square	eps, and sills and touch 2 demolished. Bracken adow heads, segmental	hes of Queen A ted cornice with I door heads wit	nne detailing in the door jigsawn molding and h molded brick hoods.
Alterations:x Formstone Vinyl/Alumi Awningsx First-Floor		Stucco Window/Do Missing Cor Other:	<del>-</del> -
Status: Occupied NR Evaluation:x Contribu			
Recommended for Intensive Leve Surveyor: Joey Lampl Date: February-April 1992	l: Yes Affiliation: Robinson	_x No & Associates	









SANDTOWN-WINCHESTER / PENN-NORTH # 8.4434 BALTIMORE, MD EUZABETH OF LAMPL MARCH 1992 CITY OF BALTIMORE, CONVISSION FOR HISTORICAL AND ARCHITECTURAL PRESSEVATION 900 GILMOR ST. (FORMER DRUGSTORE); 904-10 TO RIGHT EAST ELEVATION ROLL VINES 5



SANDTOWN - WINCHESTER PENN-NORTH #6-4434 BALTIMORE, MD ELIZABITH GO LAMPL MARCH 1992 CTH OF BALTHORE, COMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 900 -36 (pathal, 1+1) GILHOR ST. EAST ELEVATION ROLL DINEG 1



SANDTOWN - WINCHESTER / PENN-NORTH #8-4434 BALTIMORE, MD ELIZABETH QO LAMPL MARCH 1992 CITY OF BALTIMORE, GMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 928 ( one bay 1841) - 942 GILHOR ST. SAST ELEVATION ROLL 1/NEG 37

SANDTOWN-WINCHES	10명에 (CTC) 2017 (CTC) (CTC	Survey No. B-4434
RECONNAISSANCE-LE	EVEL SURVEY FORM	Neg. No
Historic Name		
Current Name/Use		
Address(es)905-27	7 Gilmor Street	
Resource/Property Type	x Rowhouses Commercial Str	ructure
	Public/Institution	onal Building
x Attached	Public Housing	Julia Bullang
The state of the s	Fubile Flousing	•
Freestanding	Site	
	Other	
Stories 2.2 ± B	Note: 905-15 (2 stories	s); 917-27 (3 stories)
Stories $\underline{2, 3 + B}$		
Primary Material <u>brick</u>	Secondary 1	Material marble, wood
Roof Form <u>flat</u>		
No. of Bays in Unit/Facad	de 3 If Rowhouse: x	Flat Front Swell Front Porch
Window Type: v Doub	ale Hung Door Types v	Single Leaf
	ole-Hung Door Type: x	
<u>x</u> 1/1 S	asn	Double-Leaf
2/2 S	asn	Number of panels (if visible)
2/1 S	ash <u>x</u>	Transom
Othe	r Sash	
Trans	som	
Architectural StyleItal	ianate	Date c1852-90
of the neighborhood: on three-bay, two-story version with denticulated gables h	e, a three-bay, three-story strain on with the gabled cornice. Library wooden ventilator panels.	ons of the Italianate style representative ght bracketed cornice; the other, a kely the work of two builders. Those Three-story houses have flat-arched have segmental-headed openings.
Aw	yl/Aluminum x nings x	Stucco Window/Door Changes Missing Cornice Elements Other: brick repointing/refacing
Status: Occupied	Vacant x Mix Contributing Non-Con	red ntributing
Recommended for Intens	ive Level: Yes	<u>x</u> No
Surveyor: Joey Lampl Date: February-April 199	Affiliation: Robinson	& Associates







SANDTOWN-WINCHESTER /PENN-NORTH # 8-4434 BALTIMORE MD ELIZAGETH OF LANGL MARCH 1992 CITY OF BALTHORE, GAHISSION FOR HISTORICAL AND ARCHITECHRAL PRESERVATION 905. 15 (4); 917-27 (14) GILHOR ST. (27 Cornice clipped in plots) WEST ELEVATIONS ROLL 1/ NEG 36

SANDTOWN-WINCHESTER/PENN-NORTH Survey No. <u>B-4434</u>
RECONNAISSANCE-LEVEL SURVEY FORM
Neg. No
Iistoric Name
Current Name/Use Elderly Housing
Address(es) 1000-10 Gilmor
Resource/Property Type  Rowhouses  Commercial Structure  x Public/Institutional Building  x Public Housing  Site  Other  Note: suspended opening due to funding problems
Stories5
Primary Material <u>brick</u> Secondary Material
Roof Form
No. of Bays in Unit/Facade15_ If Rowhouse: Flat Front Swell Front Porce
Window Type: _x Double-Hung Door Type: Single-Leaf _x 1/1 Sash Double-Leaf 2/2 Sash Number of panels (if visible) 2/1 Sash Transom Other Sash Transom
Architectural Style Contemporary Date c. 1990s
Noteworthy Features: New but vacant housing for elderly.
Alterations: Formstone Stucco  Vinyl/Aluminum Window/Door Changes  Awnings Missing Cornice Elements  First-Floor Use Change Other:
Status: Occupiedx Vacant Mixed
NR Evaluation: Contributing x Non-Contributing
Recommended for Intensive Level: Yes x No
Surveyor: Joey Lampl Affiliation: Robinson & Associates Date: February-April 1992



GALTIMORE, MD

ELIZAGETH QO LAMPL

CITY OF BALTIMORE, GAMMISSION FOR HISTORICAL AND ARCHITECTURAL

ARESGRIVATION

ELDERLY HOUSING - 1000-10 GILMOR

SANDTOWN-WINCHESTER / PENN-NORTH

NW GRASE, GILHOR 5, MOSHER (SITE OF FORMER PRIMARY SCHOOL)
EAST ELSUATION
ROLL I/NEG 24

SANDTOWN-WINCHESTER/PENN-NORTH	Survey No.	B-4434
RECONNAISSANCE-LEVEL SURVEY FORM	Neg. No.	1/35
Historic Name		7
Current Name/Use		
Address(es)1014-38 Gilmor Street		
Resource/Property Typex Rowhouses Commercial	Structure	
x Attached Public/Institu  x Attached Public Housi  Freestanding Site Other	itional Building	
Note: 1014-24: 3 stories 2 & 3 + B	ones; 1020-38; 2 s	stories
Stories Z & 3 + B		
Primary Material <u>brick</u> Secondary	y Material <u>mar</u>	ble, wood
Roof Form <u>flat</u>		
No. of Bays in Unit/Facade2 If Rowhouse:x	K Flat Front _	_ Swell Front Porch
2/2 Sash	x Single-Leaf Double-Leaf Number of par Transom	nels (if visible)
Architectural StyleItalianate	Date c	. 1852-90; 1890-1901
Summary/Noteworthy Features: Representative neight different scale occur within one block. Basic Italianat reflects work of two builders. Two-story section is 18 three-story section is 1890-1901. Modillion cornice wi and segmental-headed windows.	e influence make 52-90 (two at end	s them cohesive. Likely I are joined and refaced);
x Vinyl/Aluminum Awnings	? Stucco x Window/Do x Missing Cor Other:	
Status: x Occupied Vacant NR Evaluation: x Contributing Non-C	Mixed Contributing	
Recommended for Intensive Level: Yes	_x_ No	
Surveyor: Joey Lampl Affiliation: Robinso Date: February-April 1992	n & Associates	





SANOTOWN-WINCHESTER / PENN-NORTH #8-4439 BATTHORE, MD ELIZABETH GO LAMPL MARCH 1992 CITY OF BALTIMORE, GMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 1014-34 (35-01-5); 1026-8 (251.) GILMOR ST. GAST ELEVATION ROLL VINEG 35

SANDTOWN-WINCHESTER/PENN-NORTH	Survey No. <u>B-4434</u>	
RECONNAISSANCE-LEVEL SURVEY FORM	Neg. No	
Historic Name		
Current Name/Use		
Address(es) 1031-37 Gilmor Street		
Resource/Property Typex Rowhousesx Commercial Sta	ructure	
Public/Institution Attached Public Housing Site Other Note: early first-floor		
Stories 3 + B		
Primary Material <u>brick</u> Secondary N	Material marble, wood	
Roof Formflat		
No. of Bays in Unit/Facade 3 If Rowhouse: x Flat Front Swell Front Porch		
2/2 Sash	Single-Leaf Double-Leaf Number of panels (if visible) Transom	
Architectural Style Italianate	Date c. <u>1852-90</u>	
Noteworthy Features: Altered vestige of originally longer row. (Eight units demolished for apartment house parking.) Bracketed cornice with relief swags. Flat-arched window and door heads, though apparently arched transoms over doors originally. Store was in location by 1901 and used to feature a corner canopy.		
x Vinyl/Aluminum x Awnings x	Stucco Window/Door Changes Missing Cornice Elements Other: brick refacing	
Status: Occupied Vacant x Mix	xed	
NR Evaluation: X Contributing Non-Contributing		
Recommended for Intensive Level: Yes x No		
Surveyor: Joey Lampl Affiliation: Robinson Date: February-April, 1992	& Associates	





SANDTOUR - WINCHESTER / PENN-NORTH #B-4434 BALTIMORE, MD ELIZABETH QO LAMPL MARCH 1992 CITY OF BALTIMORE, COMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 1031-37 GILMOR ST. (REMAINDER OF ROW DEMOLISHED FOR PARKING) MOTAUSUS TESW ROLL 1/NEG 32


Sec.	RECONNAISSANCE-LEVEL SURVEY FORM
)	Neg. No
	Historic Name Holy Trinity Episcopal Church  Current Name/Use (?) Church
	Address(es)1100 Gilmor Street (northwest corner, Gilmor & Tenant)
	Resource/Property Type  Commercial Structure  X Public/Institutional Building  Public Housing  Site Other
	Note: <u>may be refaced historic church</u> Stories <u>1 + B</u>
	Primary Material <u>brick</u> Secondary Material <u>concrete</u>
	Roof Form gable
	No. of Bays in Unit/Facade? If Rowhouse: Flat Front Swell Front Porch
Ĵ	Window Type: Double-Hung Door Type: Single-Leaf Double-Leaf Double-Leaf Number of panels (if visible) 2/1 Sash Transom Transom
	Architectural Style Contemporary (refaced) Date c. 1852-90
	Noteworthy Features: This could be a refaced historic church. Modern church building with narrow vertical plate glass windows rising full height of sanctuary block, horizontal row of basement windows beneath. Protruding windowless gabled wing to left. Small steeple or fleche rising from gable ridge.
	Alterations: Formstone Stucco  Vinyl/Aluminum Window/Door Changes  Awnings Missing Cornice Elements  First-Floor Use Change ? Other: possibly refaced
	Status:x Occupied Vacant Mixed
	NR Evaluation: Contributing x Non-Contributing
	Recommended for Intensive Level: Yes Yesx No
1	Surveyor: Joey Lampl Affiliation: Robinson & Associates Date: February-April 1992






SANOTOWN - WINCHESTER / PENN-NORTH #B-4434 BALTIMORE, MD ELIZABETH GO LAMPL MARCH 1992 ETTY OF BALTIMORE, GMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESSIEVATION HISTORIC (?): HOLY TRINITY EPISOPAL CHURCH CURRENT: CHURCH 1100 GILMOR ST. ( NW GRIER, GILMOR : TENANT) ROLL S/NEG 29

B-4434 Sandtown-Winchster/Penn North Survey District Block N/A Lot N/A Baltimore City Baltimore West Quad.



B-4434 Sandtown-Winchster/Penn North Survey District Block N/A Lot N/A Baltimore City Baltimore West Quad.



DECOMMENDED LEVEL CURVEY FORM	Survey No. <u>B-4434</u>
RECONNAISSANCE-LEVEL SURVEY FORM	Nor No. 107 29: 2/11
Historic Name	Neg. No. <u>1/27, 28; 3/11</u>
Current Name/Use	
Address(es) 1103-41 Gilmor Street	
1100 11 Gumet Guest	
Resource/Property Type Rowhouses Commercial St	tructure
Public/Instituti	onal Building
x Attached Public Housing	g
Freestanding Site	
Other	DO) 4447 44 ( 4 DT) ( 244)
	/28); 1117-41 (neg. 1/27); rear (neg.3/11)
Stories 3 + B	
Driver Material Iniah Country	Marie 1
Primary Material <u>brick</u> Secondary	Material <u>marble</u> , wood
Doof Form God	
Roof Form <u>flat</u>	
No. of Bays in Unit/Facade3 If Rowhouse:x_	Flat Front Swell Front Porch
Window Type: x Double-Hung Door Type: x	Single-Leaf
	Double-Leaf
	Number of panels (if visible)
	Transom
Other Sash	
Transom	
Architectural Style Italianate	Date c. 1852-90
Summary/Noteworthy Features: Elegant row of three-st unified by modillioned cornice. Break in cornice line se complementary facades. Units on northern end of bloc surrounds and keystones. Units at south are more mod windows. #1129 has church in first floor, faced with cogabled facade, cross and sign added. Rear elevations are stucco siding and 6/6 sash.	eparates two slightly different, but k have paired doors with marble lest with simple arches. Flat-arched emposition siding which forms outline of
[1] [전 전 전 전 전 전 전 전 전 전 전 전 전 전 전 전 전 전 전	Stucco
,	Window/Door Changes
	Missing Cornice Elements
x First-Floor Use Change x	Other: siding, brick refacing
0 11 27	Const.
Status: Occupied Vacant x Mi	
	ntributing
Recommended for Intensive Level: Yes	x No
Surveyor: Joey Lampl Affiliation: Robinson	& Associates
Date: February-April 1992	







SANDTOWN-WINCHESTER / PENN-NORTH # B-4434 BALTIMORE, MD ELIZABETH OF LAMPL MARCH 1992 CITY OF BALTIMORE, GMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 1117-41 GILMOR ST. (1141 at 1084) WEST ELEVATION ROLL 1/27 (NEG.)



SANDTOWN-WINCHESTER PENN- NORTH # B-4434 BALTIMORE, MD ELIZABETH QO LAMPL MARCH 1992 CITY OF BALTHORE, CHMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 1131 (part a) 144 - 03 GILHOR ST. WEST ELEVATION ROLL 1 MEG 28



SANDTOWN - WINCHESTER PENN-NORTH #8-4434 BALTHORE, MD		
ELIZABETH OF LAMPL MARCH 1992! CITY OF BACTIMORE, COMMISSION FOR HISTORICAL AN	NO ARCHUTECTURAL PRESE	MOTAUS
VIEW OF 2-STURY BACK BUDINGS, 1103-23 (SEE ROLL 1/NEGS 27; 28 FOR FACADE) VIEW FACING NORTH WEST ROLL 3/NEG 11	(at right) GILMOR ST.	

SANDTOWN-WINCHESTER/PENN-NORTH RECONNAISSANCE-LEVEL SURVEY FORM	Survey No. <u>B-4434</u>
RECONVAISSANCE-LEVEL SURVET FORM	Neg. No1/31
Historic Name	
Current Name/Use	
Address(es)1106-1108 Gilmor Street	
Resource/Property Typex_ Rowhouses	
Commercial	Structure
Public/Institu Attached Public Housi	utional Building
x Attached Public Housi	ing
Freestanding Site	5
Other	
Stories 2 + B	
Primary Material <u>brick</u> Secondary	y Material wood
Roof Form flat	
No. of Bays in Unit/Facade 2 If Rowhouse:	x Flat Front Swell Front _x Porch
Window Type: Double-Hung Door Type:	Single-Leaf
1/1 Sach	Double-Leaf
2/2 Sash	Number of panels (if visible)
2/1 Sash	Transom
Other Sash	ITansom
Other Sash Transom	
Italisolii	
Architectural Style <u>Italianate</u>	Date c. <u>1852-90</u>
Summary/Noteworthy Features: Unusual row, in that	more than average rowhouse and building
forms constitute one block. 1106-08 is comprised of t	
from street, with a one-story front porch, linteled wine	
non street, with a one-story front poten, infected with	dows, and bracketed cornec.
AV	0
	Stucco
	x Window/Door Changes
	x Missing Cornice Elements
First-Floor Use Change	Other:
Status: Occupied Vacant x N	Mixed
NR Evaluation: Non-C	Contributing
Recommended for Intensive Level: Yes	<u>x</u> No
Surveyor: Joey Lampl Affiliation: Robinson Date: February-April 1992	on & Associates



RECONNAISSANCE-LEVEL SURVEY FORM
Historic Name
Address(es) 1110-1114 Gilmor Street
Resource/Property Type x Rowhouses Commercial Structure
Public/Institutional Building Attached Public Housing Freestanding Site Other
Stories 2 + B Note:
Primary Material <u>iron-spot brick</u> Secondary Material <u>stone, stamped metal</u>
Roof Formflat
No. of Bays in Unit/Facade 3 If Rowhouse: Flat Front x Swell Front Porch
Window Type: _x Double-Hung Door Type: _x Single-Leaf _x 1/1 Sash Double-Leaf _ 2/2 Sash Number of panels (if visible) _ 2/1 Sash Transom _ Other Sash _ Transom
Architectural Style <u>"Swell Front"/Romanesque Revival</u> Date c. <u>1890-1901</u>
Summary/Noteworthy Features: Narrow, three-bay, two-story Swell Fronts with rough-faced stone sills and lintels, corbelled brick cornice.
Alterations: x Formstone Stucco Vinyl/Aluminum x Window/Door Changes Awnings Missing Cornice Elements First-Floor Use Change Other:
Status: Occupied Vacant x Mixed
NR Evaluation: X Contributing Non-Contributing
Recommended for Intensive Level: Yes x No
Surveyor: Joey Lampl Affiliation: Robinson & Associates Date: February-April 1992



SANDTOWN-WINCHESTER/PENN-NORTH RECONNAISSANCE-LEVEL SURVEY FORM	Survey No. <u>B-4434</u>
RECONVAISSANCE-LEVEL SORVET TORM	Neg. No1/31
Historic Name	
Historic Name  Current Name/Use Pentecostal Church	
Address(es)1116 Gilmor Street	
Resource/Property Type Rowhouses Comme	ercial Structure
x Attached x Public/Insti	
	ising
Notes	
Note:	
Primary Material <u>brick</u> Seconda	ary Material
Roof Form hip	
No. of Bays in Unit/Facade 2 If Rowhouse:	Flat Front Swell Front Porch
Window Type: Double-Hung Door Type:	Single-Leaf
1/1 Sash	Double-Leaf
2/2 Sash 2/1 Sash	Number of panels (if visible)
2/1 Sash	Transom
Other Sash	Sum State Medical State
Transom	
*	
Architectural Style	Date cpost-1914
Noteworthy Features: Church is a square formstone	sheathed block with a low hip roof. Two
large square flat-headed stained glass windows on th	HETISTURE IN INTERPOLITATION CONTROLL - INCOMESSAULE IN INCOME - IN INCOME - IN INCOMESSAULE -
with croses, set flush with the formstone; these are	
cross is mounted between them. In the center of the	
and a noticeboard is attached to the wall at the righ	
and a noticeboard is attached to the wan at the right	<b></b>
Alterations: x Formstone	Stucco
Vinyl/Aluminum	Staceo x Window/Door Changes
Awnings	
	x Missing Cornice Elements
x First-Floor Use Change	Other:
Status: _x Occupied _ Vacant  NR Evaluation: _x Contributing _ Non- Recommended for Intensive Level: Yes	-Contributing
Surveyor: Joey Lampl Affiliation: Robins Date: February-April 1992	son & Associates






#B-4434 BALTIMORE, MD SUZABETH OD LAMPL CITY OF BALTIMORE, COMMISSION FOR MISTORICAL AND ARCHITECTURAL PRESERVATION CORNER CHURCH (NW GENER, RIGGS ? GILHOR), 1106 - 1118 (ILMOR ST. ROLL 1/ NEG 31

SANDTOWN - WINCHESTER / PENN- NORTH


	DECONNAISSANCE LEVEL SUDVEY FORM
1	RECONNAISSANCE-LEVEL SURVEY FORM
	Neg. No. 1/25
	Historic Name
	Address(es) 1220-32 Gilmor Street
	Resource/Property Type  x  Rowhouses  x  Commercial Structure
	Public/Institutional Building Attached Public Housing Site Other Note: first-floor store at corner
	Stories 2 & 3 + B
	Primary Material <u>iron-spot brick</u> Secondary Material <u>marble, stamped metal</u>
	Roof Form <u>flat</u>
	No. of Bays in Unit/Facade 3 If Rowhouse: Flat Frontx Swell Front Porch
	Window Type: x Double-Hung Door Type: x Single-Leaf x 1/1 Sash Double-Leaf x 2/2 Sash Number of panels (if visible) 2/1 Sash x Transom Transom
	Architectural Style"Swell Front"/Romanesque Revival Date c1901-14
	Summary/Noteworthy Features: Intact Swell Front row shows characteristic trait of two-story residential units and three-story store/dwelling at corner (built either of a piece or within same narrow timeframe). Fine example of the later, flatter version of the Swell-Front. Stamped metal architrave cornice. End unit with store (original location) has flat facade. Stone window lintels and sills, door lintels throughout, marble steps.
	Alterations: Formstone Stucco  Vinyl/Aluminum x Window/Door Changes  Awnings Missing Cornice Elements  x First-Floor Use Change Other:
	Status: x Occupied Vacant Mixed  NR Evaluation: x Contributing Non-Contributing  Recommended for Intensive Level: Yes x No
( )	Surveyor: Joey Lampl Affiliation: Robinson & Associates Date: February-April 1992





SANOTOUN - WINCHESTER / PENN-NORTH #8-4639 BACTIMORE, MD ELIZABETH OD LAMPL MARCH 1992 CITY OF BALTIMORE, COMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 1220-32 GILHOR SAST ELEVATION POLL 1/NE 25

SANDTOWN-WINCHESTER/PENN-NORTH	Survey No. B-4434
RECONNAISSANCE-LEVEL SURVEY FORM	Neg. No5/9
Historic Name	
Historic Name  Current Name/Use  Lillian Jones Recreation Center	
Address(es) 1323 Gilmor Street	**************************************
Resource/Property Type Rowhouses	
Commercial Str	
x Public/Institutio	
Attached Public Housing	
x Freestanding Site	
Other	
Note:	
Stories1	
Primary Material <u>brick</u> Secondary M	faterial
Roof Form flat	
No. of Bays in Unit/Facade13+_ If Rowhouse:	Flat Front Swell Front
Window Type: Double-Hung Door Type: S	Single-Leaf
	Double-Leaf
	Numbez of panels (if visible)
	Transom
x Other Sash	Transon
Transom	
Architectural Style Contemporary	Date cpost-1914
Noteworthy Features: Brick watertable, cornice; soldier-o	course brick panels above and below
windows. Windows have both square and tall, narrow op	refressing interes — the inconstruction is transfer from the contract — incontract — incontract — incontraction in
windows. Windows have both square and tail, harrow of	Jennigs.
Alterations: Formstone	Stucco
	Window/Door Changes
The state of the s	Missing Cornice Elements
	Other:
Status:x Occupied Vacant Mixe	ed
NR Evaluation: Contributingx Non-Con	tributing
Recommended for Intensive Level: Yes	<u>x</u> No
Surveyor: Joey Lampl Affiliation: Robinson & Date: February-April 1992	& Associates





SANDTOWN-WINCHESTER / PENN-NORTH
#B-4434
BALTIMORE, ND
ELIZABETH GO LAMPL

CITY OF BALTIMORE, CHIKISSION FOR KISTORICAL AND ARCHITECTORAL PRESERVATION

PRESERVATION

LILLIAN GONES RECREATION CENTER

1323 GILME STREET

EAST 5 SOUTH ELEVATIONS (VIEW ON STRICKER)

ROLL 5 / NEG 9

SANDTOWN-WINCHESTER/PENN-NORTH	Survey No. <u>B-4434</u>
RECONNAISSANCE-LEVEL SURVEY FORM	Neg. No5/19
Historic Name	
Historic Name  Current Name/Use former Chinese laundry and/or bake  Address(as) (16219, 252) Cilmon Street	ery ?
Address(es) (1621?-25?) Gilmor Street	
Resource/Property Type  x Rowhouses x Commercial Structure Public/Institution Public Housing Site Other Note: Habitat for Hur	nal Building
Primary Material <u>brick</u> Secondary M	faterial wood
Roof Formflat	
No. of Bays in Unit/Facade 2, 3 If Rowhouse: x F	Flat Front Swell Front Porch
2/2 Sash 1	Single-Leaf Double-Leaf Number of panels (if visible) Transom
Architectural Style Italianate	Date c. <u>1852-1901</u>
Summary/Noteworthy Features: Partial view of this resid for rehabilitation by Sandtown Habitat for Humanity. 16 Laundry in 1901. Row contains both 2- and 3-bay units adjoining, with bracketed cornice with jigsawn molding for cornice above; other cornices bracketed, with jigsawn worsegmental window heads on 2nd floor center unit.	of two stories. Center unit lower than orming storefront, plain bracketed
Awnings	Stucco Window/Door Changes Missing Cornice Elements Other:brick refacing
Status: Occupied Vacant x Mixed NR Evaluation: x Contributing Non-Contributing Non-Contributing Yes	
Surveyor: Joey Lampl Affiliation: Robinson & Date: February-April 1992	& Associates





#B-4434
BALTIMORE, MD
ELIZABETH GO LAMPL.
MARCH 1992
CITY OF BALTIMORE, COMMISSION FOR HISTORICAL AND
ARCHITECTURAL PRESERVATION

HAT BLOCK GILMOR (1621-257)
WEST ELEVATION
ROLL 5/NEG 19

SANDTOWN - WINCHESTER PENN - NORTH

## SANDTOWN-WINCHESTER/PENN-NORTH Survey No. B-4434 RECONNAISSANCE-LEVEL SURVEY FORM Neg. No. \_\_\_\_\_5/37 Historic Name Current Name/Use George Nelson Elementary School Address(es) 711 Gold Street \_\_\_\_\_ Rowhouses Resource/Property Type \_\_\_\_ Commercial Structure x Public/Institutional Building Public Housing Attached \_\_\_\_Site x Freestanding \_\_\_ Other Note: Stories 4? Primary Material \_\_\_\_\_ Secondary Material \_\_\_\_\_ Roof Form flat No. of Bays in Unit/Facade \_\_\_\_ If Rowhouse: \_\_\_ Flat Front \_\_\_ Swell Front \_\_\_ Porch Window Type: \_\_\_ Double-Hung Door Type: \_\_\_ Single-Leaf \_\_\_\_ 1/1 Sash \_\_\_ Double-Leaf \_\_\_\_ 2/2 Sash \_\_\_ Number of panels (if visible) \_\_\_ Transom \_\_\_\_ 2/1 Sash \_\_\_ Other Sash Transom Architectural Style Contemporary Institutional Date c. Noteworthy Features: Self-enclosed modern school, brick screen walls on steel frame, narrow vertical windows run full height between brick sections. Alterations: \_\_\_\_ Stucco \_\_\_\_ Formstone Vinyl/Aluminum Awnings \_\_\_\_ Window/Door Changes \_\_\_\_ Missing Cornice Elements First-Floor Use Change \_\_\_\_ Other: \_\_\_\_ Status: x Occupied Vacant Mixed NR Evaluation: \_\_\_\_\_ Contributing \_\_\_ x \_\_ Non-Contributing Recommended for Intensive Level: Yes x No Surveyor: Joey Lampl Affiliation: Robinson & Associates Date: February-April 1992




BALTIMORE, MD
EUZABETH GO LAMPL
MARCH 1992
CITY OF BALTIMORE, GMMISSION FOR HISTORICAL AND ARCHITECTURAL
PRESERVATION
GEORGE NELSON ELEMENTARY SCHOOL
GRASE, N. CAREY & GOLD STS. (711 GOLD STVEET)
VIEW FACING SOUTH
ROLL 5/NEG 37

SANDTOWN - WINCHESTER / PENN-NORTH

#B-4434

SANDTOWN-WINCHESTER/PENN-NORTH Survey No. <u>B-4434</u>
RECONNAISSANCE-LEVEL SURVEY FORM
Neg. No. <u>1/7</u>
Historic Name
Current Name/UseLafayette Grocery
Address(es) 1500 Lafayette Avenue
Resource/Property Type Rowhouses
x Commercial Structure
Public/Institutional Building
Attached Public Housing
A Attached rubic nousing
Freestanding Site
Other
Note: original store, then office
Stories 3 + B
Primary Material <u>brick (?)</u> Secondary Material <u>wood</u>
Roof Form flat
No. of Bays in Unit/Facade 3 If Rowhouse: Flat Front Swell Front Porch
Window Type: Double-Hung Door Type: _x_ Single-Leaf
1/1 Sash Double-Leaf
2/2 Sash Number of panels (if visible)
2/1 Sash Transom
x Other Sash
Transom
Architectural Style Vernacular Commercial Date c. 1890-01
Tabilitottata Style Summersial Suc s Suc s.
Notes and Francis This are storn by ildicated and story is 1001. By 1014 is
Noteworthy Features: This one-story building was constructed as a store in 1901. By 1914, it
had been converted to an office.
Alterations: Stucco
Vinyl/Aluminumx Window/Door Changes
Awnings x Missing Cornice Elements
First-Floor Use Change x Other: wooden siding
This field one change one
Status: Occupied Vacant Mixed
ND Forbation - Contribution No. Contribution
NR Evaluation: X Contributing Non-Contributing
Recommended for Intensive Level: Yes x No
Surveyor: Joey Lampl Affiliation: Robinson & Associates
Date: February-April 1992





SANDTOWN -WINGESTER / PENN-NORTH

# B-4434
BATHHORE, MD

EURABETH OF LAMPL

CITA OF BAUTHORE, GAMPSHON FOR HISTORICAL AND ARCHITECTURAL PRESERVATION

MARCH 1992

1500 (M.) - 1508 (184) LAFAYETTE AVE (1502 DEMOLISHED)

SOOTH ELEWATION

ROLL 1/NEG 7

SANDTOWN-WINCHESTER/PENN-NORTH RECONNAISSANCE-LEVEL SURVEY FORM	Survey No. <u>B-4434</u>
RECONNAISSANCE-LEVEL SURVET FORM	Neg. No. <u>3/6</u>
Historic Name	
Address(es) 1504-1508 Lafayette Avenue	
Resource/Property Type  x Rowhouse x Commerci Public/Inst x Attached Public Ho Site Other Note:	al Structure titutional Building using
Stories _3 + B	
Primary Material <u>brick</u> Second	lary Material wood
Roof Form flat	
No. of Bays in Unit/Facade 3 If Rowhouse:	_x Flat Front Swell Front Porc
Window Type: _x Double-Hung Door Type: _x 1/1 Sash 2/2 Sash 2/1 Sash Other Sash Transom	<ul> <li>x Single-Leaf</li> <li>Double-Leaf</li> <li>Number of panels (if visible)</li> <li>Transom</li> </ul>
Architectural Style Italianate	Date c. <u>1852-90</u>
Summary/Noteworthy Features: Originally, a four-used as a church), but 1502 was demolished. Brackfloor; if marble basement and stairs originally, now brickwork visible on facade of pre-1890 store to left	keted cornice, and bracketed cornice at first covered over. Flat-headed openings; molded
Alterations: x Formstone Vinyl/Aluminum Awnings x First-Floor Use Change	<pre>? Stucco x Window/Door Changes x Missing Cornice Elements Other:</pre>
Status: Occupied Vacantx_	_ Mixed
NR Evaluation: X Contributing Nor	n-Contributing
Recommended for Intensive Level: Yes	<u>x</u> No
Surveyor: Joey Lampl Affiliation: Robin Date: February-April 1992	nson & Associates





SANDTOWN - WINCHESTER / PENN - NORTH #B-4434 BALTIMORE, MD EUZABETH GO LAMPL MARCH 1992 CITY OF BACTIMORE, GMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 1504-08 LAFAYETTE AVE. (1502 DEMOLISHED) SOUTH ELEVATION ROLL 3/NEG 6

Date: February-April 1992	8
SANDTOWN-WINCHESTER/PENN-NORTH	Survey No. B-4434
RECONNAISSANCE-LEVEL SURVEY FORM	56110) 110. <u>5 1151</u>
ALCONIVABORINGE ELVED GORVET TORIN	Neg. No1/6
Historic Name	1108. 110.
Current Name/Use _Lafayette Square Multi-Service Cent	er .
Address(es)1510 (?) Lafayette Avenue (corner, Lafayette Avenue)	
Address(es)	layette and Onnor
Descurse /Desperty Type Deschauses	
Resource/Property Type Rowhouses	-1
Commercial Stru	
x Public/Institution	nal Building
Attached Public Housing	
x Freestanding Site	
Other	
Note:	
Stories <u>1, 2</u>	
Primary Material <u>brick</u> Secondary M	aterial
Roof Form flat	
No. of Bays in Unit/Facade If Rowhouse: Fl	at Front Swell Front Porch
Window Tonos Double Hung Door Tonos C	Santo I and
Window Type: Double-Hung Door Type: S	Dealth Leaf
1/1 Sash ? 2/2 Sash N	Double-Leaf
2/2 Sash N	Sumber of panels (if visible)
1. The state of th	ransom
x Other Sash	
Transom	
Architectural Style Contemporary	Date c1980's(?)
Noteworthy Features: Two-story cylindrical section to left	t of front door: row of windows (fixed
plates?) to right, in narrow vertical openings separated by	
plates:) to fight, in harrow vertical openings separated by	mumons.
	0.
	Stucco
Vinyl/Aluminum	Window/Door Changes
	Missing Cornice Elements
First-Floor Use Change	Other:
Status: x Occupied Vacant Mixe	d
NR Evaluation: Contributing x Non-Contributing x	ributing
Recommended for Intensive Level: Yes	x No
	<del>- 11 - </del> 5 55
Surveyor: Joey Lampl Affiliation: Robinson &	Associates
Date: February-April 1992	
Dute. I corduity riprit 1220	



SANDTOWN - WINCHESTER / PENN-NORTH # B- 4434 BALTIHORE, MD SUZABETH OF LAMPL CITY OF BACTITIONS, GNUISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION MARCH 1992 1500 LAFAYETTE AVE. LAFAGETTE SQ. MOUT - SERVICE CENTER ROLL INEG 6

Date: rebruary-April 1992		
SANDTOWN-WINCHESTER/PENN-NORTH Survey No. B-4434		
RECONNAISSANCE-LEVEL SURVEY FORM		
Neg. No1/4		
Historic Name		
Current Name/Use		
Address(es)1608-28 Lafayette Avenue		
Resource/Property Typex Rowhouses		
Commercial Structure		
Public/Institutional Building		
x Attached Public Housing		
Freestanding Site		
Other		
Note:		
Stories 2 + B		
Primary Material <u>iron-spot brick</u> Secondary Material <u>sandstone</u> , wood		
Roof Form <u>flat</u>		
No. of Bays in Unit/Facade 3 If Rowhouse: Flat Front x Swell Front Porch		
• • • — — —		
Window Type: x Double-Hung Door Type: x Single-Leaf		
20 Seeh Number of penels (if visible)		
Other Sash		
Transom		
Ar jitectural Style <u>"Swell Front"/Romanesque Revival</u> Date c. <u>1852-90</u>		
Summary/Noteworthy Features: Intact, representative, two-story Swell-front row with corner		
tower. Wood architrave cornice. Rough-faced sandstone sills, lintels, and foundation. Corner		
unit has slate-clad conical roof; two-story bay on side elevation is original.		
and has state that compare two story bay on state elevation is original.		
Alterations: Formstone Stucco		
x_ Vinyl/Aluminum Window/Door Changes		
Awnings Missing Cornice Elements		
First-Floor Use Change Other: brick refacing or repointing		
Status:x Occupied Vacant Mixed		
A NAME OF THE PROPERTY OF THE		
NR Evaluation:x Contributing Non-Contributing		
The Distributing Non Contributing		
Recommended for Intensive Level: Yes x No		
To I III III III III III I I I I I I I I		
Surveyore Tory Lorent Affiliation: Debinson & Associates		
Surveyor: Joey Lampl Affiliation: Robinson & Associates		
Date: February-April 1992		





SANDTOWN-WINCHESTER / PENN-NORTH # 8-4434 BALTHORE, MD LAMPL OP HIBBASUS MARCH 1992 CITY OF BALTIMORE, GHHISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 1608-28 LAFAYETTE AVE. YIEW FACING NORTHEAST ROLL INEG 4

DECONNAISSANCE LEVEL SUBVEY FORM	Survey No. <u>B-4434</u>
RECONNAISSANCE-LEVEL SURVEY FORM	Neg. No1/2
Historic Name	A SECTION AND A SECTION ASSESSMENT AND A SECTION ASSESSMENT ASSESS
Current Name/Use	
Address(es)1700-24 Lafayette Avenue	
Resource/Property Type x Rowhous Commerce	cial Structure
Attached Public Ho Freestanding Site Other	
Stories 3 + B	corner converted to church
Primary Material <u>brick</u> Secon	dary Materialmarble, wood
Roof Form <u>flat</u>	
No. of Bays in Unit/Facade3_ If Rowhouse:	_x Flat Front Swell Front Porch
Window Type: _x Double-Hung Door Type: _x 1/1 Sash 2/2 Sash 2/1 Sash Other Sash Transom	_x Single-Leaf Double-Leaf Number of panels (if visible) _x Transom
Architectural Style <u>Italianate</u>	Date c. <u>1852-90</u>
Summary/Noteworthy Features: Representative nedwellings; break in cornice line likely signaling differentiator panels. Frame store at end is original coarched windows; also some units with segmental of	erent builders. Bracketed cornices with ornice, but altered facade. Arched doors, flat
Alterations: x Formstone Vinyl/Aluminum Awnings x First-Floor Use Change	Stucco Window/Door Changes Missing Cornice Elements Other:
Status:x Occupied Vacant	_ Mixed
NR Evaluation:x Contributing No	on-Contributing
Recommended for Intensive Level: Ye	s <u>x</u> No
Surveyor: Joey Lampl Affiliation: Robi Date: February-April 1992	inson & Associates





SANDTOWN-WINCHESTER / PENN-NORTH

#B-4434
BALTIMORE, MD

ELIZABETH 40 LAMPL

CITY OF BALTIMORE, COMMISSION FOR HISTORICAL AND ARCHITECTURAL

PRESERVATION

MARCH 1992

1700-24 LAFAMETIE AVE.

SOUTH ELEVATION

POLL I NEG 3


RECONNAISSANCE-LEVEL SURVEY FORM
Neg. No
Current Name/Use
Resource/Property Typex Rowhouses Commercial Structure Public/Institutional Building
Attached Public Housing Freestanding Site Other Note:
Stories 2 + B
Primary Material <u>brick</u> Secondary Material <u>stone, metal?</u>
Roof Formflat
No. of Bays in Unit/Facade 2? If Rowhouse: Flat Front _x Swell Front Porch
Window Type: _x Double-Hung Door Type: Single-Leaf 1/1 Sash Double-Leaf 2/2 Sash Number of panels (if visible) 2/1 Sash Transom Other Sash Transom
Architectural Style <u>"Swell Front"/Romanesque Revival</u> Date c. <u>1890-1901</u>
Summary/Noteworthy Features: Example of rear elevations with second-story overhangs, but no separate "back buildings." Flat-headed openings. Simple wooden stairways lead up to small porches, entrances on second floor. Small chimneys with brick hoods. Second-floor oriel window on side elevation of 1800 Lafayette.
Alterations: x Formstone x Stucco  Vinyl/Aluminum x Window/Door Changes  Awnings Missing Cornice Elements  First-Floor Use Change Other:
Status:x Occupied Vacant Mixed
NR Evaluation: X Contributing Non-Contributing
Recommended for Intensive Level: Yes _x No
Surveyor: Joey Lampl Affiliation: Robinson & Associates Date: February-April 1992





SANDTOWN-WINCHESTER / PENN-NORTH #B-4434 BALTIMORE, MD ELIZABETH GO LAMPL MARCH 1992 CITY OF BALTIMORE, COMMISSION FOR HISTORICAL AND ARCHITECTURAL REAR (NORTH) ELEVATION, 1800-08 LAFRYETTE ST. ROLL 6/NEG II


RECONNAISSANCE-LEVEL SURVEY FORM
Neg. No6/12
Historic Name
Current Name/Use
Address(es) 1901 Block, Lafayette Street
Resource/Property Typex Rowhouses
Commercial Structure Public/Institutional Building Public Housing Site Other
Stories 2 + B Note: <u>first-floor store at corner</u>
Primary Material <u>brick</u> Secondary Material <u>stone, metal</u>
Roof Form flat
No. of Bays in Unit/Facade 3 If Rowhouse: Flat Front x Swell Front Porch
Window Type: x Double-Hung Door Type: x Single-Leaf x 1/1 Sash Double-Leaf 2/2 Sash Number of panels (if visible) x Transom Transom
Architectural Style <u>"Swell Front"/Romanesque Revival</u> Date c. <u>1890-1901</u>
Noteworthy Features: Denticulated metal cornice with ventilator panels. Rough-faced stone foundations, sills, lintels. Two corner houses converted to store.
Alterations: x Formstone Stucco Vinyl/Aluminum x Window/Door Changes x Awnings x Missing Cornice Elements x First-Floor Use Change Other:
Status:x Occupied Vacant Mixed
NR Evaluation: X Contributing Non-Contributing
Recommended for Intensive Level: Yes _x_ No
Surveyor: Joey Lampl Affiliation: Robinson & Associates Date: February-April 1992





SANDTOWN-WINCHESTER / PENN-NORTH #B-4434 BALTIMORE, MD ELIZABETH GO LAMPL MARCH 1992 CITY OF BACTIMORE, GAMISSION FOR HISTORICAL AND ARCHITECTURAL VIEW OF LAFAUETTE ST. AT INTERSECTION WITH MONROE, FACING WEST

SANDTOWN-WINCHESTER/PENN-NORTH	Survey No. <u>B-4434</u>	
RECONNAISSANCE-LEVEL SURVEY FORM	N N 045	
Historia Nama	Neg. No. <u>2/15</u>	
Historic Name		
Address(es) 1601-09 Laurens Street		
Address(es)		
Resource/Property Typex_ Rowhouses		
x Commercial Stru	cture	
Public/Institution		
x Attached Public Housing		
Freestanding Site		
Other		
Note: first-floor store at	corner	
Stories 2 + B		
Primary Material <u>iron-spot brick</u> Secondary M	aterial <u>marble</u> , stamped metal	
Roof Form flat		
According to the second		
No. of Bays in Unit/Facade3 If Rowhouse: Fl	at Front <u>x</u> Swell Front <u>Porch</u>	
Window Type: x Double-Hung Door Type: x S	ingle-Leaf	
	Oouble-Leaf	
	fumber of panels (if visible)	
	ransom	
Other Sash	Turboni	
Transom		
Tubon		
Architectural Style "Swell Front"/Romanesque Revival	Date c1901-14	
Summary/Noteworthy Features: Short block of swell- and	flat haved version of the Swell Front	
Insensitive corner unit features vinyl refacing. Stamped m	2 <b></b>	
alternating rounded- and flat-fronted bays. Rough-faced s		
Some double first-floor windows. End unit on left sheath	ed in norizontal vinyl siding; end unit	
on right converted to store, glass block window.		
Alterations: Formstone	Stucco	
	Window/Door Changes	
	Missing Cornice Elements	
	Other: some lost cornice detail	
Inst-1 tool Osc Change	other. some lost cormee detail	
Status: Occupied Vacant x Mixed	đ	
NR Evaluation:x Contributing Non-Contr		
The Distriction Non-controlling Non-control	g	
Recommended for Intensive Level: Yes x No		
Surveyor: Joey Lampl Affiliation: Robinson &	Associates	
Date: February-April 1992		





SANDTOWN - WINCHESTER PENN-NORTH #B-4434 BALTIMORE, MD ELIZABETH OO LAMPL MARCH 1992 CHIN OF BALTIMORE, GMINISSION FOR HISTORICAL PHIL ARCHITECTURAL PRESERIATION 1601-09 LAURENS ET. NORTH ELEVATION ROLL & NEG 15

DECONDATION AND LEVEL CURVEY FORM		
RECONNAISSANCE-LEVEL SURVEY FORM  Neg. No2/16, 17		
Historic Name		
Current Name/Use		
Address(es) 1611-33 Laurens Street		
Resource/Property Typex Rowhouses		
Commercial Structure		
Public/Institutional Building Public Housing		
Freestanding Site		
Other		
Note: 1611-25 (neg. 16); 1615-33 (neg. 17)		
Stories 2 + B		
Primary Material <u>brownish brick</u> Secondary Material <u>marble, stamped metal</u>		
Roof Form flat		
No. of Bays in Unit/Facade 3 If Rowhouse: x Flat Front x Swell Front Porch		
Window Type: x Double-Hung Door Type: x Single-Leaf		
x 1/1 Sash Double-Leaf		
2/2 Sash Number of panels (if visible)		
2/1 Sash x Transom		
x Other Sash		
Transom		
Architectural Style <u>"Swell Front"/Romanesque Revival</u> Date c. <u>1901-14</u>		
Summary/Noteworthy Features: Interesting version of the Swell Front with paired flat-front bays alternating with paired round bays. Stamped metal architrave cornice. Alterations to basement windows. Some double first-floor windows. Stone door and window lintels, sills-ashlar on the flat-fronted bays, and rough-faced on the rounded bays.		
Alterations: _ x_ Formstone Stucco		
Vinyl/Aluminum x Window/Door Changes		
Awnings Missing Cornice Elements		
First-Floor Use Change Other:		
Status:x_ Occupied Vacant Mixed  NR Evaluation:x_ Contributing Non-Contributing		
Recommended for Intensive Level: Yes x No		
Surveyor: Joey Lampl Affiliation: Robinson & Associates Date: February-April 1992		







SANDTOWN - WINCHESTER ( PENN-NORTH # 6-4434 BALTIMORE, MD ECIZABETH GO LAMPL CITY OF BALTHORE, GMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESGRIATION 1615 (portial left) - 33 LAURENS ST. NORTH ELEVATION ROLL 2/NEG 17



SANDTOWN-WINCHESTER / PENN-NORTH # 13-4434 BALTIMORE, MD ELIZABETH GO LAMPL CITY OF BALTMORE, COMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION. 1611-25 (portal , Pt.) LAURENS ST. MORTH ELEVATION ROLL 2/NEG. 15

SANDTOWN-WINCHESTER/PENN-NOR RECONNAISSANCE-LEVEL SURVEY F	100000 Service
RECONNAISSANCE-LEVEL SURVET I	Neg. No2/24
Historic Name "Auto House." probably	for 1633 Laurens Street
Address(es) 1633 Laurens, rear	
Resource/Property Type Re	owhouses
Attached Pu x Freestanding Si O	ther
Stories1	
Primary Material <u>brick</u>	Secondary Material
Roof Form flat	· ·
No. of Bays in Unit/Facade1 If Row	house: Flat Front Swell Front Porch
Window Type: Double-Hung Door 1/1 Sash 2/2 Sash 2/1 Sash Other Sash Transom	Type: Single-Leaf Double-Leaf Number of panels (if visible)ransom
Architectural Style Vernacular	Date c. 1901-14
currently has doors of wooden boards, dete	structure originally had two wide front doors; riorated. Along the side(s) are segmental-headed is a roof parapet rising above the front facade.
Alterations: Formstone Vinyl/Aluminum Awnings First-Floor Use Chan	Stucco  x Window/Door Changes  Missing Cornice Elements  Other:
Status: Occupiedx Vacant	Mixed
NR Evaluation:x Contributing	Non-Contributing
Recommended for Intensive Level:	Yesx_ No
Surveyor: Joey Lampl Affiliation Date: February-April 1992	: Robinson & Associates





SANDTOWN WINCHESTER /PENN-NORTH 7-B-4434 BAUTHORE, MD ELIZABETH OO LAMPL MARCH 1993 CITY OF BALTIMORE, COMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION · HISTORIC: "AUTO HOUSE," REAR OF 1633 LAURENS ST. CURRENT: VACANT NORTH OF RAILROAD TRACKS ON HOUNT, BETHEW LAURENS AND RIGGS VIEW FACING NORTHEAST ROLL & NEG 24

	CHESTER/PENN-N		Survey No B	3-4434
RECONNAISSAN	CE-LEVEL SURVE	Y FORM	Neg. No.	2/18
Historic Name				
Current Name/Use	Funeral Home	The state was		
Address(es)	1701 Laurens			
Resource/Property	x	_ Rowhouses _ Commercial Stru		
Attachedx Freestanding	-	<ul><li>Public/Institution</li><li>Public Housing</li><li>Site</li><li>Other</li></ul>	980	
Stories 1		<u> </u>		
Primary Material _	brick	Secondary M	aterial <u>steel</u>	
Roof Form <u>flat</u>				
No. of Bays in Uni	it/Facade? If I	Rowhouse: F	at Front	Swell Front Po
***	Double-Hung De 1/1 Sash 2/2 Sash 2/1 Sash Other Sash Transom	N	Single-Leaf Double-Leaf Number of panels Transom	s (if visible)
	Contemporary		Date c	. ?
Noteworthy Feature cantilevered steel b	res: Contemporary becams supporting roos probably fixed plate	uilding housing a for slab; concrete us	Funeral home. B ed also? Carport	rick structure with nearest street, faca
	Formstone Vinyl/Aluminum Awnings First-Floor Use C		Stucco Window/Door Missing Cornic Other:	
Status:x Occ	cupied Vaca	nt Mixe	d	
NR Evaluation:	Contributing	x Non-Cont	ributing	
Recommended for	Intensive Level:	Yes	_x_ No	
Surveyor: Joey La Date: February-Ap	7.0	ation: Robinson &	Associates	



SANDTOWN - WINCHESTER / PENN-NORTH #B-4434 BALTIMORE, MD ELIZABETH QO LAMPL MARCH 1992 CITY OF BALTIMORE, GMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION FUNERAL HOME Sh GRASK, LAURENS AND MOUNT; 1701 LAURENS ROLL 2/NEG 18

RECONNAISSANCE-LEVEL SURVEY FORM
Neg. No
Historic Name
Current Name/Use
Address(es) 2359-69 McCulloh Street
Resource/Property Typex Rowhouses Commercial Structure Public/Institutional Building
x Attached Public Housing Freestanding Site Other Note:
Stories 2 + B
Primary Material <u>brick</u> Secondary Material <u>sandstone</u> , stamped metal
Roof Formflat
No. of Bays in Unit/Facade 3 If Rowhouse: Flat Front x Swell Front Porch
Window Type: _x Double-Hung Door Type: _x Single-Leaf _x 1/1 Sash _x Double-Leaf _ 2/2 Sash _ Number of panels (if visible) _ 2/1 Sash _x Transom _ Other Sash _ Transom
Architectural Style <u>"Swell Front"/Romanesque Revival</u> Date c. <u>1890-1901</u>
Summary/Noteworthy Features: Fine example of Swell Front row; use of rock-faced stone in conjunction with brownish brick perhaps suggesting a more middle-class appeal. Coursed rusticated stone facing on first floor. Stone door and window lintels, sills. Corbelled brick and stamped metal cornice.
Alterations: Formstone Stucco  Vinyl/Aluminum ? Window/Door Changes  Awnings Missing Cornice Elements  First-Floor Use Change Other:
Status:x Occupied Vacant Mixed  NR Evaluation:x Contributing Non-Contributing
Recommended for Intensive Level:x Yes No
Surveyor: Joey Lampl Affiliation: Robinson & Associates  Date: February-April 1992





SANDTOWN-WINCHESTER/PENN-NORTH # B-4434 BALTIMORE, MD ELIZABETH GO LAMPL MARCH 1992 CITY OF BALTIMORE, COMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 2359-69 MOULOH STREET (SOUTH OF WHITELOCK; ABOVE ALLEY) SOUTHWEST ELEVATION ROLL 7/NEG 25

SANDTOWN-WINCHESTER/PENN-NORTH	Survey No. <u>B-4434</u>	
RECONNAISSANCE-LEVEL SURVEY FORM	Neg. No	
Historic Name		
Current Name/Use	A CONTRACTOR CONTRACTO	
Address(es) 2447-57 McCulloh Street; (2501	-57 McCulloh in distance)	
Resource/Property Typex Rowhouse	BAR OF SECURITION FOR SECURITION OF SECURITI	
Commerci		
	titutional Building	
x Attached Public Ho	ousing	
Freestanding Site		
Other		
Note:		
Stories 2 + B		
Primary Material <u>brick</u> Second	dary Material <u>marble</u> , stamped metal	
Roof Formflat		
No. of Bays in Unit/Facade2 If Rowhouse:	_x Flat Front Swell Front Porch	
Window Type: x Double-Hung Door Type:	x Single-Leaf	
1/1 Sash	Double-Leaf	
2/2 Sash	2 Number of panels (if visible)	
2/1 Sash	x Transom	
Other Sash		
x Transom		
Architectural Style <u>"Marble Houses"/Classical Re</u>	vival Date c. 1901-1914	
Summary/Noteworthy Features: Excellent, intact ex	xample of the Marble House, featuring	
stamped metal cornice, paired windows with hoppe		
trim. Cornice has swags, brick tooth pattern below		
has raised pattern of shield with swags. Door at 24		
top, may be original.	tri, mili trio narron panole and illice saul	
top,) of original		
Alterations: Formstone	Stucco	
Vinyl/Aluminum		
x Awnings	Window/Door Changes Missing Cornice Elements	
First-Floor Use Change	Other:	
Status:x Occupied Vacant	_ Mixed	
NR Evaluation: x Contributing Non-Contributing		
Recommended for Intensive Level: Yes x No		
	nson & Associates	
Date: February-April 1992		





SANDTOWN - WINCHESTER / PENN-NORTH # B-4434 BALTIMORE, MD ELIZABETH GO LAMPL MARCH 1992 CITY OF BALTIMORE, COMMISSION FOR HISTORICAL AND ARCHITECTURAL 2447-57 MCCULLOH ST. ; 2459 and UP AT LEFT VIEW FACING NORTH ROLL 7/ NEG 23

SANDTOWN-WINCHESTER/PENN-NORTH RECONNAISSANCE-LEVEL SURVEY FORM	Survey No. <u>B-4434</u>
RECOMMEDIATELE SCRIET TORM	Neg. No7/22
Historic Name	
Current Name/Use	
Address(es) 2500 Block McCulloh, between Wh	itelock & Traction (detail)
Resource/Property Type Rowhouses Commercial	
x Attached Public/Instit Public House Freestanding Site Other	utional Building
Stories 2 + B	
Primary Material <u>brick</u> Secondar	ry Material <u>marble, stamped metal</u>
Roof Form flat	
No. of Bays in Unit/Facade If Rowhouse:	x Flat Front Swell Front Porch
2/2 Sash	x Single-Leaf Double-Leaf 2 Number of panels (if visible) x Transom
Architectural Style "Marble Houses"/Classical Revised	val Date c. <u>1901-1914</u>
Summary/Noteworthy Features: Fine use of material butter-jointed, slightly polychromatic brick, smooth m fieldstone foundation (on side elevations). Flat-front at each end. Stamped metal cornice has swags, brick	arble trim, metal Adamesque cornice, and ed block culminates in gently rounded bays
Vinyl/Aluminum Awnings	Stucco Window/Door Changes Missing Cornice Elements Other:
Status: x Occupied Vacant Vacant	Mixed
NR Evaluation: X Contributing Non-	Contributing
Recommended for Intensive Level: Yes	x No
Surveyor: Joey Lampl Affiliation: Robinson Date: February-April 1992	on & Associates

.





SANDTOWN - WINCHESTER / PENN-NORTH # B-4434 BALTIMORE, MD ELIZABETH OF LAMPL MARCH 1992 CITY OF BALTIMORE, GMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION DETAIL OF END UNIT, 6500 BLOCK MCCULION (MCCULLOH BETWEEN CHITELOCK S. TRACTION) VIEW FACING SOUTH ROLL 7/NEG 22

RECONNAISSANCE-LEVEL SURVEY FORM
Neg. No. 6/13
Historic Name
Address(es) 900 block of Monroe Street
Address(es)
Resource/Property Typex Rowhouses Commercial Structure
Public/Institutional Building
x Attached Public Housing
Freestanding Site
Other
Note:
Stories 2 + B
Primary Material <u>iron-spot brick</u> Secondary Material <u>marble, metal</u>
Roof Form _ flat
No. of Bays in Unit/Facade 3 If Rowhouse: Flat Front x Swell Front Porch
Window Type: x Double-Hung Door Type: x Single-Leaf
x 1/1 Sash Double-Leaf
2/2 Sash Number of panels (if visible)
2/1 Sash X Transom
Other Sash
Transom
Architectural Style <u>"Swell Front"/Romanesque Revival</u> Date c. <u>1890-1901</u>
Summary/Noteworthy Features: This fine streetscape of two-story, three-bay, iron-spot Swell Fronts retains its integrity due to original materials. Corbelled brick and metal cornice. Rusticated stone foundations and beltcourses, the latter forming window and door lintels and sills.
Alterations: Formstone Stucco
Vinyl/Aluminum x Window/Door Changes
Awnings Missing Cornice Elements
First-Floor Use Change Other:
that their ese change other
Status:x Occupied Vacant Mixed
NR Evaluation: X Contributing Non-Contributing
Recommended for Intensive Level: Yes x No
Surveyor: Joey Lampl Affiliation: Robinson & Associates Date: February-April 1992



901 Block

900 Block



SANDTOWN-WINCHESTER /PENN-NORTH

#B-4434

BALTIMORE, MD

ELIZABETH QO LAMPL

MARCH 1992

CITY OF BALTIMORE, COMMISSION FOR HISTORICAL AND ARCHITECTURAL

PRESERVATION

VIEW OF 900 BLOCKS OF MONROE ST. FACING SOUTH

ROLL 6/NEG 13

SANDTOWN-WINCHESTER/PENN-NORTH RECONNAISSANCE-LEVEL SURVEY FORM	Survey No. B-4434
RECOMPRISONATE PER VER SORVET TORM	Neg. No6/9
Historic Name	50 50 50 50 50 50 50 50 50 50 50 50 50 5
Current Name/Use	
Address(es)1100 Block, Monroe Street	
Resource/Property Type Rowhouses Commercial Street	ucture
Attached Public/Institution Attached Public Housing Site	nal Building
Other	
Stories 3 + B	
Primary Material <u>brick</u> Secondary M	faterial <u>marble, metal</u>
Roof Form flat	
No. of Bays in Unit/Facade3_ If Rowhouse: F	Flat Front <u>x</u> Swell Front <u>Porce</u>
Window Type: x Double-Hung Door Type: x S	
<u>x</u> 1/1 Sash 1	Double-Leaf
2/2 Sash 1	Number of panels (if visible)
	Transom
x Other Sash	
Transom	
Architectural Style <u>"Swell Front"/Romanesque Revival</u>	Date c. <u>1852-90</u>
Summary/Noteworthy Features: Both 2- and 3-story Swelleft in photograph. Two-story swell fronts at end of row, with metal architrave cornice above. Openings with rough	, in distance. Corbelled brick cornice
A1.	C. CONTRACTOR
	_ Stucco
Vinyl/Aluminum x	_ Window/Door Changes
Awnings x First-Floor Use Change	_ Missing Cornice Elements _ Other:
Status: Occupied Vacant x Mixe	ed
NR Evaluation: x Contributing Non-Cont	tributing
Recommended for Intensive Level: Yes	_x_ No
Surveyor: Joey Lampl Affiliation: Robinson & Date: February-April 1992	& Associates
8 ×	




1100 Block



SANDTOWN - WINCHESTER / PENN-NORTH # B-4434 BALTIMORE, MD EUZABETH GO LAMPL MARCH 1992 CITY OF BALTIMORE, COMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION VIEW OF MONROE ST. FROM S. OF RIGGS FACING NORTH ROLL 6/NEG 9

SANDTOWN-WINCHESTER/PENN-NORTH RECONNAISSANCE-LEVEL SURVEY FORM	Survey No. <u>B-4434</u>	
RECOMMENDE LEVEL CONVETTORM	Neg. No6/8	
Historic Name Site of Maryland Pavement Co.		
Current Name/Use Baltimore Asphalt Paving Co.		
Address(es) 1320 Monroe Avenue (Monroe at Lor	man)	
Resource/Property Type Rowhouses		
(Purpose Built)x Commercial Str	ructure	
Public/Institutio		
Attached Public Housing		
x Freestanding Site		
Other		
	n historic buildings	
Stories2	i installe buildings	
Primary Material <u>brick</u> Secondary M	Material wood	
Roof Formflat		
No. of Bays in Unit/Facade 9 If Rowhouse: I	Flat Front Swell Front Porch	
Window Type: x Double-Hung Door Type: x	Single-Leaf	
	Double-Leaf	
	Number of panels (if visible)	
	Transom	
Other Sash	Transon	
Other Sash Transom		
ITalisoni		
Architectural Style	Date c	
Noteworthy Features: Though this site is outside the survey boundaries, it may still contain historic buildings. Main block 2-story, 3-bay, with 1-story 6-bay wing to left. Simple architrave cornice. Flat-headed openings. Added storefront with cornice, opening changes to entrance. Large machinery in yard to rear and at right, behind fence.		
Alterations: Formstone	Stucco	
	Window/Door Changes	
	_ Missing Cornice Elements	
First-Floor Use Change x	Other: wing, signs added	
First-Floor Use Changex	_ Other. wing, signs added	
Status:x Occupied Vacant Mix	ed	
NR Evaluation:? Contributing Non-Con	tributing	
Recommended for Intensive Level: Yes	<u>x</u> No	
Surveyor: Joey Lampl Affiliation: Robinson & Associates Date: February-April 1992		


.






SANDTOWN - WINCHESTER /PENN-NORTH #B-4434 BALTIMORE, MD SLIZABETH OD LAMPL MARCH 1992 CITY OF BALTIMORE, COMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESSUVATION HISTORIC: MARYLAND PAUEHENT CO., NON ROE AVE. AT LORMAN CURRENT: BACTIMORE ASPHALT PAVING COMPANY. VIEW AT INTERSECTION FACING SOUTHWEST ROLL 6/NEG 8


SANDTOWN-WINCHESTE RECONNAISSANCE-LEVE	The state of the s	Survey No.	B-4434
RECONNAISSANCE-LEVE	EL SURVET FORM	Neg. No	4/16,17
Historic Name		F1 27-2	
Current Name/Use			
Address(es)1110-113	8 Mosher Street		
Resource/Property Type x Attached Freestanding  Stories3 + B	x Rowhouses x Commercia Public/Inst Public Hou Site Other Note: 1138 was C	al Structure itutional Building	1)
Primary Material brick	Second	ary Material <u>marl</u>	ble, wood
Roof Form flat			
No. of Bays in Unit/Facade	3 If Rowhouse:	x Flat Front	_ Swell Front Porch
Window Type: _x	ash	x Single-Leaf Double-Leaf Number of pan x Transom	nels (if visible)
Architectural StyleItalian	ate	Date c.	1852-90
Summary/Noteworthy Featur rowhouses unified by marble cornice with elaborate modil back from the street.) Deta storefront may have looked be have flat arches; some have	steps and basement, ar lions, dentils and friezes il of corner units (neg. like, with center entrance	ched and trabeated c. (Remainder of b 4/17) gives idea of v	doors, and bracketed lock contains units set what original or early
Alterations: x Forms Vinyl/A Awnin First-F	Aluminum	x Stucco x Window/Doo x Missing Cor Other:	
Status:x Occupied _ NR Evaluation:x Con Recommended for Intensive	ntributing Non	-Contributing	
Surveyor: Joey Lampl Date: February-April 1992	Affiliation: Robin	son & Associates	







SANDTOWN - WINXHESTER PENN-HOFTH B-4434 BACIMORE, MD STITABETH SO LAMPL MARCH 1992 CITY OF BALTIMORE, COMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 1110 (partial on right) through 1138 MOSHER ST. SOUTH ELEVATION ROLL 4/NEG 16



SANDTOWN-WINCHESTER /PENN-NORTH

# B. 4434

SALTIMORE, MD

ELIZABETH D LAMPL
CTY OF BALTIMORE, COMMISSION FOR HISTORICAL AND
ARCHITECTURAL PRESERVATION
MARCH 1992

113x MOSTER ST. STORE
ROLL 4 NEG 17

	NCHESTER/PENN-NOR		Survey No.	B-4434
RECONNAISSAN	ICE-LEVEL SURVEY F	ORM	Neg. No.	4/20
Historic Name				
Current Name/Use	)			
Address(es)	1217 Mosher Street (det			
Resource/Property	ca	ommercial Stru		
_x Attached Freestanding	Pt Si	ablic/Institution ablic Housing te	al Building	
	Note:	iner		
Stories3 (+ B?	-00000000			7
Primary Material _	brick	Secondary Ma	aterial <u>woo</u>	d
Roof Form <u>flat</u>				Ni .
No. of Bays in Un	it/Facade 3 If Row	house: <u>x</u> Fl	at Front	_ Swell Front Porch
x	Double-Hung Door ' 1/1 Sash 2/2 Sash 2/1 Sash Other Sash Transom	N	Oouble-Leaf	nels (if visible)
Architectural Style	Italianate/Queen Ann	е	Dat	e c. <u>1852-90</u>
neighborhood. De molding; segmenta paired molded brid	thy Features: This unit is accorative work includes: I-headed door with corbe as belt courses between when the corbe segmental arches.	bracketed corn lled brick door vindows on 2nd	ice with modi hood and ro and 3rd floo	fied leaf and dart jigsawn sette corner blocks; ors; recessed panel with
	Formstone Vinyl/Aluminum Awnings First-Floor Use Chan	ge	Other:	or Changes nice Elements
NR Evaluation: Recommended for	1900 mg (1900 mg) mg (1900 mg)	Mixed Non-Contr Yes : Robinson &	ributing x No	
Surveyor: Joey La Date: February-A		. Roomson &	Associates	
SANDTOWN-WIN	NCHESTER/PENN-NOR		Survey No.	B-4434




SANDTOWN - WINCHESTER / PENN - NORTH #8-4434 PALTIMORE, MD ELIZABETH 90 LAMPL CITY OF BALTIMORE, COMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 1219 MOSHER ST. NORTH ELEVATION ROLL 4/ NEG 20

DECONDATED AND LEVEL CONTROL FORM	Survey No. <u>B-4434</u>
RECONNAISSANCE-LEVEL SURVEY FORM	Neg. No. <u>4/23</u>
Historic Name	
Current Name/Use Steps, and tire flowerpot from A	Afro-American Clean Block campaign
Address(es) 1301 Block, Mosher Street	
Resource/Property Typex Rowhouses	
(Purpose Built) Commercial	Structure
Public/Institu	utional Building
x Attached Public Housi	
Freestanding Site	**5
Other	
Stories ? + B	
Primary Material <u>brick</u> Secondary	y Material <u>marble</u>
Roof Formflat	
No. of Bays in Unit/Facade3 If Rowhouse:x	Flat Front Swell Front Porch
Window Type: x Double-Hung Door Type:	
	_ Double-Leaf
- TOURIST - STATE - ST	_ Number of panels (if visible)
	Transom
Other Sash	
Transom	
Architectural Style	Date c
Noteworthy Features: This detail of a rowhouse block flowerpot, made of a tire cut in half and one half place pots were promoted in the neighborhood by the Afrobeautification program, the "Clean Block" campaign.	ced over the other and facing up; such
Alterations: x Formstone	Stucco
	Window/Door Changes
	Missing Cornice Elements
	Other:
Status:x Occupied Vacant N	Mixed
NR Evaluation: x Contributing Non-C	Contributing
Recommended for Intensive Level: Yes	<u>x</u> No
Surveyor: Joey Lampl Affiliation: Robinso Date: February-April 1992	n & Associates



SANDTOWN - WINCH ESTER / PENN - NORTH #B-4434 BALTIMORE, MD ELIZABETH GO LAMPL MARCH 1992 CITY OF BALTIMORE, GMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION TIRE FLOWERPOT FROM AFRO-AMERICAN CLEAN BLOCK CAMPAIGN (DETAIL) 1301 BLOCK, MOSHER ST. ROLL 4/NEG 23

SANDTOWN-WINCHESTER/PENN-NORTH	Survey No. <u>B-4434</u>
RECONNAISSANCE-LEVEL SURVEY FORM	N N- 202
Historic Name	Neg. No2/33
Historic Name	3
Address(es) 1505-09 Mosher Street	ACCURATE STATE OF THE STATE OF
Resource/Property Typex_ Rowhouses	
Commercial S	Structure
x Attached Public/Institut	
x Attached Public Housing Site	ng
Site Other	
Stories 3 + B	
Primary Material <u>brick</u> Secondary	Material wood (marble?)
Roof Form flat	
No. of Bays in Unit/Facade3 If Rowhouse: _x	Flat Front Swell Front Porch
Window Type: _x Double-Hung Door Type: _x	x Single-Leaf
	_ Double-Leaf
2/2 Sash	Number of panels (if visible)
2/1 Sash	<u>r</u> Transom
Other Sash	
Transom	
Architectural Style Italianate	Date c1852-90
Summary/Noteworthy Features: Originally a four-unit these three units exhibit the diminished appearance of characteristic Italianate bracketed cornice. Flat-arched right, which has been altered: doors of other 2 units h	re-sided structures, while retaining the window openings, and door of unit on
Alterations: x Formstone	Stucco
	x Window/Door Changes
	Missing Cornice Elements
	x Other: One missing unit
Status: Occupied Vacant x M	fixed
NR Evaluation: Contributingx Non-Contributingx	ontributing
Recommended for Intensive Level: Yes	<u>x</u> No
Surveyor: Joey Lampl Affiliation: Robinson Date: February-April 1992	n & Associates





SANDTOWN-WINCHESTER / PENN-NORTH #8-4434 BALTIMORE MD EUZABETH OD LAMPL MARCH 1992 CITY OF BALTIMORE, CHMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 1505-09 MOTHER ST. (1503 DEMOLISHED) NORTH ELEVATION ROLL Q/NEG 33

SANDTOWN-WINCHESTER/PENN-NORTH	Survey No. B-4434
RECONNAISSANCE-LEVEL SURVEY FORM	Neg. No1/33 & 2/35
Historic Name	Neg. No. 1/33 & 2/33
Current Name/Use Harvey Johnson Towers	<del>- 1770.</del>
Address(es) 1510 Mosher Street (corner, Gilmor &	Mosher)
Resource/Property Type Rowhouses Commercial Stru	
Attached x? Public/Institution x Freestanding Site Other Note: multi-unit high-re	
Stories7	
Primary Material <u>brick</u> Secondary M	aterial
Roof Form <u>flat</u>	
No. of Bays in Unit/Facade 6 (?) If Rowhouse: F	lat Front Swell Front Porch
2/2 Sash N	Single-Leaf Double-Leaf Number of panels (if visible) Transom
Architectural Style Contemporary	Date cpost-1979
Noteworthy Features: L-shaped housing block with two another, one wing raised on piers with open space beneat and main entry set between brick piers. Both fixed and harranged in groups of 2, 4, & 5. Slightly recessed 6th and above 5th floor. Site of former Epworth Methodist Chur United Railway and Electric Company power house (by 1 1914). The laundry burned down in 1979.	th, the other with recessed first floor norizontally sliding casement windows d 7th floors, with thin concrete cornice rch (1890), which was converted into a
Alterations: Formstone Vinyl/Aluminum Awnings First-Floor Use Change	Stucco Window/Door Changes Missing Cornice Elements Other:
Status: x Occupied Vacant Mixe  NR Evaluation: Contributing x Non-Cont  Recommended for Intensive Level: Yes	
Surveyor: Joey Lampl Affiliation: Robinson &	2 Associates



SANDTOWN - WINCHESTER / PENN-NORTH #18-4434 BALTIMORE, MO ELIZABETH QO LAMPL MARCH 1992 CITY OF BALTHORE, GNAISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION MULTI-ONT HIGH-RISE HOUSING DRYELOPMENT NE GRNER, GILMOR & MOSHER STS. EAST AND NORTH ELEVATIONS ROLL 1/NEG 33



SANDTOWN-WINCHESTER / PENN-NORTH #B-4434 BALTIMORE, MD ELIZABETH OO LAMPL MARCH 1992 CITY OF BALTIMORE, GMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION HARVEY GOHNSON TOWERS (SITE OF FORMER EPWORTH METHODIST CHURCH (1890) AND REGAL LAUNDRY (1914) MOTAVEUS HTUOS ROLL 2/NEG 35

SANDTOWN-WINCHESTER/PENN-NORTH	Survey No. <u>B-4434</u>
RECONNAISSANCE-LEVEL SURVEY FORM	Neg. No3/1
Historic Name	
Comment Name // Inc	
Address(es)1513-1517 Mosher Street	
Resource/Property Typex Rowhouses Commercia Public/Instix Attached Public Hou Freestanding Site Other Note:	al Structure itutional Building
Stories 3 + B	
Primary Material <u>brick</u> Seconda	ary Material marble, wood
Roof Formflat	
No. of Bays in Unit/Facade3_ If Rowhouse:	x Flat Front Swell Front Porch
2/2 Sash	_x Single-Leaf Double-Leaf Number of panels (if visible) _x Transom
Architectural Style <u>Italianate</u>	Date c. <u>1852-90</u>
Summary/Noteworthy Features: Remaining three undemolished). 1517 may feature original door. Brackarched openings, except for segmental-headed door changed in #1513, house on left.	keted cornice with ventilator panels. Flat-
Vinyl/Aluminum Awnings	x Stucco x Window/Door Changes Missing Cornice Elements Other:
Status:x Occupied Vacant	Mixed
NR Evaluation:x Contributing Non	-Contributing
Recommended for Intensive Level: Yes	<u>x</u> No
Surveyor: Joey Lampl Affiliation: Robin Date: February-April 1992	son & Associates





SANDTOWN - WINCHESTER / FENN - NORTH

#B. 4434


BALTIMORE, MD

SUZABETH GO LANGL

CITH OF BALTIMORE, COMMISSION FOR HISTORICAL AND
ARCHITECTURAL PRESSERVATION
MARCH 1992

1513-17 MOSHER ST. (1511 DEMOLISHED)
ROLL 3/NGG 1

SANDTOWN-WINCHESTER/PENN-NORTH RECONNAISSANCE-LEVEL SURVEY FORM	Survey No. <u>B-4434</u>
RECONNAISSANCE-LEVEL SURVET FORM	Neg. No3/2
Historic Name	
Current Name/Use	
Address(es) 1601-09 Mosher Street	<del></del>
Resource/Property Type  x Rowhouses x Commercial Structure Public/Institution Public Housing Site Other Note:  Stories 2 & 3, + B	
Primary Material <u>brick</u> Secondary M	laterial marble, wood
Roof Formflat	
No. of Bays in Unit/Facade 3 If Rowhouse: x F	lat Front Swell Front Porch
2/2 Sash N	Single-Leaf Double-Leaf Number of panels (if visible) Transom
Architectural Style <u>Italianate/Queen Anne</u>	Date c. <u>1852-90</u>
Summary/Noteworthy Features: Representative short Ital three-story store. Wide Bracketed cornice with jigsawn n windows, and flat- and segmental-arched doors, the latter brick beltcourses on #1605 & #1607 display touch of Qualterations at first floor.	noldings and frieze. Flat-arched with molded brick hoods. Beaded
Vinyl/Aluminum x Awnings x	_ Stucco _ Window/Door Changes _ Missing Cornice Elements _ Other:
Status: Occupied Vacant x Mixed	ed
NR Evaluation:x Contributing Non-Cont Recommended for Intensive Level: Yes	
Surveyor: Joey Lampl Affiliation: Robinson & Date: February-April 1992	& Associates





SANDTOWN-WINCHESTER / PENN-NORTH 718-4434 BALTIKORE, MD MARCH 992 LAMPL OTY OF BACTHORE, GMUSSICN FOR HISTORICAL AND PRCHITECTURAL PRESERVATION 601-09 (at 1854); 1621-29 (at 1944) MOSHER ST. NORTH ELGUATION ROLL 3/NEG 2

DECONMARCANCE LEVEL CURVI	[18]
RECONNAISSANCE-LEVEL SURVI	Neg. No3/3
Historic Name	
Current Name/Use	
Address(es) 1621-1629 Mosher	Street
TOST TOST MOSTER	oneo.
x	Rowhouses Commercial Structure
x Attached	Public/Institutional Building
Attached Freestanding	Public Housing Site
Prestanding	Other
	Other
Stories 3 + B	
Primary Material <u>brick</u>	Secondary Material marble, wood
Roof Formflat	×
No. of Bays in Unit/Facade3_ If	Rowhouse: _x Flat Front Swell Front Porch
Window Type: x Double-Hung D	Door Type: v Single I eaf
<u>x</u> 1/1 Sash	Double-Leaf
2/2 Sash	Number of panels (if visible)
2/1 Sash	x Transom
Other Sash	<del></del>
Transom	
3	
Architectural Style Italianate	Date c. <u>1852-90</u>
and abandonment. Bracketed cornice	esentative three-bay, three-story row suffering from neglect with jigsawn molding. Flat-arched openings. Storefront #1621). Only #1629 seems to be occupied.
Alterations: x Formstone	x Stucco
Vinyl/Aluminum	
x Awnings	x Missing Cornice Elements
x First-Floor Use	
Status: Occupied Vaca	ant <u>x</u> Mixed
NR Evaluation:x Contributing	Non-Contributing
Recommended for Intensive Level:	Yesx No
Surveyor: Joey Lampl Affili Date: February-April 1992	iation: Robinson & Associates





SANDTOWN - WINCHESTER / PENN - NOOTH 78-4434 BACTIMORE, MD SUZAGETH OD LAMPL MARCH 1992 CITY OF BALTIMORE, COMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 1621-29 MOSHER ST. NORTH AND EAST ELEVATION POLL 3/ NEG 3

RECONNAISSANCE-LEVEL SURVEY FORM
Neg. No
Historic Name
Current Name/Use 1703-09 Mosher Street;
Address(es)
Resource/Property Type Rowhouses Commercial Structure
Public/Institutional Building
x Attached Public Housing
Freestanding Site
Other
Note:
Stories 3 + B
Primary Material <u>brick</u> Secondary Material <u>marble</u> , wood
Roof Formflat
No. of Bays in Unit/Facade 3 If Rowhouse: x Flat Front Swell Front Porch
Window Type: _x Double-Hung Door Type: _x Single-Leaf _x 1/1 Sash Double-Leaf _ 2/2 Sash Number of panels (if visible) _x Transom
Other Sash
Transom
Architectural Style <u>Italianate/Queen Anne</u> Date c. <u>1852-90</u>
Summary/Noteworthy Features: Partial view of representative mid-length (an east/west) block of three-bay, three-story Italianate units. Fine wooden window and door frames and interesting sawtooth work in bracketed, jigsawn cornice. Bracketed cornice with jigsawn molding. Segmental- and flat-arched window heads; on the left, unit altered by formstone refacing, 2 units on right have door and window surrounds with lintels, moldings inserted in arched openings. Dogtooth beltcourses.
Alterations: x Formstone Stucco
Vinyl/Aluminum x Window/Door Changes
x Awnings Missing Cornice Elements
First-Floor Use Change Other:
Status:x _ Occupied Vacant Mixed  NR Evaluation:x _ Contributing Non-Contributing  Recommended for Intensive Level: Yesx _ No
Surveyor: Joey Lampl Affiliation: Robinson & Associates Date: February-April 1992





SANDTOWN - WINCHESTER / PENN-NORTH #B-4434 BALTIMORE, MD ELIZABETH GO LAMPL MARCH 1992 CITY OF BALTIMORE, GMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 1703-09 (part at 1rt.) MOSHER ST.; SIDE ELEVATION OF FORMER CHINESE LAUNDRY at left, , 930 HOUNT ST. NORTH ELEVATION ROLL 2/NEG 3


SANDIOWN-WINCHESTER/PENN-NORTH	Survey No. <u>B-4434</u>
RECONNAISSANCE-LEVEL SURVEY FORM	
	Neg. No3/5
Historic Name	
Current Name/Use	Service Servic
Address(es)1703-1717 Mosher Street	
Resource/Property Typex Rowhous	ial Chamana
Commerc	
Public/Ins	titutional Building
x Attached Public Ho	ousing
Freestanding Site	
Other	
Note:	
Stories 3 + B	
Primary Material <u>brick</u> Second	dary Material marble, wood
Roof Form flat	
No. of Bays in Unit/Facade _3 If Rowhouse:	_x Flat Front Swell Front Porch
Window Type: _x_ Double-Hung Door Type:	x Single-Leaf
x 1/1 Sash	Double-Leaf
2/2 Sash	Number of panels (if visible)
2/1 Sash	x Transom
Other Sash	
Transom	
Architectural Style <u>Italianate/Queen Anne</u>	Date c. <u>1852-90</u>
Summary/Noteworthy Features: Eight-unit, three-bracketed cornice (with sawtooth frieze), segmenta Flat- and segmental-headed openings. Dogtooth b openings reduced in size by infill panels.	l openings, and marble basements and steps.
Alterations: x Formstone	? Stucco
Vinyl/Aluminum	x Window/Door Changes
Awnings	Missing Cornice Elements
First-Floor Use Change	x Other: opening infills
Status: Occupied Vacantx	_ Mixed
NR Evaluation: x Contributing No	n-Contributing
Recommended for Intensive Level: Yes	s <u>x</u> No
Surveyor: Joey Lampl Affiliation: Robi Date: February-April 1992	nson & Associates






SANCTOWN-WINDLESTER / PENN-MORTH #B-4434 BALTIMORE, MD ELIZABETH OF LAMPL MARCH 1992 CITY OF BALTIMORE, CAMISSION FOR HISTORIOAL AND ARCHITECTURAL PRESERVATION 1703-17 HOSHER ST. NORTH ELEVATION ROLL 3/NEG 5

B-4434 Sandtown-Winchster/Penn North Survey District Block N/A Lot N/A Baltimore City Baltimore West Quad.



B-4434 Sandtown-Winchster/Penn North Survey District Block N/A Lot N/A Baltimore City Baltimore West Quad.



SANDTOWN-WINCHESTER/PENN-NORTH	Survey No. <u>B-4434</u>
RECONNAISSANCE-LEVEL SURVEY FORM	Neg. No2/2
Historic Name	
Current Name/Use	
Address(es)1708-16 Mosher Street	
Resource/Property Type  x Rowhouses Commercial S Public/Institut x Attached Public Housin	tional Building
Attached Public Housing Site	15
Other	
Stories 3 + B	
Primary Material <u>brick</u> Secondary	Material <u>marble</u> , wood
Roof Form <u>flat</u>	
No. of Bays in Unit/Facade 2, 3 If Rowhouse: x	Flat Front Swell Front Porch
2/2 Sash	Single-Leaf Double-Leaf Number of panels (if visible) Transom
Architectural Style <u>Italianate/Queen Anne</u>	Date c. <u>1852-90</u>
Summary/Noteworthy Features: Partial view of mid-lend Italianate dwellings with Queen Anne detailing in the jigsawn molding and ventilator panels on 3 units to left windows with beaded brick voussoirs, flat-arched door to right is 2-bay, with corbelled cornice and segmental-arched door head, molded brick beltcourses and vertical double first-floor window, double-hung with 1/1 lights,	brickwork. Bracketed cornice with it; these also have segmental-headed heads with molded brick hoods. House headed windows with keystones, flat- al 'pilaster' strips between bays, and
Vinyl/Aluminum Awnings	Stucco Window/Door Changes Missing Cornice Elements  Other: brick repointing, middle unit
[17] [18] [18] [18] [18] [19] [19] [19] [19] [19] [19] [19] [19	fixed contributingx_ Nox Associates





SANDTOWN - WIN CHESTER / PENN - NORTH # 3-4434 BALTIMORE, MD ELIZABETH GO LAMPL. MARCH 1992 CITY OF BALTIMORE, CHIKISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION MOS (partial, 1.) - 16 HOSTICR ST. SOUTH SLEWAT ON ROLL 2/NEG 2

	Neg. No2/11, 12
Historic Name	110g. 110.
Current Name/Use	
Address(es) 902-930 Mount	Street
Resource/Property Type	x Rowhouses
	x Commercial Structure
	Public/Institutional Building
x Attached	Public Housing
Freestanding	Site
	Other
	Note: 902-26 (neg. 12); 918-930 (neg. 11)
Stories $3 + B$	8
Primary Material brick	Secondary Material marble, wood
Roof Form <u>flat</u>	<del></del>
No. of Bays in Unit/Facade	3 If Rowhouse: x Flat Front Swell Front
270	
	ing Door Type: <u>x</u> Single-Leaf
<u>x</u> 1/1 Sash	Double-Leaf
2/2 Sash	Number of panels (if visible)
2/2 50311	
2/1 Sash	x Transom
2/1 Sash Other Sash	x Transom
2/1 Sash	x Transom
2/1 Sash Other Sash Transom	x Transom
2/1 Sash Other Sash Transom  Architectural Style Italianate  Summary/Noteworthy Features: rowhouse with a denticulated control of the neighborhouse of the neighborhouse.	Transom  Date c. 1852-90  Representative of the simpler three-bay, three-story It fornice, as opposed to the more prominent bracketed corhood. Portions of the cornice hidden by refacing. So with smaller infill windows; a few openings altered to fi
2/1 Sash Other Sash Transom  Architectural Style Italianate  Summary/Noteworthy Features: rowhouse with a denticulated chroughout most of the neighborheaded openings, many altered neaded. Dogtoothed brick belt	Date c. 1852-90  Representative of the simpler three-bay, three-story It fornice, as opposed to the more prominent bracketed corhood. Portions of the cornice hidden by refacing. So with smaller infill windows; a few openings altered to fetcourses.
2/1 Sash Other Sash Transom  Architectural Style Italianate  Summary/Noteworthy Features: owhouse with a denticulated chroughout most of the neighbore deaded openings, many altered headed. Dogtoothed brick belta  Alterations: x Formstore	Date c. 1852-90  Representative of the simpler three-bay, three-story It fornice, as opposed to the more prominent bracketed corhood. Portions of the cornice hidden by refacing. So with smaller infill windows; a few openings altered to fornice the strourses.  Stucco
2/1 Sash Other Sash Transom  Architectural Style Italianate  Summary/Noteworthy Features: rowhouse with a denticulated chroughout most of the neighborheaded openings, many altered neaded. Dogtoothed brick belt	Date c. 1852-90  Representative of the simpler three-bay, three-story It fornice, as opposed to the more prominent bracketed corhood. Portions of the cornice hidden by refacing. So with smaller infill windows; a few openings altered to fornice the strourses.  Stucco
2/1 Sash Other Sash Transom  Architectural Style Italianate  Summary/Noteworthy Features: rowhouse with a denticulated control of the neighborhouse deaded openings, many altered deaded. Dogtoothed brick belta  Alterations: x Formston x Vinyl/Alu x Awnings	Date c. 1852-90  Representative of the simpler three-bay, three-story Is cornice, as opposed to the more prominent bracketed cornhood. Portions of the cornice hidden by refacing. So with smaller infill windows; a few openings altered to for the courses.  Stucco  Stucco  window/Door Changes
	Date c Date c Stornice, as opposed to the more prominent bracketed corhood. Portions of the cornice hidden by refacing. So with smaller infill windows; a few openings altered to factourses.  Stucco  Stucco Stucco Missing Cornice Elements or Use Change Other:
2/1 Sash Other Sash Transom  Architectural Style Italianate  Summary/Noteworthy Features: owhouse with a denticulated of hroughout most of the neighbore added openings, many altered headed. Dogtoothed brick belt  Alterations: Formston Vinyl/Alu Awnings First-Floor  Status: Occupied	Date c Date c Stornice, as opposed to the more prominent bracketed corhood. Portions of the cornice hidden by refacing. So with smaller infill windows; a few openings altered to factourses.  Stucco  Stucco Stucco Missing Cornice Elements or Use Change Other:
2/1 Sash Other Sash Transom  Architectural Style Italianate  Summary/Noteworthy Features: cowhouse with a denticulated of throughout most of the neighbore added openings, many altered headed. Dogtoothed brick belt  Alterations: Formston Vinyl/Alu Awnings First-Floor  Status: Occupied	Date c
	Date c








SANDTOWN - WINCHESTER / PENN-NORTH #B-4434 BALTIMORE, MD ELIZABETH GO LAMPL MARCH 1992 CITY OF BALTIMORE, CAMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 918 (partal, KL) - 930 MOUNT ST. SAST ELGUATION ROLL &/NEG. 11



SANDTOWN-WINCHESTER /PENN-NORTH # B-4434 BALTIMORE, MD ELIZABETH DO LAMPL MARCH 1992 CITY OF BALTIMORE, GMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 902 26 (portial ort.) MOUNT ST. RAST ELEVATION ROLL 2/NEG 12

SANDTOWN-WINCHESTER/PENN-NORTH	Survey No.	B-4434	
RECONNAISSANCE-LEVEL SURVEY FORM	N N-	2/0 10	
Historic Name		2/9, 10	
Current Name/Use			
Address(es) 927-49 Mount St.			
Resource/Property Typex Rowhouses			
x Commercial Str Public/Institution			
x Attached Public Housing			
Freestanding Site	l.		
Other			
Note: 927-49 (neg. 10)	); 939-49 (neg.	9)	
Stories 3 + B			
Primary Material <u>brick</u> Secondary M	Motorial mar	bla wood	
Filmary Material Secondary P	viateriai <u>iliar</u>	ble, wood	
Roof Form flat			
No. of Bays in Unit/Facade 2, 3 If Rowhouse: x Flat Front Swell Front Porch			
Window Type: _x Double-Hung Door Type: _x	Single-Leaf		
<u>x</u> 1/1 Sash	Double-Leaf		
	Number of par	nels (if visible)	
	Transom		
Other Sash			
Transom			
Architectural Style Italianate	Date c	1852-90	
Summary/Noteworthy Features: Strong example of damage from refacing (including cornice removal) and reconfiguration of original three-bay units. Southern end of the block retains more of its integrity (especially at the cornice level), while northern end fails to convey much of its original Italianate character. Difficult to discern original openings on corner unit and			
window and door heads under extensive refacing. Newer molded brick cornice at 949; bracketed cornice with jigsawn moldings. Visible openings flat-arched. Concrete block infill in			
1st and 2nd floor windows in unit adjoining store at 949		Concrete block intili in	
ist and 2nd hoof windows in time adjoining store at 545	Would.		
Alterations: x Formstone	Stucco		
	Window/Do		
	Missing Cor		
x First-Floor Use Change x	Other: <u>bric</u>	k refacing/repointing	
Status: Occupied Vacant x Mix	red		
NR Evaluation:x Contributing Non-Contributing			
Recommended for Intensive Level: Yes x No			
Surveyor: Joey Lampl Affiliation: Robinson & Associates			
Date: February-April 1992			



949





SANDTOWN - WIN CHESTER / PENN-NORTH # 3-4434 BALTIMORE, MD EUZABETH GO LAMPL MARCH 1990 CITY OF BALTIMORE, COMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 939 (partal, FL) -949 MOUNT ST. WEST ELEVATION ROLL 2/NEG 9



SANDTOWN - WINCHESTER / PENN-NORTH # 3-4434 BALTIMORE, MD LAMAL OF HIBBARIUS MARCH 1990 CITY OF BALTIMORE, COMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 927-49 (PAKTIAL REFT) MOUNT ST. WEST ELEVATION ROLL & NEG 10

SANDTOWN-WINCHESTER/PENN-NORTH	Survey No. B-4434	
RECONNAISSANCE-LEVEL SURVEY FORM	21	
Historia Nama	Neg. No. <u>2/8</u>	
Historic NameCurrent Name/Use		
Address(es) 1000-1010 Mount Street		
Address(es) 1000-1010 Modifi Street		
Resource/Property Type  x Rowhouses x Commercial Public/Institu x Attached Public Hous	utional Building	
Freestanding Site		
Other	2 12 2	
54V 74 200 UEDO	ore at corner	
Stories 3 + B		
Primary Material <u>brick</u> Secondar	y Material <u>marble</u> , wood	
Roof Formflat	80	
No. of Bays in Unit/Facade 3 If Rowhouse: x Flat Front Swell Front Porch		
2/2 Sash	<ul> <li>x Single-Leaf</li> <li>Double-Leaf</li> <li>Number of panels (if visible)</li> <li>x Transom</li> </ul>	
Architectural Style Italianate	Date c. <u>1852-90</u>	
Summary/Noteworthy Features: Vestige of originally long row, substantially demolished for adjacent police station. Remaining units are intact, but features some replacement siding and one missing cornice. Bracketed cornice. Segmental-headed openings. Beaded brickwork forms double lines below sills on 2nd and 3rd stories.		
Vinyl/Aluminum Awnings	x Stucco x Window/Door Changes x Missing Cornice Elements x Other: alteration to corner store	
Status: x Occupied Vacant NR Evaluation: x Contributing Non-Contributing	Mixed Contributing	
Recommended for Intensive Level: Yes x No		
Surveyor: Joey Lampl Affiliation: Robinson	on & Associates	






SANDTOWN - WINCHESTER / PENN-NORTH #8-4434 BALTIMORE, MD ELIZABETH GO LAMPL MARCH 1992 CITY OF BALTIMORE, GMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 12 INVOM 0101 - 0001 EAST - ELEVATION ROLL 2/NEG 8

	CHESTER/PENN-NORTH	Survey No.	B-4434
RECONNAISSANG	CE-LEVEL SURVEY FORM	Non No	0/5 (
Historic Name		Neg. No	2/5, 6 3/4
Current Name/Use			
Address(es)	1001-49 Mount Street		
	1001 12 11100111 011001		
Resource/Property  _x Attached Freestanding	x Commercia Public/Insti	al Structure tutional Building	
i recstanding	The second secon		
	Other	6), 1020 40 (2/5),	(2/4)
Stories 3 + B	Note: 1001-29 (2/6	<u>5); 1029-49 (2/5); fe</u>	ear (3/4)
Primary Material _	brick Seconda	ary Material <u>mar</u>	ble, wood
Roof Form <u>flat</u>			
No. of Bays in Unit/Facade 3 If Rowhouse: x Flat Front Swell Front Porch			
	. 2/2 Sash	x Single-Leaf Double-Leaf Number of par x Transom	nels (if visible)
Architectural Style	Italianate	Date c.	1852-90
Summary/Noteworthy Features: Representative long block of three-bay, three-story units with typical cornice removal and replacement material detractions. Block's unifying elements include marble steps and basement, marble door surrounds and keystones, and wooden bracketed cornices with jigsawn molding. Flat-arched windows with keystones. Segmental door heads and surrounds with keystones. Some door heads flat, probably because of refacing. Rear elevations show two-story stuccoed back buildings with chimneys on wall that separates back buildings from main block.			
Alterations: x	Formstone	Stucco	
x	Vinyl/Aluminum	x Window/Do	or Changes
100	Awnings		nice Elements
x			ck repointing
	rupied Vacant x  X Contributing Non- Intensive Level: Yes mpl Affiliation: Robins	Mixed -Contributing _x_ No son & Associates	









SANDTOWN WINCHESTER / PENN-NORTH #13-4434 BALTIMORE, MD ELIZABETH QG LAMPL MARCH 1992 CITY OF BALTHORE, CAMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 1029 (pasted H.)-49 MOUNT ST. WEST ELEVATION ROLL 2/NEG 5



SANDTOWN - WINCH ESTER / PENN-NORTH #8-4434 BAUTIMORE, MD EUZABETH OD LAMPL MARCH 1992 CITY OF BALTIHORE, GMMISSION FOR MISTORICAL AND ARCHITECTURAL PRESERVATION 1001-29 (partial, 19.) MOUNT ST. WEST ELQUATION ROLL 2/NEG 6



SANDTOWN - WINCHESTER / PENN-NORTH #B-4434 BALTHORS, MD ELIZABETH OO LAMPL CITY OF BACHRORE, GMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION MARCH 1992 VIEW OF BACK BUILDINGS, DOI BLOCK, MOUNT ST. (DEMOLISHED 1620-28 BLOCK) (SEE ROLL 2/NEG 6 MOSHER ST. IN FOREGROUND) VIEW FACING NORTHWEST POLL 3/NEG 4 FOR FACADE

SANDTOWN-WINCHESTER/PENN-NORTH	Survey No. <u>B-4434</u>
RECONNAISSANCE-LEVEL SURVEY FORM	Neg. No2/7
Historic Name	
Historic Name  Current Name/Use Baltimore Police Department,	Western District Station
Address(es) 1034 Mount St.	
Resource/Property Type Rowhouse Commerce	
	stitutional Building
Attached Public Ho	
x Freestanding Site	
Other	
Stories 2 (?)	
Primary Material <u>brick</u> Second	dary Material <u>limestone</u>
Roof Formflat	
No. of Bays in Unit/Facade? If Rowhouse:	Flat Front Swell Front Porch
Window Type: Double-Hung Door Type:	Single-Leaf
1/1 Sash	Double-Leaf
2/2 Sash	Number of panels (if visible)
2/1 Sash	Transom
Other Sash	
Transom	
Architectural StyleLate Stripped Classical	Date c1950
Noteworthy Features: Center block with two-story	nortice of six stone (probably limestone)
piers, and stone facing around windows, entrance.	
windows, separated by brick piers. Stone moldings	
windows, separated by brick piers. Stone moranigs	•
Alterations: Formstone	Stucco
Vinyl/Aluminum	Window/Door Changes
Awnings	Missing Cornice Elements
First-Floor Use Change	Other:
Status:x Occupied Vacant	_ Mixed
NR Evaluation: Contributing x No	n-Contributing
Recommended for Intensive Level: Yes	s <u>x</u> No
Surveyor: Joey Lampl Affiliation: Robi	nson & Associates





SANDTOWN - WINCHESTER / PENN-NORTH # 3-4434 BALTHORE, MD ELIZABETH GO LAMPL MARCH 1992 CITY OF BACTIMORE, COMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION BAUTIMORE POLICE DEPT., WESTERN DISTRICT STATION SW GRNER, MOUNT & RIGGS , 1034 HOUNT ST. ROLL 2/NEG 4

SANDIOWN-WINCHESTER/PENN-NOR	
RECONNAISSANCE-LEVEL SURVEY F	ORM N. N. 200
TTi-4i- Nr.	Neg. No. 2/20
Historic Name	2/30
Address (cs) 1100 09 Mount Street	
Address(es)	
Resource/Property Typex Re	ommercial Structure
Attached Pu Freestanding Si O	ublic/Institutional Building ublic Housing ite other
Stories 3 + B	3 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
Primary Material <u>brick</u>	Secondary Material <u>marble</u> , wood
Roof Form flat	
No. of Bays in Unit/Facade3_ If Row	house: Flat Front Swell Front Pore
Window Type: x Double-Hung Door x 1/1 Sash x 2/2 Sash 2/1 Sash Other Sash Transom	Type:x Single-Leaf Double-Leaf Number of panels (if visible)x Transom
Architectural Style Italianate	Date c1852-90
north. Remaining row is representative thre with jigsawn molding. Flat-arched window	of this short block demolished for the school to the ee-bay, three-story grouping with bracketed cornice heads, some with keystones. Segmental-headed doc lat-headed, and 2nd from left may be hood mold
Alterations: x Formstone Vinyl/Aluminum Awnings First-Floor Use Chan	Stucco Window/Door Changes Missing Cornice Elements Other:
Status: Occupied Vacant NR Evaluation:x Contributing	x Mixed Non-Contributing
Recommended for Intensive Level:	Yesx_ No
Surveyor: Joey Lampl Affiliation Date: February-April 1992	: Robinson & Associates





SANDTOWN - WINCHESTER / PENN - NORTH #B-4434 BALTIMORE, MD ELIZABETH GO LAMPL MARCH 1992 CITY OF BALTIMORE, GAMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 1600-08 MOUNT ST. (1110,12 DEMOLISHED) SAST SURVATIONS ROLL 3/NEG. 30



SANDTOWN- WINCH ESTER / PENN-NORTH #B-4434 BALTIMORE, MD EUZAGETH OO LAMPL CITY OF BALTIMORE, GMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION SITE OF DEMOCISHED ROWHOUSES, 1612-20 RIGGS ST. VINCENT ST. AT RIGHT. NTEW TOWARDS REAR ELEVATIONS, BACK BULDINGS, 1101 BLOCK, MOUNT ST. VIEW FACING MORTHWEST ROLL 2/NEG 30

SANDTOWN-WINCHESTER/PE		Survey No.	B-4434
RECONNAISSANCE-LEVEL ST	JRVEY FORM	Nog No	2/21 22
Historic Name		Neg. No	2/21-23 2/22
Current Name/Use			
Address(es) 1101-61 Mount St.			
Resource/Property Type	x Rowhouse Commercia		
	Public/Inst		
	Public Ho		
Freestanding	Site		
	Other		
Stories $3 + B$		3311411	,
Primary Material <u>brick</u>	Second	ary Material <u>marb</u>	le, wood
Roof Form flat	<u></u>		
No. of Bays in Unit/Facade 3 If Rowhouse: x Flat Front Swell Front Porch			
Window Type: _x_ Double-Hung	Door Type	x Single-Leaf	
$\frac{x}{1/1}$ Sash		Double-Leaf	
2/2 Sash		Number of par	nels (if visible)
2/1 Sash		x Transom	ieis (ii visiole)
Other Sash		_x_ Hanson	
Transom			
1141150111			
Architectural Style <u>Italianate</u>		Date c.	1852-90
Summary/Noteworthy Features: 1	ong row of repres	sentative three-ston	V Italianate rowhouses
with segmentally arched marble d			
most with jigsawn molding, #1113			
headed door surrounds with keyst			
headed door surrounds with keyst	iolies. A lew vaca	ncies and new vene	er materials.
Alterations: Formstone		? Stucco	
Alterations: Formstone Vinyl/Alum	inum		or Changes
VIIIyi/Aluili	mum	Window/Doo x Missing Cor	nice Elements
Awnings First-Floor	Han Change		
First-Floor	Ose Change	_x Other: bric	k repointing
Status: Occupied	Vacant x	Mixed	
NR Evaluation: X Contributing Non-Contributing			
Recommended for Intensive Level: x Yes No			
Surveyor: Joey Lampl Date: February-April 1992	Affiliation: Robin	son & Associates	









1101 Block (rear)



SANDTOWN - WINCHESTER / PENN-NORTH #6-4434 BALTIMORE, MD ELIZABETH GO LAMPL MARCH 1992 CITY OF BALTIMORE, GMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 1101-17 (partial Ht.) MOUNT ST. WEST ELEVATION ROLL 2/NEG, 21



SANDTOWN - WINCHESTER / PENN - NORTH #18-4434 BALTIMORE, MD LAMPL OF HISBASIUS MARCH 1992 CITY OF BALTIMORE, GMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 1109 (partial, 1+1) - "61 MOUNT ST. WEST ELEVATION ROLL 2/NEG 22



SANDTOWN-WINCHESTER / PENN-NORTH # 8-4434 BALTIMORE, MD ELIZABETH GO LAMPL MARCH 1992 CITY OF BALTHORE, GMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 1139 (partial, 1+,)-61 HOUNT ST. WEST ELEVATION ROLL 2/NEG 23

RECONNAISSANCE-LEVEL SURVEY FORM  Neg. No8/6
Historic Name
Current Name/Use Enoch Pratt Library, Branch 17
Address(es) Corner, North & Pennsylvania Avenues
Audiens (es) Corner, North & Tempyvana Avenaes
Resource/Property Type Rowhouses Commercial Structure
x Public/Institutional Building
Attached Public Housing
x Freestanding Site
Other
Note:
Stories 2
Primary Material <u>brick</u> Secondary Material <u>limestone</u>
Roof Form flat
No. of Bays in Unit/Facade If Rowhouse: Flat Front Swell Front Porch
Window Type: Double-Hung Door Type: Single-Leaf
1/1 Sash Single-Leaf
2/2 Sash Number of panels (if visible)
2/1 Sash Transom
_x_ Other Sash
Transom
Architectural Style Modern Date c. 1953
Noteworthy Features: Two-story, flat-roofed contemporary library facility oriented towards
major intersection. Designed by Smith and Veale, this modern library was heralded for its
expansive use of plate glass windows and natural lighting. Today's glass is a replacement of the
original with slightly different mullion configuration. (Despite recent construction, quality of
design suggests it be considered "contributing.")
Alterations: Formstone Stucco
Vinyl/Aluminumx Window/Door Changes
Awnings Missing Cornice Elements
First-Floor Use Change Other:
Status:x Occupied Vacant Mixed
NR Evaluation:x Contributing Non-Contributing
Recommended for Intensive Level: Yes x No
Surveyor: Joey Lampl Affiliation: Robinson & Associates
Date: February-April 1992



SANDTOWN. WINCHE STER /PENN-NORTH # 13-4434 BALTHORE, MD ELIZABETH QO LAMPL MARCH 1992 CITY OF BALTIMORE, GMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESSEVATION. INTERSECTION OF PENNSYLVANIA & NORTH AVENUES SHOWING BRANCH VIEW FACING SOUTHEAST 17, SWOCK PRATT LIBRARY ROLL 8/NEG 7


SANDTOWN-WINCHESTER/PENN-NORTH	Survey No.	B-4434
RECONNAISSANCE-LEVEL SURVEY FORM	Neg. No.	8/15
Historic Name		
Address(es) 1330-1356 North Avenue		
Resource/Property Type  x Rowhouses x Commercial Public/Instit Public House Freestanding Site Other	Structure cutional Building sing	
Stories 3 + B Note: originally dw	vellings; stores are	early conversions
Primary Material <u>brick</u> Seconda	ry Material <u>mar</u>	ble, wood
Roof Form flat		
No. of Bays in Unit/Facade3 If Rowhouse: _	x Flat Front _	_ Swell Front Porch
<u>x</u> 2/2 Sash	x Singl cf Double-Leaf Number of par x Transom	nels (if visible)
Architectural Style Italianate	Date	c. <u>1852-90</u>
Summary/Noteworthy Features: Representative examples converted on the first floor to stores early on, most stores were part of the row by 1914; stores and office arched windows, stone sills. Segmental-headed windows some tie rod ends visible.	likely when the streets by 1928. Modi	eetcar lines went through. llioned cornice. Flat-
x Vinyl/Aluminum x Awnings	? Stucco x Window/Do Missing Cor Other:	
Status: Occupied Vacant x  NR Evaluation: x Contributing Non-	Mixed Contributing	
Recommended for Intensive Level: Yes	<u>x</u> No	
Surveyor: Joey Lampl Affiliation: Robins Date: February-April 1992	on & Associates	





SANDTOWN-WINCHESTER / PENN-NORTH #13-4-34 BALTIMORE, MD ELIZABETH QG LAMPL MARCH 1992 BAL MORE, MD 1330 (A.) -1356 (H.) NORTH ME.; 1322 (?) at right. SOUTH ELEVATION POLL 8/NEG 15

RECONNAISSANCE-LEVEL SURVEY FORM	Survey No. <u>B-4434</u>
RECONNAISSANCE-LEVEL SURVET FORM	Neg. No8/11
Historic Name	
Current Name/Use	
Address(es)1602-08 (partial) North Avenue	
Resource/Property Typex Rowhouses Commercial S	Structure
x Attached Public/Institute Public Housing Site Other Note:	tional Building ng
Stories 3 + B	
Primary Material Roman brick Second	ary Materialmarble, wood
Roof Form flat	
No. of Bays in Unit/Facade3 If Rowhouse: _x	Flat Front Swell Front Porch
2/2 Sash	Single-Leaf Double-Leaf Number of panels (if visible) Transom
Architectural Style Renaissance Revival	Date c. 1901-14
Summary/Noteworthy Features: Unique Renaissance I facade articulation. Modillion cornice. Units to either openings with stone keystones, brick and stone vousson has openings with stone lintels, and short brick pilaster.	r side in photo have segmental-headed irs, double first-floor window; middle unit
x Awnings	Stucco  x Window/Door Changes  Missing Cornice Elements  Other:
Status: _x Occupied Vacant M	fixed
NR Evaluation: X Contributing Non-C	Contributing
Recommended for Intensive Level: Yes	_x_ No
Surveyor: Joey Lampl Affiliation: Robinson Date: February-April 1992	n & Associates





SANDTOWN - WINCHESTER / PENN NORTH #8-4434 BALTIMORE, MD ELIZABETH OF LAMPL MARCH 1992 CITY OF BALTIMORE, GMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 3 UNSUA STOOM ( partal ) 80 - 6021 LOUTH ELEVATION ROLL 8/NEG 11

SANDTOWN-WINCHESTER/PENN-NORTH	Survey No. B-4434		
RECONNAISSANCE-LEVEL SURVEY FORM			
W	Neg. No8/9		
Historic Name Christ M.P. Church			
Current Name/Use Fulton Baptist Church			
Address(es) 1600 block North Avenue			
Resource/Property Type Rowhouses			
Commercial S			
x Public/Institu	tional Building		
x Attached Public Housi	ng		
Freestanding Site	,		
Other			
Stories 3			
a			
Primary Material granite/gneiss (?) Secondary	y Material		
Roof Formgable (being rebuilt)			
No. of Bays in Unit/Facade3_ If Rowhouse:	_ Flat Front Swell Front Porch		
Window Type: Double-Hung Door Type:	_ Single-Leaf		
1/1 Sash	_ Double-Leaf		
	Number of panels (if visible)		
2/1 Sash	Transom		
Other Sash	_ Hanson		
Transom			
Transom			
Architectural Style Gothic Revival	Date c1904		
Noteworthy Features: Facade remaining from gutted faced random ashlar, entrance level features contrasting sanctuary level; windows with lighter shade of stone sit upper story. Tower to left, probably missing roof. Counderway with new structure to right.	ng stone trim. Pointed-arch windows on lls/lintels. Bulls-eye and triplet windows in		
Alterations: Formstone	Stucco		
[1] (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	Window/Door Changes		
	Missing Cornice Elements		
	x Other: current major renovation		
	A OO Outlette Major Fonds auton		
Status: Occupied x Vacant	_ Mixed		
NR Evaluation:x Contributing Non-Contributing			
Recommended for Intensive Level: x Yes			
Surveyor: Joey Lampl Affiliation: Robinson Date: February-April 1992	n & Associates		



SANDTOWN-WINCHESTER / PENN-NORTH

# B-4434

BALTIMORE, MD

ELIZABETH 90 LAMPL
MARCH 1992

CITY OF BALTIMORE, GMMISSION FOR HISTORICAL AND
ARCHITECTURAL PRESERVATION

HISTORE:
CURRENT: FULTON BAPTIST CHURCH (Under renovation)

IGOO BLOCK, NORTH AVENUE


SOUTH ELEVATION

ROLL 8/NEG 9

5 44 Trips


----

RECONNAISSANCE-LEVEL SURVEY FORM
Neg. No. 2/36
Historic Name Current Name/Use
Address(es) 900 Block, Parrish Alley
Resource/Property Typex Rowhouses Commercial Structure
Attached Public/Institutional Building Freestanding Site Other
Note:
Primary Material <u>brick</u> Secondary Material <u>wood</u>
Roof Formflat
No. of Bays in Unit/Facade 2 If Rowhouse: x Flat Front Swell Front Porch
Window Type: _x Double-Hung Door Type: _x Single-Leaf _x 1/1 Sash Double-Leaf _ 2/2 Sash Number of panels (if visible) _ 2/1 Sash Transom _ Other Sash _ Transom
Architectural StyleItalianate Date c1852-90
Noteworthy Features: Simple alley dwellings. Modillion cornice. Flat-headed openings. Stairs set parallel to facade rise to simple porch/stoop; wood rails and risers, concrete or stone porch, some risers also. Difficult to see detail because image is small.
Alterations:  Formstone Vinyl/Aluminum X Window/Door Changes Awnings Missing Cornice Elements First-Floor Use Change Other:
Status: Occupied Vacant x Mixed
NR Evaluation: X Contributing Non-Contributing
Recommended for Intensive Level: Yes _x No
Surveyor: Joey Lampl Affiliation: Robinson & Associates Date: February-April 1992



SANDTOWN - WINCHESTER / PENN-NORTH # 13-4434 BALTIMORE, MD ELIZABETH QO LAMPL MARCH 1992 CITY OF BALTIMORE, GAMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION VIEW SOUTH OF 900 BLOCK, PARRISH ALLEY ON LEFT 901-15, 919-21 (?) PARRISH ALLEY WEST ELEVATION ROLL 2/NEG 36

RECONNAISSANCE-LEVEL SURVEY FORM
Neg. No5/14
Historic Name
Current Name/Usealley dwellings
Address(es) 1426-34 (?) North Parrish Alley
Resource/Property Typex Rowhouses Commercial Structure
Public/Institutional Building Attached Public Housing Site Other
Stories 2 + B Note:
Primary Material <u>brick</u> Secondary Material <u>wood</u>
Roof Form flat
No. of Bays in Unit/Facade 2 If Rowhouse: x Flat Front Swell Front Porch
Window Type: _x Double-Hung Door Type: _x Single-Leaf 1/1 Sash Double-Leaf 2/2 Sash Number of panels (if visible) 2/1 Sash Transom Other Sash Transom
Architectural Style Italianate Date c. 1852-90
Summary/Noteworthy Features: Vestige of rowhouses remaining in this once-dense alley. Modillioned cornice. Windows with wooden lintels, sills; doors with segmental-headed openings, surrounds; altered door now with flat head to left. Wooden porches in disrepair.
Alterations:  Formstone  Vinyl/Aluminum  Awnings  First-Floor Use Change  Stucco  x Window/Door Changes  Missing Cornice Elements  The control of the contro
Status: Occupied Vacant x Mixed
NR Evaluation:x Contributing Non-Contributing
Recommended for Intensive Level: Yes x No
Surveyor: Joey Lampl Affiliation: Robinson & Associates Date: February-April 1992






SANDTOWN - WINCHESTER / PENN-NORTH #8.4434 BALTIMORE, MD ELIZABETH GO LAMPL MARCH 1992 CITY OF BALTIMORE, COMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION Alley dwellings 1426-34(?) N. PARRISH ALLEY EAST ELEVATION KOLL 5/NEG 14


SANDTOWN-WINCHESTER/P RECONNAISSANCE-LEVEL S		Survey No.	B-4434
RECONNAISSANCE-LEVEL S	ORVEI FORM	Neg. No.	6/3
Historic Name			
Current Name/Use View facing	north on Pennsyl	vania Avenue at inte	ersection with Fremont
Address(es) 2101 Block, P	ennsylvania Avenu	<u>e</u>	
Resource/Property Type	x Rowhous		
		stitutional Building	
x Attached	Public Ho		
Freestanding	Site	Jan., B	
1100011111111111111111111111111111	Other		
Stories _ 2, 3	11010.	W 200	
Primary Material <u>brick</u>	Second	dary Material <u>woo</u>	<u>d</u>
Roof Form flat	<u>.</u>		<i>f</i>
No. of Bays in Unit/Facade 2,	3 If Rowhouse:	_x Flat Front	_ Swell Front Porch
Window Type: x Double-Hun	Door Type:	x Single-Leaf	
$\frac{1}{1}$ Sash	g	Double-Leaf	
2/2 Sash		Number of par	nels (if visible)
2/1 Sash		x Transom	iem (ir vibiolo)
? Other Sash		Trumbom	
Transom			
Architectural StyleItalianate/6	Commercial	Date c1	850-90; 1890-1901
Summary/Noteworthy Features: primarily residential to a comme (in the distance in the photo) we commercial/residential units at the of the Schumacher & Rice lumberight in photo are 3-story. One wooden cornice. Pitched roof she	ercial streetscape. ere constructed as ne south of the blo er yard. Most uni unit has Palladian	The two-story units a dwellings between 18 ock were built between 3 in the block are 3	at the north of the block 852-90. The en 1890-1901, on the site -bays, 2-stories; 2 to the
Alterations: x Formstone x Vinyl/Alum		Stucco	or Changes
	IIIIIUIII	x Window/Do	
x_ Awnings	. Has Change	x Missing Cor	
x First-Floor			
Status: x Occupied		_ Mixed	
NR Evaluation:x Contrib		n-Contributing	
Recommended for Intensive Lev	vel: Yes	s <u>x</u> No	
Surveyor: Joey Lampl Date: February-April 1992	Affiliation: Robi	nson & Associates	

= 6

. .



2101 Block



SANDTOWN -WINCHESTER / PENN - NORTH

# B-4434

BALTIMORE, HD

ELIZABETH GO LAMPL

MARCH 1992

CITY OF BALTIMORE, GMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION

VIEW FACING NORTH ON PENNSYLVANIA AVENUE AT INTERSECTION


WITH FREMONT (STREETSIGNS AT RIGHT TURNED WRONG DIRECTION!)

2101 BLOCK PENNSYLVANIA ANE,

SOUTHWEST ELEVATIONS

ROLL 6/NEG 3


SANDTOWN-WINCHESTER/PENN-NORTH Survey No. B-4434
RECONNAISSANCE-LEVEL SURVEY FORM
Historic Name
Current Name/Use Baltimore Refrigeration Supply
Address(es) 2600 Block, Pennsylvania Avenue
2000 Block, Telmsylvania Tivenue
Resource/Property Type Rowhouses (Purpose Built) Commercial Structure
Attached Public/Institutional Building Attached Public Housing Site Other
Stories 2
Primary Material Secondary Material
Roof Formflat
No. of Bays in Unit/Facade?3 If Rowhouse: Flat Front Swell Front Porch
Window Type: Double-Hung Door Type: _x Single-Leaf 1/1 Sash Double-Leaf 2/2 Sash Number of panels (if visible) 2/1 Sash Transom Other Sash Transom
Architectural Style Contemporary Date c.
Noteworthy Features: Warehouse, set back from street with parking lot in front. Brick screen wall, center section/bay is steel frame with panels.
Alterations:  Formstone Vinyl/Aluminum Window/Door Changes Awnings Missing Cornice Elements First-Floor Use Change Other:
Status:x Occupied Vacant Mixed
NR Evaluation: Contributing x Non-Contributing
Recommended for Intensive Level: Yes x No
Surveyor: Joey Lampl Affiliation: Robinson & Associates Date: February-April 1992





SANDTOWN - WINCHESTER / PENN - NORTH # B-4434 BALTIMORE, MD ELIZABETH OF LAMPL MARCH 1992 CITY OF BALTIHORE, COMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION BALTIMORE REFRIGERATION SUPPLY 2600 BLOCK, PENNCYLVANIA AVE. SOUTHWEST ELEVATION r 🗻 🕶 🚉 ROLL 8/ NEG 4

DECONNAICCANCE LEVEL CURVEY FORM	Survey No. <u>B-4434</u>		
RECONNAISSANCE-LEVEL SURVEY FORM	Non No. 705		
Historic Name	Neg. No. <u>7/35</u>		
Historic NameCurrent Name/Use			
Address(es) 2671-75 Pennsylvania Avenue (back build	lings)		
2011 13 Telmsylvania Piveliae (blick bane	migaj		
Resource/Property Type Rowhouses Commercial S	tructure		
Public/Institut	ional Building		
x Attached Public Housin	g		
Freestanding Site			
Other			
Note: back building			
Stories 2	An agreement the second		
CARRIEDOS CONSESSOS SERVICIOS DE CARRIEDOS CONTRACTOR			
Primary Material <u>brick</u> Secondary	Material wood		
Roof Form flat			
No. of Bays in Unit/Facade2_ If Rowhouse:	Flat Front Swell Front _x Porch		
Window Type: x Double-Hung Door Type: x	Single-Leaf		
	Double-Leaf		
	Number of panels (if visible)		
	Transom		
Other Sash			
Transom			
Transon			
Architectural StyleItalianate	Date c. <u>1890-1901</u>		
Summary/Noteworthy Features: Example of variation on the rear elevations; in this case, a second-story open frame porch. Segmental-headed openings. Cantilevered wooden balconies at			
2nd story with shed roofs. End unit to left has porch and area beneath enclosed.			
Alterations: Formstone	Stucco		
	x Window/Door Changes		
	Missing Cornice Elements		
	x Other: tarpaper or similar covering		
That floor ose change	tarpaper or similar covering		
Status: Occupied Vacant x Mixed			
NR Evaluation:x Contributing Non-Contributing			
Recommended for Intensive Level: Yes x No			
Surveyor: Joey Lampl Affiliation: Robinson & Associates Date: February-April 1992			





SANDTOWN - WINCHESTER / PENN-NORTH # B-4434 BALTIMORE, MD ELIZABETH OF LAMPL MARCH 1992 COMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESSEVATION 2671.75 PENNSYLYANIA AVE. (BACK BUILDINGS) VIEW FACING SOUTHWEST ROLL 7/NEG 35

RECONNAISSANCE-LEVEL SURVEY FORM		
Neg. No. 7/36		
Historic Name		
Address(es) 2700 Block, Pennsylvania Avenue		
2700 2100M Tomby Transa Tronge		
Resource/Property Type x Rowhousesx Commercial Structure		
Public/Institutional Building		
x Attached Public Housing		
Freestanding Site		
Other		
Note: first-floor stores appeared by 1914		
Stories 2 & 3 + B		
Primary Material <u>brick</u> Secondary Material <u>marble, stamp</u>	ed metal	
Roof Formflat		
No. of Bays in Unit/Facade 3 If Rowhouse: x Flat Front Swell F	ront Porch	
Window Type: x Double-Hung Door Type: x Single-Leaf		
_x 1/1 Sash Double-Leaf		
2/2 Sash Number of panels (if visit	ible)	
Other Sash		
Transom		
Architectural Style Italianate Date c. 1890-190	1	
Summary/Noteworthy Features: Representative of the alteration from a residentic commercial row. Originally, a residential row with one cobbler's shop (1901), by		
were a variety of commercial services offered on this row. Most units are of the gabled cornice		
version of the Italianate. Three-story units at corners of blocks, 2-story between; the former		
have corbelled brick cornices. Only one set of remaining marble steps visible.		
nave coronica office cormices. Only one set of remaining marole steps visione.		
Alterations: x Formstone Stucco		
x Vinyl/Aluminum x Window/Door Change	·s	
Awnings x Missing Cornice Elem		
x First-Floor Use Change x Other: added storefy		
Status: Occupied Vacant x Mixed		
NR Evaluation: x Contributing Non-Contributing		
Recommended for Intensive Level: Yes x No		
Surveyor: Joey Lampl Affiliation: Robinson & Associates		
Date: February-April 1992		




2700 Block



SANDTOWN - WINCHESTER / PENN-NORTH #B-4434 BALTIMORE, MD ELIZABETH GO LAMPL CITY OF BALTIMORE, GAMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 2700 BLOCK, PENNSYLVANIA AVE. VIEW FACING NORTHWEST ROLL 7/NEG 36 HISTORIC: DWELLINGS WITH ONE GBBLER, ONE GRNUR STORE CUERFINT : COMMERCIAL

SANDTOWN-WIN			Survey No.	B-4434
RECONNAISSAN	CE-LEVEL S	URVEY FORM	Neg No	4/36
Historic Name	Enoch Pratt	Free Library, Fre		4/30
10.00				
Resource/Property		Rowhous		
	30 <u></u>	Commercial		
( A) ( Decree - 1 Contact			stitutional Building	
Attached		Public H	ousing	
_x_ Freestanding		Site		
W		Other		
Stories 1 1/2 + E	E	Note: <u>Horary</u>		
31011C3 1 1/2 + 1	<u>.                                    </u>			
Primary Material _	brick	Secon	ndary Material <u>stor</u>	ne or terra cotta
Roof Form hip	& gable			
No. of Bays in Uni	t/Facade6	If Rowhouse:	Flat Front	_ Swell Front Porch
Window Type: _x	Double-Hur	g Door Type	Single-Leaf	
	_ 1/1 Sash	ig Door Type.	Double-Leaf	
*******	2/2 Sash		Number of pa	nels (if visible)
	2/1 Sash		Transom	
	Other Sash			
Description of the second seco	Transom			
8	Overstand the constitution of the constit			
Architectural Style	Queen An	ne	Da	te c. <u>1883</u>
Notemorthy Featur	or. Uin roof	over main hady w	vith gabled section to	left and octagonal
				ion has two windows with
				ith terra cotta moldings,
				r, has terra cotta panel
				ental sashed windows with
transoms in groups				
	g			
Alterations: x	Formstone	:	Stucco	
-	Vinyl/Alun	ninum	? Window/Do	oor Changes
	Awnings		Missing Co	rnice Elements
	First-Floor	Use Change	Other:	
<b>C</b>	• •			
Status: x Occ				
NR Evaluation:				
Recommended for	michsive Lev	rel: Ye	es <u>x</u> No	
Surveyor: Joey La	mpl	Affiliation: Rob	inson & Associates	
Date: February-A	oril 1992			





312. Architect Charles Carson's rendering for the model of the first six branches.

## Branch 7, Hampden, 1900-

Branch 7, the Hampden branch, 3641 Falls Road, opened July 2, 1900. Robert Poole, who owned the large iron foundry that was the of the major employers in the industri-

zed Hampden-Woodberry community, gave the site and building. He had been the chief supporter of a free circulating library organized about 1885 for Woodberry residents. The incorporators of the Woodberry Free Reading Rooms and Circulating Library included T. Harrison Garrett, German H. Hunt, Robert and George Poole and J. Morrison Harris. Charles M. White, the principal of Woodberry High School, served as librarian. In 1887, there were 174 male and 460 female card holders.

In deference to Poole's wishes, an agreement was made between Pratt and the Provident Savings Bank for the bank to rent a one-room branch office. The bank remained until 1915. The building departed in architectural style from earlier Pratt branches. It was of the Colonial Revival style and its architect was Joseph Evans Sperry, who would be called upon to design several other libraries.

Patronage at the branch was directly connected to labor conditions in the community. When the cotton duck mills in the Jones Falls Valley were working less, the library was more crowded with unem-

yed mill hands. In 1909, the librarian noted: "Owing to a bowling alley, pool room and moving picture show which have recently been opened in the neighborhood, quite a number of our readers and patrons

have deserted the branch in the evening, finding these places more attractive."

Librarian Anna L. Kehoe wrote in her 1957 report on this branch: "Television and movies promote more demand for recreational reading... It was a real hard blow to several men patrons to learn that Matt Dillon was not a real person."

## Branch 8, Walbrook, 1903, 1907-1957 New Walbrook, 1957-

Branch 8, the Walbrook branch, has a long history. In the 1890s, Pratt first dispatched boxes of books to a public school in Walbrook, an early suburban community. When the school needed the space occupied by the books, Pratt took over a streetcar waiting shed January 2, 1903. Real estate developer Francis A. White offered the library a well built frame structure which had been constructed as the Union Chapel for the use of Protestant denominations. It was the first public building in Walbrook, Located at Clifton Avenue and Hilton Street, the chapel was converted and opened as a library September 3, 1907. It was enlarged in 1921 by architect Thomas Machen.

Walbrook librarian Mary K.C. Thomason wrote in 1926, "At Branch 8 we have been obliged to be real salesmen and have had to work much harder for our book circulation than the neighborhoods where there has always been greater circulation."

Churchgoers continued to confuse the library with a house of worship for many years thereafter. However, members of the Daily Bible Vacation School of the Temple Baptist Church took up a collection in 1943 and bought Branch 8 an electric sign reading "Library." It helped stop the confusion.

A new Branch 8, 3203 West North Avenue, was dedicated April 14, 1957. This modern structure was designed by Finney, Dodson, Smeallie & Associates. Public service began the next day.

## Branch 9, Locust Point, 1900-1957

The old Locust Point branch, began about 1900 as a book delivery room in a Hull Street store. In December 1901, the Pratt made a lending-service agreement with the Locust Point Settlement, a settlement house operated at 1504 Fort Avenue. When Andrew Carnegie's funds became available for branch construction, the Baltimore and Ohio Railroad donated a library site at Towson and Beason streets. The lot was conveyed to the city June 16, 1909. Ground was broken in March 1910 and Branch 9 was formally dedicated October 15, 1910. Its architect was Joseph Evans Sperry.

That year a German gentleman visited the new branch. He had not used his card for two years and explained to the librarian, "I did not know I could get German books from the library until mein Sohn told me that the library lady had been getting them for him." The patron continued to return, week after week.


In September 1926 Locust Point librarian Blanche A. Moffatt noted more chil-



INDTOWN - WINCHESTER / PENN-NORTH
6-4434
ALTIMORE, MD
IZABETH GO LAMPL
ARCH 1992
THE OF BALTIMORE, GMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION
STORIC: ENOCH PRATT BRANCH LIBRARY (1883); POLYGONAL ADDITION:
POST-1914
DILL 4/ NEG 36
7, 10 3

SANDTOWN-WINCHESTER/PENN-NORTH	Survey No. <u>B-4434</u>
RECONNAISSANCE-LEVEL SURVEY FORM	
w	Neg. No. <u>8/3 &amp; 6</u>
Historic Name Crook's Garage	
Current Name/Use Blue Shield Auto Body	• •
Address(es) Northwest corner, Retreat & Pennsylv	vania Avenue
Resource/Property Type (Purpose Built)  Attached Attached Freestanding  Other Note:  Rowhouses Commercial S Public/Institu Public Housin Site Other	tional Building ng
Stories1	
Primary Material <u>brick</u> Secondary  Roof Form flat	Material concrete
No. of Bays in Unit/Facade 9 If Rowhouse:	_ Flat Front Swell Front Porch
Window Type: Double-Hung	_ Single-Leaf _ Double-Leaf _ Number of panels (if visible) _ Transom
Architectural Style Commercial	Date c. <u>1914-28</u>
Noteworthy Features: Simple brick block, with window High blank facade wall above openings. Very subtle to shows narrower segmental-headed openings.	
Vinyl/Aluminum Awnings	Stucco  x Window/Door Changes  Missing Cornice Elements  Other:
Status:x Occupied Vacant M	fixed
NR Evaluation:x Contributing Non-C	Contributing
Recommended for Intensive Level: Yes	<u>x</u> No
Surveyor: Joey Lampl Affiliation: Robinson Date: February-April 1992	n & Associates







SANDTOWN - WINCHESTER / PENN - NORTH # 3.4434 BALTIMORE, MD ELIZABETH OD LAMPL MARCH 1992 CITY OF BALTIMORE, COMPISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION HISTORIC: STABLES (1890-1901) + ADDITION CURRENT : BLUE SHIELD AUTO BODY CORNER (NW), RETREAT , PENNSYLVANIA VIEW OF MORTHEAST ELEVATION ROLL 8/NEG 6



SANDTOWN - WINCHESTER / PENN-NORTH

#B-4434

BALTIMORE, MD

ELIZABETH QO LAMPL

MARCH 1990

CITY OF BALTIMORE, CHMISSION FOR HISTORICAL MILL ARCHITECTURAL PRESERVATION

FISTORIC: STABLES (1890-1901) NOW ATTERED

CURRENT: BLUE SHIELD ANTO BODY

CORNER, RETREAT AND FENNSYLVANIA OVERICE - DIRTHUSEST CREER

CURRENT: BLUE SHIELD ANTO BODY
CORNER, RETREAT AND FENNSYLVANIA AVENE - NORTHWEST GRNER
THEW OF SOUTHEAST ELEVATION
ROLL S/NEG 3

2 of 2

SANDTOWN-WINCHESTER/PENN-NORTH RECONNAISSANCE-LEVEL SURVEY FORM	
RECONNAISSANCE-LEVEL SURVEY FORM	Neg. No7/9
Historic Name	
Current Name/Use	
Address(es) 1408-14 Retreat Street	
x Attached Public I	rcial Structure nstitutional Building
Site	
Stories 3 + B Other	
Primary Material <u>brick</u> Seco	ndary Material marble, wood
Roof Form <u>flat</u>	
No. of Bays in Unit/Facade3_ If Rowhouse	: _x Flat Front Swell Front Porc
Window Type: _x Double-Hung Door Type: _x 1/1 Sash _x 2/2 Sash 2/1 Sash _x Other Sash _x Transom	_x Single-Leaf Double-Leaf Number of panels (if visible) _x Transom
Architectural Style Italianate	Date c. <u>1852-90</u>
Summary/Noteworthy Features: Good example of Representative characteristics include three bays of openings with splayed brick voussoirs, marble sills on upper floors.	on the first floor and two above. Flat-arched
Alterations: Formstone Vinyl/Aluminum Awnings First-Floor Use Change	Stucco Window/Door Changes Missing Cornice Elements Other:
Status:x Occupied Vacant	Mixed
NR Evaluation: x Contributing N	Ion-Contributing
Recommended for Intensive Level: Y	es <u>x</u> No
Surveyor: Joey Lampl Affiliation: Roll Date: February-April 1992	binson & Associates





SANDTOWN - WINCHESTER / PENN-NORTH #R-4434 BALTIMORE, MD ELIZABETH SO LAMPL MARCH 1992 CITY OF BALTIMORE, COMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 1408-14 RETREAT ST. SOUTHEAST ELEVATION ROLL 7/NEG 9

SANDTOWN-WINCHESTER/PENN-NORTH	Survey No. <u>B-4434</u>
RECONNAISSANCE-LEVEL SURVEY FORM	Neg. No7/1
Historic Name	SHANNING CONTRACT
1. A 1. Property of the April 1. The Property of the April 2. Property	
Address(es)1512-26 Retreat Street	
Resource/Property Type x Rowhouses Commercial S Public/Institution X Attached Public Housin	ional Building
Freestanding Site	
Other	
Note:	
Stories 3 + B	
otories	
Primary Material <u>brick</u> Secondary	Material marble, wood
Roof Form flat	
No. of Bays in Unit/Facade 2, 3 If Rowhouse: x	Flat Front Swell Front Porch
2/2 Sash	Single-Leaf Double-Leaf Number of panels (if visible) Transom
Architectural Style Italianate	Date c. <u>1852-90</u>
Noteworthy Features: Mid-length block of three-story two builders. The corner unit, perhaps the work of a coblock, is one of the widest in the neighborhood and ha area). The remaining units are much narrower, not as surrounds, bracketed cornices, flat-arched windows with units have been significantly altered.	different builder than the rest of the s a side yard (an anomaly in the survey tall, and have heavy marble door
Awnings :	Stucco  X Window/Door Changes  X Missing Cornice Elements  X Other:
vacant with	MOU.
NR Evaluation: X Contributing Non-Contributing Yes	ontributing _x_ No
Surveyor: Joey Lampl Affiliation: Robinson Date: February-April 1992	& Associates





SANDTOWN-WINCHESTER / PENN-NORTH

#B-4434

BALTIMORE, MD

ELIZABETH SO LAMPL MARCH 1992

CITY OF BALTIMORE, COMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION

1512-26 RETREAT STREET

SOUTHEAST ELEVATION

ROLL 7/NEG 1

SANDTOWN-WINCHESTER/PENN-NORTH	Survey No. <u>B-4434</u>
RECONNAISSANCE-LEVEL SURVEY FORM	Neg. No5/34
Historic Name	
Historic Name  Current Name/Use Willard's Store	
Address(es) 2302 Pennsylvania Avenue (far left in	photo)
Resource/Property Type (Purpose Built)  x Commercial Stru Public/Institution Public Housing Site Other Note:	al Building
Stories3	
Primary Material <u>brick</u> Secondary Ma	aterial stone
Roof Formgable	
No. of Bays in Unit/Facade 2 If Rowhouse: x Fl	at Front Swell Front Porch
<u>x</u> 2/2 Sash N	ingle-Leaf Double-Leaf Tumber of panels (if visible) Transom
Architectural Style Greek Revival	Date cpre-1852
Noteworthy Features: Pitched roof. Windows have stone windows flanking center entrance and bracketed cornice, h	
Vinyl/Aluminum x Awnings	Stucco Window/Door Changes Missing Cornice Elements Other:
Status:x Occupied Vacant Mixed	d
NR Evaluation: x Contributing Non-Contr	ributing
Recommended for Intensive Level: Yes	x No
Surveyor: Joey Lampl Affiliation: Robinson & Date: February-April 1992	Associates

SANDTOWN-WINCHESTER/PENN-NORTH Survey No. B-4434		
RECONNAISSANCE-LEVEL SURVEY FORM		
Neg. No		
Historic Name Pariser Bakery Current Name/Use William A. Sigler Co. (includes Pariser Bakery plus addition)		
Address(es) 2304 Pennsylvania Avenue (middle and right photo)		
Address(es)2504 Femisylvania Avenue (iniudie and right photo)		
Resource/Property Type Rowhouses		
(Purpose Built) Kownouses  Commercial Structure		
Public/Institutional Building		
x Attached Public Housing		
Freestanding Site		
Other		
Note: Pariser Bakery is expansion of original, pre-1890 bakery		
located in left bay		
Stories 3		
Primary Material <u>brick</u> Secondary Material <u>limestone (?)</u>		
Roof Formflat		
No. of Bays in Unit/Facade 6 (?) If Rowhouse: Flat Front Swell Front Porch		
Window Type: Double-Hung Door Type: Single-Leaf		
1/1 Sash Double-Leaf		
2/2 Sash Number of panels (it visible) 2/1 Sash Transom		
Other Sash		
Transom		
Architectural Style Patterned Brick Commercial Date c. pre-1890 bakery;		
post-1914 expansion		
Noteworthy Features: Pilasters and limestone (or cast-stone) cornice; parapet above, with sign		
for bakery. Garage in first floor. Windows filled in. Decorative brick patterning, inset		
limestone diamonds. More recent alterations and expansion in contrasting brick, in 2 right bays.		
independent interest interest districtions and expansion in contracting orion, in 2 right outs.		
Alterations: Formstone Stucco		
Alterations: Stucco Vinyl/Aluminum x Window/Door Changes  Aurings Coming Florants		
Awnings Missing Cornice Elements		
x First-Floor Use Change Other:		
That floor one change outer		
Status: x Occupied Vacant Mixed		
Status:x Occupied Vacant Mixed  NR Evaluation:x Contributing Non-Contributing		
Recommended for Intensive Level: Yes x No		
Surveyor: Joey Lampl Affiliation: Robinson & Associates		
Date: February-April 1992		







SANDTOWN - WINCHESTER / PENN-MORTH #B-4434 BALTIMORE, MD ELIZABETH QO LAMPL MARCH 1992 CITY OF BALTIMORE, COMMISSION FOR HISTORICAL AND ARCHITECTURAL HISTORIC: DWELLING AND PAKISER BAKERY CURP IT: WILLIAM A. SIGUER CO. 2304 PENNSYLVAVIA AUE. NER EAST CULVETIONS ROLL 5/N86 34

	ESTER/PENN-NORTH	Survey No. <u>B-4434</u>
RECOMMAISSANCE-	LEVEL SURVEY FORM	Neg. No. 4/31
Historic Name		
Current Name/Use		
Address(es) 14	04 Riggs Street (detail)	
Resource/Property Typ	e <u>x</u> Rowhous	
resource/Property Typ	Commerc	
		stitutional Building
x Attached		
Freestanding	Public H	Ousnig
Freestanding	Other	
	Other	
Stories 2 (+ B?)	Note:	
Primary Materialbri	ckSecon	dary Material <u>wood</u>
Roof Form <u>flat</u>		
No. of Bays in Unit/Fa	cade 3 (?) If Rowhouse:	x Flat Front Swell Front Po
Window Tune: v D	ouble-Hung Door Type:	v Single Leaf
<u>x</u> 1/2		
		Double-Leaf
2/2	z Sasn	Number of panels (if visible) Transom
2/1	Sasn	Iransom
	her Sash	
Tr	ansom	
Architectural Style]	talianate/Queen Anne	Date c. 1890-1901
Summary/Noteworthy 1	Features: A simple, but fass	cinating gesture towards embellishment
		e Revival styles is revealed in this detail
		-cotta figurehead as keystone. Bracketed
		s, voussoirs staggered to form toothed moldi
	ted hood over door, with br	
Protection of the control of the state of th	September - September in der inner der Abertann - En Welderberter VIII. En statistische Zeiterberter	A CONTRACTOR OF THE PROPERTY O
	Formstone	Stucco
	Vinyl/Aluminum	? Window/Door Changes
	Awnings	Missing Cornice Elements
·	First-Floor Use Change	Other:
Status: Occupi	ed x Vacant	Mixed
NR Evaluation: x	ed <u>x</u> Vacant No	on-Contributing
Recommended for Inte	ensive Level: Ye	es <u>x</u> No
	<del></del> )	
Surveyor: Joey Lampl Date: February-April		inson & Associates
Dute. Teordary-April	1772	





SANDTOWN - WINCHESTER PENN - NORTH
# 3 - 4434

CALTIMORE, MD

SUZABETH QO LAMPL
MARCH 1992

CITY OF BALTIMORE, COMMISSION FOR HISTORICAL AND
ARCHITECTURAL PRESERVATION

DETAIL
1404 RIGGS ST.

ROLL 4/NEG 31

RECONNAISSANCE-LEVEL SURVEY FORM
Neg. No. <u>4/28</u>
Historic Name
Current Name/Use Hope School Baptist Church
Address(es) 1425 Riggs Street
Resource/Property Type Rowhouses Commercial Structure
x Public/Institutional Building
x Attached Public Housing
Freestanding Site
Other
Note: May be conversion of older buildings.
Stories1
Primary Material <u>rock-faced concrete block</u> Secondary Material <u>brick</u>
Roof Form end-gable
No. of Bays in Unit/Facade 3 If Rowhouse: Flat Front Swell Front Porch
Window Type: Double-Hung Door Type: Single-Leaf
1/1 Sash x Double-Leaf
2/2 Sash Number of panels (if visible)
2/1 Sash Transom
x Other Sash
Transom
Architectural Style Folk Gothic Revival Date c. church: post-1914 (?)
Noteworthy Features: Former 19th-century pool hall and saloon may form foundation for this
church, or it may be new construction (post-1914). Structure attached to rowhouse on right.
Two entrances to either side, under pointed arches; pointed-arch window in center with simple
wood tracery, filled in; small segmental window above. Simple overhang.
,
Alterations: x Formstone x Stucco
Vinyl/Aluminum x Window/Door Changes
Awnings Missing Cornice Elements
x First-Floor Use Change Other:
Status:x Occupied Vacant Mixed
NR Evaluation: x Contributing Non-Contributing
Recommended for Intensive Level: Yes _x No
Surveyor: Joey Lampl Affiliation: Robinson & Associates Date: February-April 1992



# B-4434
BALTIMORE, MD

EUZABETH QO LAMPL
CITY OF BALTIMORE, GMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION
MARCH 1992
HOPE SCHOOL BAPTIST CHURCH
1425 RIGGS ST.
ROLL 4/NEG JE

SANDTOWN - WINCHESTER PENN-NORTH


SANDTOWN-WINCHESTER/PENN-NORTH Survey No. B-4434
RECONNAISSANCE-LEVEL SURVEY FORM
Neg. No. 4/29
Historic Name
Address(es) 1427 Riggs Street (cornice detail)
Address(es)
Resource/Property Type  Rowhouses Commercial Structure Public/Institutional Building
x Attached Public Housing Freestanding Site Other
Note:
Primary Material <u>brick</u> Secondary Material <u>wood</u>
Roof Form flat
No. of Bays in Unit/Facade 2 If Rowhouse: x Flat Front Swell Front Porch
Window Type: _x Double-Hung Door Type: Single-Leaf _x 1/1 Sash Double-Leaf 2/2 Sash Number of panels (if visible) 2/1 Sash Transom Other Sash Transom
Architectural Style Italianate Date c. 1852-90
Summary/Noteworthy Features: Especially simple work found in the jigsawn ventilation cutouts and the thin, single brackets of this intact cornice.
Alterations:  Formstone Vinyl/Aluminum Window/Door Changes Awnings Missing Cornice Elements First-Floor Use Change Other:
Status: Occupied Vacant Mixed
NR Evaluation: Contributing Non-Contributing
Recommended for Intensive Level: Yes No
Surveyor: Joey Lampl Affiliation: Robinson & Associates Date: February-April 1992



SANDTOWN - WINCHESTER / PENN-NORTH # 8-4434 BALTIMORE, MD ELIZABETH OS LAMPL MARCH 1992 CITY OF BALTIMORE, COMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION CORNICE DETAIL 1427 RIGGS ST ROLL 4/ NEG 29

SANDTOWN-WINCHESTER/FENN-NORTH Survey No. <u>B-4434</u>
RECONNAISSANCE-LEVEL SURVEY FORM
Neg. No. <u>2/32 &amp; 3/9</u>
Historic Name
Current Name/Use
Address(es)1510-1518 Riggs Street
Resource/Property Typex Rowhouses
x Commercial Structure Public/Institutional Building Public Housing Site Other
Stories 2 + B
Primary Material <u>brick</u> Secondary Material <u>marble</u> , wood
Roof Formflat
No. of Bays in Unit/Facade 3 If Rowhouse: x Flat Front Swell Front Porch
Window Type: x Double-Hung Door Type: x Single-Leaf x 1/1 Sash Double-Leaf 2/2 Sash Number of panels (if visible) 2/1 Sash x Transom Transom
Architectural Style Italianate Date c. 1852-90
Summary/Noteworthy Features: Good example of impression rendered by "formstoning" an entire row. Ability to read bracketed cornice with jigsawn molding indicates Italianate derivation. Segmental-headed door and window openings, molded door surrounds. Detail obscured by formstone facing over every house facade.
Alterations: x Formstone x Stucco  Vinyl/Aluminum x Window/Door Changes  Awnings x Missing Cornice Elements  x First-Floor Use Change x Other: roof added and elements
Status:x Occupied Vacant Mixed  NR Evaluation:x Contributing Non-Contributing
Recommended for Intensive Level: Yes x No
Surveyor: Joey Lampl Affiliation: Robinson & Associates Date: February-April 1992







SANDTOWN - WINCHESTER PENN-NORTH #3-4434 BALTIMORE, MD ELIZABETH GO LAMPL MARCH 1992 CITY OF BALTIKORE, GMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 1510-18 RIGGS ST. SOUTH ELEVATION ROLL DINEG 32



SANDOWN-WNCHESTER / PENN-NORTH #13-4434 BACTMORE, MD ELIZABETH OD LAMPL CITY OF BALTIMORE, CHMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION MARCH 1992 1510-19 RIGH T TOUTH ELEVATION ROLL 3/ NEG 9

SANDTOWN-WINCHESTER/PENN-NORTH	Survey No. <u>B-4434</u>		
RECONNAISSANCE-LEVEL SURVEY FORM	Neg. No3/7		
Historic Name			
Address(es)1513-1519 Riggs Street			
	tional Building		
Stories 2 + B			
Primary Material <u>brick</u> Secondary	y Material marble, wood		
Roof Formflat			
No. of Bays in Unit/Facade3_ If Rowhouse:x	Flat Front Swell Front Porch		
<u>x</u> 2/2 Sash	<ul> <li>x Single-Leaf</li> <li>Double-Leaf</li> <li>Number of panels (if visible)</li> <li>x Transom</li> </ul>		
Architectural Style <u>Italianate</u>	Date c. <u>1852-90</u>		
Summary/Noteworthy Features: Original four-unit block of two-story, three bay (on first floor) dwellings lacks much of original cohesiveness due to alteration. Bracketed cornice with jigsawn moldings, some ventilator panels extant. Segmental-headed door and window openings, molded brick door surrounds. Most windows of both end units changed in shape, placement; glass brick, added to #1519.			
Awnings	Stucco x Window/Door Changes x Missing Cornice Elements x Other: glass block, signs, openings changed		
Status: Occupied Vacantx NR Evaluation: x Contributing Non-C			
Recommended for Intensive Level: Yesx No Surveyor: Joey Lampl Affiliation: Robinson & Associates Date: February-April 1992			





SANDTOWN - WINCHESTER /PENN - NORTH #B-4434 BALTIMORE, MD ELRABETH GO LAMPL MARCH 1992 CITY OF BALTIMORE, GMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 1573-19 RIGGS ST. NOTETH ELEVATION ROLL 3/NEG 7

SANDTOWN-WINCHESTER/PENN RECONNAISSANCE-LEVEL SURV	[ [ [ [ [ [ [ [ [ [ [ [ [ [ [ [ [ [ [
	Neg. No. <u>2/31, 3/10</u>
Historic Name	
Contract to A This part to T Torran	
Address(es)1520-26 Riggs Str	eet
	X Rowhouses Commercial Structure Public/Institutional Building
Attached Freestanding	Public Housing Site Other
Stories 3 + B	e:
Primary Material <u>brick</u>	Secondary Material wood (marble?)
Roof Form flat	
No. of Bays in Unit/Facade 3, 2 I	f Rowhouse: <u>x</u> Flat Front Swell Front Porch
Window Type: _x	Door Type:x Single-Leaf Double-Leaf Number of panels (if visible)x Transom
Architectural StyleItalianate	Date c. <u>1852-90</u>
in closely aligned styles: both having Architrave and modillioned cornice.	t block may reflect work of two different builders working three bays on the first floor and two bays above. Segmental- and flat-headed door and window openings; k altered and badly deteriorated. Six/six lights in upper
Alterations: Formstone Vinyl/Aluminum Awnings First-Floor Use	x Missing Cornice Elements
Status: Occupied Va NR Evaluation:x Contributing	cant <u>x</u> Mixed g Non-Contributing
Recommended for Intensive Level:	Yesx_ No
Surveyor: Joey Lampl Affi Date: February-April 1992	iliation: Robinson & Associates







SANDTOWN-WINCHESTER /PENN-NORTH #8-4434 BALTIMORE, MD EUZABETH GO LAMPL MARCH 1992 CITY OF BALTIHORE, GAMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 1520-26 RIGGS ST. SOUTH ELEWATION ROLL 2/ NEG 31



SANOTOWN - WINCHE STER / PENN - NORTH # B-4434 BALTIMORE, MD ELIZABETH GO LAMPL MARCH 1992 CITY OF BALTIKOPE, GHMISSION FOR HISTORICAL AND ARCHITECTURAL 1520-26 R 665 NT. SOUTH ELEVATION ROLL 3/NEG 10

	urvey No. <u>B-4434</u>	
RECONNAISSANCE-LEVEL SURVEY FORM		
N	eg. No3/8	
Historic NameCurrent Name/Use		
Address(es)1521-1527 Riggs Street	***************************************	
Address(es) 1321-1327 Riggs Street	10 m	
Resource/Property Typex Rowhouses Commercial Structu	re	
Public/Institutional	Building	
x Attached Public Housing		
Freestanding Site		
Other		
Note:		
Stories 3 + B		
Primary Material <u>brick</u> Secondary Mate	rial marble, wood	
Roof Formflat		
No. of Bays in Unit/Facade 2 If Rowhouse: x Flat	Front Swell Front Porch	
Window Type: x Double-Hung Door Type: x Sing	le_I eaf	
<u>x</u> 1/1 Sash Double-Traing Door Typex Sing		
	aber of panels (if visible)	
2/1 Sash X Tran		
Other Sash		
Transom		
Architectural Style <u>Italianate</u>	Date c1852-90	
Summary/Noteworthy Features: Original four-unit row of th	ree stories and two havs now	
missing half its cornice and deprived of much of its original		
modillioned. Flat-arched window and door openings. Exten		
window openings.	sive alterations to size and type of	
window openings.		
Alterations: Formstone x S	tucco	
	Vindow/Door Changes	
	fissing Cornice Elements	
First-Floor Use Change x C	other: brick repointing/infill	
	one reponiment	
Status:x Occupied Vacant Mixed		
NR Evaluation:x Contributing Non-Contribu	nting	
Recommended for Intensive Level: Yes x	_ No	
Surveyor: Joey Lampl Affiliation: Robinson & Associates Date: February-April 1992		
PRODUCTION CONTRACTOR		

**7**)





SANDTOWN - WINCHES TER/PENN-NORTH # 8-4434 BALTIMORE, ND EUZABETH OD LAMPL MARCH 1992 CITY OF EALTIMORE, GALMISSION FOR HISTORICAL AND ARCHITECTURAL PRESSEVATION 1521-27 RIGGS ST. MORTH SEVATION BUL 3/NES 8


SANDTOWN-WINCHESTER/PENN-NORTH RECONNAISSANCE-LEVEL SURVEY FORM	Survey No. <u>B-4434</u>
RECOMMAISSANCE-LEVEL SURVEY FORM	Neg. No. <u>2/25</u>
Historic Name	
Current Name/Use	
Address(es) 1603-13 Riggs Street	
Resource/Property Type  x Rowhouses x Commercial S Public/Institut x Attached Public Housin	tional Building
Freestanding Site	···6
Other	
<del>9</del>	would be soldened at source
Stories 2 + B	everted to residence at corner
No. of the Control of	
Primary Material <u>brick</u> Secondary	Material <u>marble</u> , wood
Roof Form flat	
No. of Bays in Unit/Facade 3 If Rowhouse: x	Flat Front Swell Front Porch
Window Type: x Double-Hung Door Type: x	x Single-Leaf
<u>x</u> 1/1 Sash	_ Double-Leaf
	Number of panels (if visible)
	Transom
Other Sash	runsom
Transom	
ITalisoni	
Architectural Style <u>Italianate</u>	Date c1852-90
Summary/Noteworthy Features: Representative three-bracketed cornice and door hoods of molded brick. B some ventilator panels remaining. Segmental-headed windows and first-floor windows. 1603 has replacement	bracketed cornice has jigsawn molding, door openings. Changes in basement
Alterations: x Formstone	x Stucco
	x Window/Door Changes
	x Missing Cornice Elements
First-Floor Use Change	
Phst-Ploof Ose Change	X Other. Cornice replacement
Status:x Occupied Vacant M	fixed
NR Evaluation: x Contributing Non-Co	ontributing
Recommended for Intensive Level: Yes	_x_ No
Surveyor: Joey Lampl Affiliation: Robinson Date: February-April 1992	n & Associates





SANDTOWN-WINCHESTER/ PENN-NORTH #B-4434 BALTIMORE, MD EUZABETH GO LAMPL MARCH 1992 CITY OF BALTIKORE, GMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 1603-13 RIGGS ST. NORTH ELEVATION ROLL 2/NEG 25

RECONNAISSANCE-LEVEL SURVEY FORM
Neg. No
Historic Name
Current Name/Use
Address(es) 1604-10 Riggs Street
Resource/Property Typex Rowhousesx Commercial Structure
Public/Institutional Building Public Housing Site Other Note:
Stories 2 & 3, + B
Primary Material <u>brick</u> Secondary Material <u>wood</u>
Roof Formflat
No. of Bays in Unit/Facade 3 If Rowhouse: x Flat Front Swell Front Porch
Window Type: x Double-Hung Door Type: x Single-Leaf x 1/1 Sash Double-Leaf 2/2 Sash Number of panels (if visible) x Transom Transom
Architectural Style Italianate Date c. 1852-90
Summary/Noteworthy Features: Original grouping of three, two-story units and one, three-story corner store. Bracketed cornice with jigsawn molding. Segmental-headed door and window openings in all units. Church building has always occupied the site at the corner.
Alterations: x Formstone Stucco Vinyl/Aluminum x Window/Door Changes Awnings Missing Cornice Elements First-Floor Use Change Other:
Status: Occupied Vacant x Mixed
NR Evaluation:x Contributing Non-Contributing
Recommended for Intensive Level: Yes x No
Surveyor: Joey Lampl Affiliation: Robinson & Associates Date: February-April 1992





SANETOWN-WINCHESTER / PENN-NORTH #8-4434 BACTIMORE, MD ELIZABETH GO LAMPL MARCH 1992 CITY OF BALTIHORE, COMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESSEVATION 1604-10 RIGGS ST, MOTAVEJS HTUOS ROLL 2/NEG 27

SANDTOWN-WINCHESTER/PENN-NORTH	Survey No.	B-4434
RECONNAISSANCE-LEVEL SURVEY FORM	Neg. No.	2/26
Historic Name		
Current Name/Use		
Address(es) 1615-19 Riggs Street		
Resource/Property Type Rowhouses Commercial St	tructure	
x Attached		
Note: church in center	er unit	
Stories 3 + B		
Primary Material <u>brick</u> Secondary	Material woo	od, stone
Roof Formflat		
No. of Bays in Unit/Facade 3 If Rowhouse: x	Flat Front _	_ Swell Front Porch
2/2 Sash	Single-Leaf Double-Leaf Number of par Transom	nels (if visible)
Architectural StyleItalianate	Date c	1852-90
Noteworthy Features: Vestige of representative three-boriginally featuring five units (1621 & 1623 now demoli molding. Flat-arched openings, though formstone facing arched, changed size of first-floor windows.	shed). Brackete	ed cornice with jigsawn
Vinyl/Aluminum x	Stucco Window/Do Missing Cor Other: uni	rnice Elements
Status:x Occupied Vacant Mi	ixed	
NR Evaluation:x Contributing Non-Co	ntributing	
Recommended for Intensive Level: Yes	_x_ No	
Surveyor: Joey Lampl Affiliation: Robinson Date: February-April 1992	& Associates	





SANDTOWN - WINCHESTER / PENN-NORTH #B-4434 BALTIMORE, MD ELIZABETH QO LAMPL CITY OF BALTHORE, GHMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 1615-19 81662 ST. (1621, 23 DENOLISHED) NORTH ELEVATION ROLL 2/NEG 26

SANDTOWN-WINCHESTER/PENN-NORTH	200 10-00 20-00 J. H. B. C.
RECONNAISSANCE-LEVEL SURVEY FORM	Neg. No2/4
Historic Name	
Current Name/Use	
Address(es) 1702-20 Riggs Street	
Resource/Property Type x Rowhous Commerce	ses cial Structure stitutional Building
x Attached Public Home Site Other	ousing
Stories 2 + B	
Primary Material <u>brick</u> Secon	ndary Material marble, wood
Roof Formflat	
No. of Bays in Unit/Facade 3 If Rowhouse:	_x Flat Front Swell Front Porc
Window Type: _x Double-Hung Door Type: _x 1/1 Sash 2/2 Sash 2/1 Sash Other Sash Transom	_x Single-Leaf Double-Leaf Number of panels (if visible) _x Transom
Architectural Style Italianate	Date c. <u>1852-90</u>
Summary/Noteworthy Features: Simple mid-length three bays at entry level and two above. Marble scornice with jigsawn molding. Flat-arched window door heads, the former with molded brick surroundater facing. Only 2 bays in 2nd story.	steps and basements, wooden bracketed heads with keystones. Segmental- and flat
Alterations: x Formstone  Vinyl/Aluminum  Awnings  First-Floor Use Change	x Stucco x Window/Door Changes x Missing Cornice Elements Other:
Status: _x Occupied _ Vacant _ NR Evaluation: _x Contributing _ No	
Recommended for Intensive Level: Ye	es <u>x</u> No
Surveyor: Joey Lampl Affiliation: Rob Date: February-April 1992	inson & Associates





SANOTOWN - WHICH ESTER / PENN-NORTH #B-4434 BALTIMORE, MD ELIZAGETH GO LAMPL MARCH 1992 CITY OF BALTIMORE, CAMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 1702-20 RIGGS ST. (1100 MOUNT, SIDE ELEVATION AT RIGHT) SOUTH ELEVATION ROLL 2/NEG 4

SANDTOWN-WINCHESTER/PENN-NORTH	Survey No.	B-4434
RECONNAISSANCE-LEVEL SURVEY FORM	Neg. No.	7/8
Historic Name	100	
Current Name/Use <u>alley dwellings</u>		
Address(es) 2500 Block, Salem Street		
Resource/Property Type Rowhouses Commercial		
x Attached Public/Institute Public Housi Public Housi Site Other  Note:	ing	
Stories 2		
Primary Material <u>brick</u> Secondary	y Material <u>woo</u>	d
Roof Form flat		
No. of Bays in Unit/Facade If Rowhouse:	Flat Front	_ Swell Front Porch
2/2 Sash	<ul> <li>x Single-Leaf</li> <li>Double-Leaf</li> <li>Number of par</li> <li>x Transom</li> </ul>	nels (if visible)
Architectural Style <u>Italianate</u>	Date c.	1852-90
Summary/Noteworthy Features: Simple, two-story, two wooden cornice and concrete-block steps. Interruption	20~00 1 2000 (1) (10 10 10 10 10 10 10 10 10 10 10 10 10 1	# 20 10 10 - 10 10 10 10 10 10 10 10 10 10 10 10 10
	Stucco x Window/Do Missing Cor Other:	
Status: Occupiedx Vacant	Mixed	
NR Evaluation: X Contributing Non-C	Contributing	
Recommended for Intensive Level: Yes	<u>x</u> No	
Surveyor: Joey Lampl Affiliation: Robinson Date: February-April 1992	on & Associates	



4500 Block

SANDTOWN-WINCHESTER/PENN-NORTH RECONNAISSANCE-LEVEL SURVEY FORM	Survey No.	B-4434
RECOMMEDIATE CENTER TORM	Neg. No.	7/8
Historic Name		
Command Manna / Tanana / Tanan		
Address(es) 2500 Block, Salem Street		
Resource/Property Type	ional Building	
x Attached Public Housin	ıg	
Freestanding Site		
Other		
Note:		
Stories2		
Primary Material <u>brick</u> Secondary	Material woo	d
Roof Form <u>flat</u>		
No. of Bays in Unit/Facade4_ If Rowhouse:x	Flat Front	_ Swell Front Porch
2/2 Sash	Single-Leaf Double-Leaf Number of par Transom	nels (if visible)
Garage St.		
Architectural Style Italianate	Date c.	1852-90
Summary/Noteworthy Features: Extant corner structures appearance of commercial structures set within the con Originally, the two-bay corner unit was a store (by 1890 the two end units had been joined to form a larger storage elevation features a seconday door. The proprietor	text of a rowhou 0). By 1901, it were (thus, the double	use neighborhoood. was a saloon. By 1928, uble-width cornice). The
Vinyl/Aluminum Awnings	Stucco  X Window/Do  Missing Cor  Other:	
Status: Occupiedx Vacant	_ Mixed	
NR Evaluation:x Contributing Non-Co Recommended for Intensive Level: Yes		
Surveyor: Joey Lampl Affiliation: Robinson Date: February-April 1992	& Associates	





# 13-4434 BALTIMORE, MD ELIZABETH GO LAMPL MARCH 1992 CITY OF BALTIMORE, COMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESSERVATION VIEW SOUTHEAST ON SALEM ST. FROM KENSETT ST. 1513 KENSETT ST. (GRNER) - (SALCON, HISTORICALLY) 2500 BLOCK, SALEM ST. POLL 7 NEG &

SANDTOWN - WINCHESTER PENN-NORTH

SANDTOWN-WINCHESTER/PENN-NORTH RECONNAISSANCE-LEVEL SURVEY FORM	Survey No. <u>B-4434</u>
	Neg. No7/2
Historic Name	
C NT /TT11 J11'	
Address(es) 2501-39 Salem Street	<u> </u>
Resource/Property Type Rowhous Commerce	ses
x Attached Public/In: Public/In: Public H Site Other	stitutional Building
Stories 2 + B	
Primary Material <u>brick</u> Secon	dary Material wood (stone)
Roof Formflat	
No. of Bays in Unit/Facade If Rowhouse:	_x_Flat Front Swell Front Porch
Window Type: x Double-Hung Door Type:	x Single-Leaf
	Double-Leaf
2/2 Sash	Number of panels (if visible)
2/1 Sash	x Transom
x Other Sash	Specification and Specifications and
Transom	
Architectural Style Italianate	Date c. <u>1852-90</u>
Summary/Noteworthy Features: Very planar version dwelling shows approaching Renaissance Revival in defining feature. Two stories, two bays. Flat-arch	nfluence. Modillioned cornice is the only
Alterations: Formstone	Stucco
Vinyl/Aluminum	X Window/Door Changes
Awnings	Missing Cornice Elements
First-Floor Use Change	
Prist-Ploor Osc Change	X Other. some transoms fined in
Status:x Occupied Vacant	Mixed
NR Evaluation:x Contributing No	
Recommended for Intensive Level: Ye	s <u>x</u> No
Surveyor: Joey Lampl Affiliation: Rob Date: February-April 1992	inson & Associates





SANDTOWN-WINCHESTER / PENN-NORTH #13-4434 BALTIMORE, MD ELIZABETH QO LAMPL MARCH 1992 CITY OF BALTIMORE, GAMISSION FOR HISTORICAL AND MECHITECTURAL PRESERVATION 2501-39 SALEM ST. YIEW FACING NORTH ROLLT/NEG 2

SANDTOWN-WINCHESTER/PI		Survey No.	B-4434
RECONNAISSANCE-LEVEL S	URVET FORM	Neg. No.	6/1
Historic Name			<u> </u>
Historic Name alley dwellin	ngs		
Address(es) 600-606 School	l Street (formerly, 6	06-12 Chappell Str	eet)
Resource/Property Type	x Rowhouses Commercia Public/Instit	l Structure tutional Building	
x Attached	Public Hou	sing	
Freestanding	Site		
	Other		
Stories 2 + B	Note:	TAREE E	
33			
Primary Material <u>brick</u>	Seconda	ry Material <u>stan</u>	nped metal
Roof Form <u>flat</u>			
No. of Bays in Unit/Facade 2	_ If Rowhouse: _	Flat Front	_ Swell Front Porch
Window Type: _x	3	x Single-Leaf Double-Leaf Number of par x Transom	nels (if visible)
Architectural StyleItalianate		Date c.	1852-90
Summary/Noteworthy Features: alley row, here with a metal arch jigsawn work, but just a single br windows. Concrete steps may ha	itrave cornice and s acket between units	tairs set perpendicus. Segmental openi	ular to street. No
Alterations: Formstone Vinyl/Alum Awnings First-Floor	ninum	Stucco x Window/Do Missing Cor Other:	or Changes nice Elements
Status:x Occupied	Vacant	Mixed	
NR Evaluation:x Contrib	outing Non-	Contributing	
Recommended for Intensive Lev	el: Yes	<u>x</u> No	
Surveyor: Joey Lampl Date: February-April 1992	Affiliation: Robins	son & Associates	





BALTIMORE, MD

ELIZABETH GO LAMPL
MARCH 1992

CITY OF BALTIMORE, COMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION


600- 606 SCHOOL ST. (FORMERLY, 606-12 CHAPPELL ST.)

SOUTHEAST ELEVATION


ROLL 6/NEG 1

SANDTOWN - WINCHESTER /PENN - NORTH


B-4434 Sandtown-Winchster/Penn North Survey District Block N/A Lot N/A Baltimore City Baltimore West Quad.



B-4434 Sandtown-Winchster/Penn North Survey District Block N/A Lot N/A Baltimore City Baltimore West Quad.



SANDTOWN-WINCHESTER/PENN-NORTH	Survey No. <u>B-4434</u>
RECONNAISSANCE-LEVEL SURVEY FORM	
Historia Nama	Neg. No1/8, 9
Historic Name	
Current Name/Use Address(es) 900-938 Stricker Street	
Address(es) 900-938 Stricker Street	
Resource/Property Type Rowhouses Commercia Public/Instit	1 Structure
x Attached Public Hou	
Freestanding Site	
Other	
	g. 9); 910-938 (neg. 8)
Stories 3 + B	
active at 2 the activation	
Primary Material <u>brick</u> Seconda	ry Material <u>marble, wood</u>
Roof Formflat	`
No. of Bays in Unit/Facade3_ If Rowhouse: _	x Flat Front Swell Front Porch
Window Type: _x Double-Hung Door Type:	v Single_Leaf
	Double-Leaf
	Number of panels (if visible)
	x Transom
Other Sash	A Transom
Transom	
Transom	
Architectural Style <u>Italianate</u>	Date c. <u>1852-90</u>
Summary/Noteworthy Features: Representative, rhytodwellings unified by arched doors (some altered to some windows, bracketed cornice, and marble steps and basement in 1890. 916 has been repointed or reface	egmental arches), flat-arched asements. 900 Stricker had oyster house in
E 5	10219
Alterations: x Formstone	Stucco
Vinyl/Aluminum	Window/Door Changes
Awnings	Missing Cornice Elements
First-Floor Use Change	x Other: brick repointing/refacing
Status: Occupied Vacantx_	Mixed
NR Evaluation:x Contributing Non-	Contributing
Recommended for Intensive Level: Yes	x No
Surveyor: Joey Lampl Affiliation: Robins	
Date: February-April 1992	industria - 18:10년(1) 6 프로프 전한 (1) 6 인터 (1) 1 전 (1)







SANDIOUN -WINCHESTER / PENN -NORTH B-4434 BALTIMORE, MD EUZABETH OO LAMPL MARCH 1992 CITY OF BALTIMORE, COMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 900 - 918 (portial at right) STRIKKER ST. SAST EIGHATION ROLL 1/NEG 9



SANDTOWN - WINCHESTER / PENN-NORTH # 8-4434 BALTIMORE, MD ELIZABETH OD LAMPL MARCH 1992 CITY OF BALTIMORE, GIVESSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 910 (partial) - 938 STRICKER ST. EAST ELEVATION ROLL ITNEG &

RECONNAISSANCE-LEVEL SURVEY FORM
Neg. No. <u>1/10,11; 3/16</u>
Historic Name
Current Name/Use
Address(es) 901-39 Stricker
Resource/Property Type Rowhouses Commercial Structure
Public/Institutional Building Attached Public Housing Freestanding Site Other
Note: 901-13 (neg. 1/11); 911-39 (neg. 1/10); rear (3/16)  Stories 3 + B
Primary Material <u>brick</u> Secondary Material <u>marble</u> , wood
Roof Formflat
No. of Bays in Unit/Facade 3 If Rowhouse: x Flat Front Swell Front Porch
Window Type: _x Double-Hung Door Type: _x Single-Leaf _x 1/1 Sash Double-Leaf _ 2/2 Sash Number of panels (if visible) _ 2/1 Sash x Transom _ Other Sash _ Transom
Architectural Style Italianate Date c1852-90
Summary/Noteworthy Features: Intact, long block of three-story Italianate rowhouses with distinctive modillioned cornice and prominent door openings of both flat and round-arched character. Stone and molded brick surrounds. Flat-arched windows. Rear elevations show both brick and early stucco. Originally, rear elevations had two-story frame porches.
Alterations: Formstone x Stucco  Vinyl/Aluminum Window/Door Changes  Awnings Missing Cornice Elements  First-Floor Use Change Other: brick refacing or repointing
Status:x Occupied Vacant Mixed
NR Evaluation: X Contributing Non-Contributing  Recommended for Intensive Level: Yesx _ No
Surveyor: Joey Lampl Affiliation: Robinson & Associates Date: February-April 1992

901







901 Block (rear)



SANDTOWN - WINCHESTER / PENN - NORTH # B-4434 BALTIMORE, MD ELIZABETH OD LAMPL MARCH 19921 CITY OF BALTIMORE, GHMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 911-39 STRICKER ST. WEST ELEVATION ROLL 1/NEG 10




SANOTOWN - WINCHESTER PENN-NORTH #8-4434 BACTIMORE, NO ELIZABETH GO LAMPL MARCH 1992 CITY OF BAUTIFORE, COMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 901-13 (portal, 11.) STRICKER ST. CUEST ELEVATION ROLL ! /NEG 11



SANDTOWN - WINCH ESTER / PENN-NORTH #B-4434 BALTIMORE, MD ELIZABOH GO LAMPL MARCH 1992 CITY OF BALTIFURE, COMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESSENTATION REAR ELEVATION SEE ROLL I NEGS WIT FOR FACADE 901 BLOCK STRICTE ST. VIEW FACING WEST POIL 3/NEG 15

	SANDTOWN-WINCHESTER/PENN-NORTH RECONNAISSANCE-LEVEL SURVEY FORM	Survey No. <u>B-4434</u>
1	RECONNAISSANCE-EEVEL SURVET TORM	Neg. No1/12, 13
	Historic Name	
	Compant Name / II-	
	Address(es) 1000-1042 Stricker Street	
	Resource/Property Typex_ Rowhouses	
	x Commercial S	
	Public/Institut	
	x Attached Public Housin	ng
	Freestanding Site Other	
		2); 1012-42 (neg. 13)
	Stories <u>3 + B</u>	z), 1012-42 (neg. 13)
*	Primary Material <u>brick</u> Secondary	Material marble, wood, metal
	Roof Form flat	
	No. of Bays in Unit/Facade 3 If Rowhouse: x	Flat Front Swell Front Porch
	Window Type: _x Double-Hung Door Type: _x	Single-Leaf
		Double-Leaf
		Number of panels (if visible)
7 1		Transom
	Other Sash Transom	
	Transom	
	Architectural Style Italianate/Queen Anne	Date c. <u>1852-90</u>
Summary/Noteworthy Features: Representative long row of three-bay, three-stodwellings, some with Queen Anne door hoods. Cornice, marble steps and base row. Much of cornice line reveals ventilator panels; others are denticulated. It has damaged one unit severely. Molded brick pediments over doors and molde beltcoursing between sills. Segmental- and flat-arched openings. A few original panelled doors remain.		te, marble steps and basements unify the thers are denticulated. Fire (apparently) at over doors and molded brick
	Alterations: x Formstone Stucco Vinyl/Aluminum Window/Door Changes Awnings x Missing Cornice Elements First-Floor Use Change x Other: fire damage	
	Status: x Occupied Vacant M	lixed
	NR Evaluation: X Contributing Non-Co	ontributing
r )	Recommended for Intensive Level:Yes Surveyor: Joey Lampl Affiliation: Robinson Date: February-April 1992	100 - 100 -







SANDTOWN - WINCHESTER / PENN-NORTH # B-4434 BALTIMORE, MD EUZABETH OD LAMPL MARCH 1992 CITY OF BALTIMORE, COMMISSION FOR MISTORICAL AND ARCHITECTURAL PRESSEVATION 1000-18 (para) STRICKER ST. FAST ELEVATION ROLL I/NEG 12



SANDTOWN - WINCHESTER / PENN - NORTH #B-4434 BALTIMORE, MD ELIZABETH GO LAMPL MARCH 1992 CITY OF BALTIMORE, GMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESCRIATION 1012 (edg at 16A) - 1042 STRICKER ST, EAST ELEVATION ROLL MEG 13

	WINCHESTER/PENN-NORTH SANCE-LEVEL SURVEY FORM	Survey No. <u>B-4434</u>
RECONNAIS	SANCE-LEVEL SURVEI FURM	Neg. No1/14, 15
Historic Name		
Current Name	/Use	
Address(es)	1001-39 Stricker St.	
Resource/Prop	erty Typex Rowhouses	
x Attached Freestand	ding Site Other	ional Building
Stories 3 +	В	
Primary Mater	ial <u>brick</u> Secondary	Material marble, wood
Roof Form	flat	
No. of Bays in	Unit/Facade 3 If Rowhouse: x	Flat Front Swell Front Porch
		Double-Leaf Number of panels (if visible)
Architectural S	Style Italianate	Date c. <u>1852-90</u>
dwellings unifi- amount of alte	eworthy Features: Representative long rounded by modillioned cornice, round-arched eration to siding material and fenestration to corate cornice molding. Flat-arched winds	door openings, and marble steps. Typica . Cornice has ventilator panels, some
Alterations:	Vinyl/Aluminum	Stucco Window/Door Changes Missing Cornice Elements Other:
Status:	Occupied Vacant x Mi	ixed
NR Evaluation	a:x Contributing Non-Co	ntributing
Recommended	for Intensive Level: Yes	<u>x</u> No
Surveyor: Joe Date: Februar	TO THE SUPPLEMENTAL PROPERTY OF THE PROPERTY O	& Associates









SANDTOWN - WINCHESTER / PENN-NORTH #B-4434 BALTIMORE, MD ELIZAGETH GO LAMPL MARCH 1992 CITY OF BALTIMORE, GMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 1019 (portal th) - 39 STRICKER ST. WEST ETENATION ROLL 1/ NEG 14



SANDTOWN- WINCHESTER / PENN-NORTH # 6-4434 BALTIMORE, MD EUZABETH OD LAMPL MARCH 1992' CITY OF BALTIMORE, COMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESSEVATION 1001-23 (partial 1844) STRICKER ST. WEST ELEVATION ROLL 1/NEG 15

SANDTOWN-WINCHESTER/PENN-NORTH	Survey No.	B-4434		
RECONNAISSANCE-LEVEL SURVEY FORM	Neg. No.	4/26		
Historic Name	26 10 mm 20 10 mm 20 10 mm			
Current Name/Use				
Address(es) 1038 Stricker Street (detail)	A Company Company of the Company of			
Resource/Property Typex Rowhouses Commercial	Structure			
Public/Instit Attached Public House Freestanding Site	tutional Building sing			
Other				
Note: Stories3 (+ B?)	7.0.10			
<u> </u>				
Primary Material <u>brick</u> Seconda	ry Material <u>mar</u>	ble, wood		
Roof Formflat				
No. of Bays in Unit/Facade2 If Rowhouse: _	x Flat Front _	_ Swell Front Porch		
2/2 Sash	x Single-Leaf Double-Leaf Number of par x Transom	nels (if visible)		
Architectural Style <u>Italianate/Queen Anne</u>	Dat	e c. <u>1852-90</u>		
Summary/Noteworthy Features: Typical of fine craftsmanship evident in the Sandtown neighborhood. Simple elegance found in the bracketed cornice with ventilator panels; Segmental-headed openings; pedimented molded brick hood with rosette, and thin beltcourses. Vestibule (characteristic of almost all the rowhouses) visible. Windows have stone sills.				
Vinyl/Aluminum Awnings	Stucco x Window/Do Missing Cor Other:	or Changes nice Elements		
Status:x Occupied Vacant Mixed				
NR Evaluation:x Contributing Non-Contributing				
Recommended for Intensive Level: Yes _x No				
Surveyor: Joey Lampl Affiliation: Robinson & Associates  Date: February-April 1992				



SANDTOWN - WINCHESTER / PENN - NORTH

# B - 4434

BALTIMORE, MD

ELIZABETH GO LAMPL

MARCH 1992

CITY OF BALTIMORE, GMMISSION FOR HISTORICAL AND

ARCHITECTURAL PRESERVATION

DOOR DETAIL

1038 STRICKER ST

WEST ELEVATION

ROLL 4/NEG 26

SANDTOWN-WINCHESTER/PENN-NORTH	Survey No	B-4434		
RECONNAISSANCE-LEVEL SURVEY FORM	Neg No	4/27		
Historic Name				
Current Name/Use				
Address(es) 1039 Stricker Street (Door & Vestib				
Resource/Property Typex Rowhouses				
Commercial Str				
Public/Institution				
x Attached Public Housing				
Site				
Other				
Note:		<del></del>		
Stories 3+B				
Primary Material Secondary Material				
Roof Form Flat				
No. of Bays in Unit/Facade If Rowhouse: _x Flat Front Swell Front Porch				
2/2 Sash4	Double-Leaf Number of pane	els (if visible)		
	Transom			
Other Sash				
Transom				
Architectural Style <u>Italianate</u>	Date c.	1852-90		
Summary/Noteworthy Features: This relatively rare, intact find is located close to Lafayette Square. Detail of entrance shows both original outer and inner double doors. Outer door is recessed from frame, has arched molded brick surround: patterned brick around extrados, patterned brick or terra cotta blocks with leaf/rosette design set in abstracted pilaster strips, which flank door; slight corbelling of strips below arch. Molded lintel. Transom filled in. Both doors have carved wooden panels in same configuration; outer doors has glass in upper panels.				
Vinyl/Aluminum	Stucco Window/Door Missing Corn			
Status: Occupied Vacant Mix	ed			
NR Evaluation:x Contributing Non-Con	tributing			
Recommended for Intensive Level: Yes No				
Surveyor: Joey Lampl Affiliation: Robinson Date: February-April 1992	& Associates			



SANDTOWN - WINCHESTER / PENN-NORTH

# B-4434

BFETIMORE, MD

ELIZABETH QO LAMPL

MARCH 1992

CITY OF BALTIMORE, COMMISSION FOR HISTORICAL AND

ARCHITECTURAL PRESERVATION

1039 STRICKER ST DOOR; VESTIBULE DETAIL

WEST ELEVATION

ROLL 4 / NEG 27

SANDTOWN-WINCHESTER/PENN-NORTH	Survey No. <u>B-4434</u>	
RECONNAISSANCE-LEVEL SURVEY FORM	Neg. No1/16, 17	
Historic Name		
Current Name/Use		
Address(es)1100-54 Stricker St.		
Resource/Property Type  x Rowhouse x Commercia Public/Inst x Attached Public Hot Freestanding Site	al Structure itutional Building	
Other		
	eg. 16); 1116-54 (neg. 17)	
Primary Material <u>brick</u> Second	ary Material marble, wood	
Roof Form <u>flat</u>		
No. of Bays in Unit/Facade3_ If Rowhouse:	x Flat Front Swell Front Porch	
2/2 Sash	_x Single-Leaf Double-Leaf Number of panels (if visible) _x Transom	
Architectural Style Italianate	Date c1852-90	
Summary/Noteworthy Features: Representative, cohesive row of three-bay, three-story Italianate dwellings unified by bracketed cornice, heavily molded segmental door surrounds, marble steps. Fairly typical level of alteration includes residing and missing cornices. Original wood cornice with wooden ventilator panels. Molded and patterned brick door hoods.		
	<pre>? Stucco x Window/Door Changes x Missing Cornice Elements Other:</pre>	
Status: Occupied Vacantx	Mixed	
NR Evaluation:x Contributing Non	-Contributing	
Recommended for Intensive Level: Yes x No		
Surveyor: Joey Lampl Affiliation: Robin Date: February-April 1992	son & Associates	








SANDTOWN - WINCHESTER / PENN-NORTH # 3-4434 BALTIMORE, MD ELIZABETH GO LAMPL MARCH 1992 CITY OF BALTIMORE, COMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 1100-26 STRICLER ST.

SAST ELEVATION ROLL 1/NEG 16



SANDTO UN - WINCHESTER / PENN-NORTH # 8-4434 BAITHORE, MD ELIZABETH OF LAMPL MARCH 1992 CITY OF BALTIFORE, GHMISSION FOR HISTORICAL AND ARCHITECTURAL PRESENATION 116-5" STRICKER ST, EAST ELSOIF ON ROLL IVNES 17


SANDTOWN-WINCHESTER/PENN-NORTH RECONNAISSANCE-LEVEL SURVEY FORM	Survey No. B-4434				
RECONNAISSANCE-LEVEL SURVEY FORM	Neg. No				
Historic Name					
Current Name/Use					
Address(es) 1206-16 Stricker Street	The state of the s				
Resource/Property Type  x Rowhouses Commercial Public/Institu x Attached Preestanding Site Other	ntional Building				
Note: 1218-30 demolished for Nehemiah Hsg. (right, photo) Stories 3 + B					
Primary Material <u>brick</u> Secondary Material <u>marble, wood</u>					
Roof Formflat					
No. of Bays in Unit/Facade 3 If Rowhouse: x Flat Front Swell Front Porch					
2/2 Sash	<ul> <li>x Single-Leaf</li> <li>Double-Leaf</li> <li>6 Number of panels (if visible)</li> <li>x Transom</li> </ul>				
Architectural Style <u>Italianate</u>	Date c. <u>1852-90</u>				
Summary/Noteworthy Features: Partial representation of formerly longer row of three-bay, three-story Italianate dwellings. Particularly delicate cornice unifies composition. Facades have suffered from replacement material and casement basement windows. Bracketed cornice has jigsawn vents and frieze. Segmental-arched doors, flat-arched windows.					
Vinyl/Aluminum Awnings	Stucco  x Window/Door Changes  Missing Cornice Elements  x Other: brick pointing				
Status: Occupied Vacant x Mixed  NR Evaluation: x Contributing Non-Contributing					
Recommended for Intensive Level: Yes x No					
Surveyor: Joey Lampl Affiliation: Robinson & Associates Date: February-April 1992					





SANOTOWN-WINCHESTER /PENN-MORTH #B-4434 BALTHORE, MD ELIZABETH OF LAMPL MARCH 1992 CITY OF BALTIMORE, GAMMISSION FOR MISTORICAL AND ARCHITECTURAL PRESERVATION 1206-16 STRICKER ST.; 1218-30 DEMOLISHED FOR NEHEMIAH HOUSING NO TAURUS TEAS ROLL 1/NEG 21

SANDTOWN-WINCHESTER/PENN-NORTH	Survey NoB-4434
RECONNAISSANCE-LEVEL SURVEY FORM	Neg. No1/22
Historic Name	
Current Name/Use	
Address(es) 1207-17 Stricker Street	
Resource/Property Type x Rowhouses Commercial So Public/Instituti x Attached Public Housing	ional Building
Freestanding Site	
Other	
Stories 2 & 3 + B	
Primary Matarial brisk Sacandamy	Material merkle wood
Primary Material <u>brick</u> Secondary	Material <u>marble</u> , wood
Roof Form <u>flat</u>	
No. of Bays in Unit/Facade 3 If Rowhouse: x	Flat Front Swell Front P
2/2 Sash	Single-Leaf Double-Leaf Number of panels (if visible) Transom
Architectural Style Italianate	Date c1852-90
Summary/Noteworthy Features: Representative short It three story-units with similar cornices. Bracketed cornic blocks have flat-arched openings, one segmental-headed headed openings. 1219 demolished. Vacant lot to sout and small, one-story office. (See form for Nehemiah H 32.)	ice with jigsawn molding. Three story door; two story blocks have segmen the of row was historically a lumber shape of the control of the con
	Stucco  Window/Door Changes  Missing Cornice Elements  Other: missing units
Status: Occupied Vacantx Mi	ixed
NR Evaluation:x Contributing Non-Contributing Non-Contributing Yes  Recommended for Intensive Level: Yes  Surveyor: Joey Lampl Affiliation: Robinson  Date: February-April 1992	_x_No





SANDTOWN-WINCHESTER PENN-NORTH # B-9434 BACTHORE, MD EUZABETH CO LAMPL MARCH 1992 CITY OF BALTIMORS, CONNISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 1207-17 STRUCKER ST. WEST FLEUATION ROLL 1/180 àà

SANDTOWN-WINCHESTER/PENN-NORTH	Survey No.	B-4434
RECONNAISSANCE-LEVEL SURVEY FORM	Neg No	5/24
Historic Name		
Current Name/Use		
Address(es) 1613-41 Westwood Street (formerly North	west Street)	
Resource/Property Typex Rowhouses		
x Commercial S		
Public/Instituti	onal Building	
x Attached Public Housin	g	
Freestanding Site		
Other	-14	
Note: 1613 was origin	nally store	The same of the sa
Stories $2 + B$		
Drimore Material brisk Consuder.	Motorial store	a stamped motal
Primary Material <u>brick</u> Secondary	Material <u>stor</u>	ie, stamped metai
Roof Formflat		
Roof Formnat		
No. of Bays in Unit/Facade3 If Rowhouse:	Flat Front	x Swell Front Porch
Window Type: _x Double-Hung Door Type: _x	Single Leaf	
	Double-Leaf	
	Number of pa	nels (if visible)
2/1 Sash x	Transom	neis (ii visiole)
Other Sash	_ Trunsom	
Transom		
Section 1		
Architectural Style "Swell Front"/Romanesque Reviva	ıl I	Date c. 1890-1901
Summary/Noteworthy Features: Representative of muc	h of the charac	ter of the Sandtown
neighborhood, this block shows the effect of Formstone		
cornice. Stone door and window lintels, sills. Rough-fa		
, ,		
Alterations: x Formstone	Stucco	
Vinyl/Aluminum	Window/Do	oor Changes
Awnings	Missing Co	rnice Elements
x First-Floor Use Change	Other:	
Status: x Occupied Vacant Mi NR Evaluation: x Contributing Non-Co	ixed	
NR Evaluation: x Contributing Non-Co	ntributing	
Recommended for Intensive Level: Yes	<u>x</u> No	
0 7 7 1 1 10015	o	
Surveyor: Joey Lampl Affiliation: Robinson	& Associates	
Date: February-April 1992		







# B-4434

BALTIMORE, MD

ELIZABETH GO LAMPL

MARCH 1992

CITY OF BALTIMORE, GMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESEDUATION

1613-41 WESTWOOD ST. (FORMERLY NORTHWEST ST)

MORTHEAST ELEVATION


ROLL 5/NEG 24

SANDTOWN - WINCHESTER / PENN - NORTH

SANDTOWN-WINCHESTER/PENN-NORTH RECONNAISSANCE-LEVEL SURVEY FORM	Survey No. <u>B-4434</u>
ALEGINA ASSILACE ELA ELE CONTENTE DE CANT	Neg. No3/14, 15
Historic Name	
Current Name/Use alley dwellings	<del></del>
Address(es) 902-928 Whatcoat Street and 911-913,919	9-923 Whatcoat (formerly Norris Alley)
Resource/Property Typex Rowhouses Commercial S	Structure
Public/Institu	
x Attached Public Housi	
Freestanding Site	**5
Other	
	14); 911-23 (neg. 15)
Stories 2 + B	11), >11 20 (110)
Primary Material <u>brick</u> Secondary	Material wood
Roof Formflat	
No. of Bays in Unit/Facade2 If Rowhouse:x	Flat Front Swell Front Porch
Window Type: Double-Hung Door Type:	Single_I eaf
	_ Single-Leaf
2/2 Soch	_ Number of panels (if visible)
	Transom
Other Sash	_ ITalisom
Other Sasii	
Transom	
Architectural Style <u>Italianate</u>	Date c. <u>1852-90</u>
Summary/Notamorthy Factures: Very hadly deterioret	ing and vacant streetscane of row and
Summary/Noteworthy Features: Very badly deteriorate	
semi-detached alley dwellings. Attached (902-28) and	semi-detached (911-13, 919-23) units form
confined streetscape and interesting architectural "diale	
demolished). Originally, modillion cornice. Virtually	every door and window missing. Stucco
"paper" covers entirety.	
A Laboratorial Performance To	and if the Alexander deal (finestee
Alterations: Formstone	x Stucco
	x Window/Door Changes
	x Missing Cornice Elements
First-Floor Use Change	Other:
Status: Occupiedx Vacant	_ Mixed
ATRIC CONTRACTOR	6 A 497 (CAR)
NR Evaluation: Non-C	ontributing
Recommended for Intensive Level: Yes	<u>x</u> No
C. T. T. I. CONT. I. T. T. I.	
Surveyor: Joey Lampl Affiliation: Robinso	n & Associates
Date: February-April 1992	

\*\*


100








MANOTOUN - WINCHESTER /PENN-NOETH #8-4434 BACTIMORE, MD ELIZABETH OO LAMPL MARCH 1992 CITY OF BALTIMORE, COMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESCRUATION 902 28 CHATEDAT ST. (FORMERLY MORRIS ALLEY) VISW FACING NORTHWEST ROLL 3/1/86 14



SANOTOWN - WINCHESTER / PENN-NORTH 7 B-4434 BAUTHORS, MD ELIZABETH OD LAMPL CITY OF BALTIMORE, GMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESSENTION 911-13, 919-23 WHOTONT ST. (FORMSRLY PORPLS ALLEY - WEST ELEWATION (903-05; 907-09; 915-17 DEMOLISHED) ROLL 3/ NEG 15 VIEW FACING NORTH 202

DECONDATION AND LEVEL CURVEY FORM
RECONNAISSANCE-LEVEL SURVEY FORM  Neg. No4/30
Historic Name
Historic Name
Address(es) 1006-1026 Whatcoat Street (formerly Norris Alley)
Resource/Property Type  Rowhouses Commercial Structure Public/Institutional Building Attached Public Housing Site Other Note:
Stories 2 + B
Primary Material <u>brick</u> Secondary Material <u>wood</u>
Roof Form flat
No. of Bays in Unit/Facade 2 If Rowhouse: x Flat Front Swell Front Porch
Window Type: _x Double-Hung Door Type: _x Single-Leaf _x 1/1 Sash Double-Leaf _ 2/2 Sash Number of panels (if visible) _ 2/1 Sash Transom _ Other Sash _ Transom
Architectural Style Italianate Date c. 1852-1890
Summary/Noteworthy Features: Intact block of representative, two-bay, two-story alley dwellings in good condition. Residential appearance belies historical diversity of block: 1006 was Whatcoat Mission (1901) and 1026 was restaurant (1901). To south of block on same street was coal yard (also, 1901). Bracketed cornice with jigsawn molding. Segmental-headed openings. Axial steps with simple iron rail.
Alterations:  Formstone  Vinyl/Aluminum  Awnings  First-Floor Use Change  Other:
Status: Occupied Vacant ? Mixed  NR Evaluation:x Contributing Non-Contributing  Recommended for Intensive Level:x Yes No
Surveyor: Joey Lampl Affiliation: Robinson & Associates Date: February-April 1992





SANDTOWN - WINCHESTER / PENN-NORTH # B-4434 BALTIMORE, MD ELIZABETH GO LAMPL MARCH 1992 CITY OF BALTIMORE, COMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESE ALLEY HOUSING TOO T ST (FORMSKLY, NORRIS ALLEY) ROLL 4/NEG 30 1006 Was WHATCOAT MISSION (1901) TO SOUTH OF IT WAS CORLYD , 1026 Was RESTAURANT (100)

SANDTOWN-WINCHESTER/PENN-NORTH RECONNAISSANCE-LEVEL SURVEY FORM	Survey No. <u>B-4434</u>
RECOMMAISSANCE-LEVEL SURVET FORM	Neg. No3/13
Historic Name	
Current Name/Use _alley dwellings	
Address(es) 1008-1028 Whatcoat Street (form	nerly Norris Alley)
Resource/Property Typex Rowhouse:	
Commercia	
Public/Insti	
x Attached Public Hou	sing
Freestanding Site	
Other	
Note:	
Stories 2 + B	
Primary Material <u>brick</u> Second	ary Material wood
D 6D 0	
Roof Form <u>flat</u>	
No. of Bays in Unit/Facade2 If Rowhouse:	x Flat Front Swell Front Porch
	a
Window Type: x Double-Hung Door Type:	
x 1/1 Sash x 2/2 Sash 2/1 Sash	Double-Leaf
<u>x</u> 2/2 Sash	Number of panels (if visible)
	x Transom
x Other Sash	
Transom	
Architectural Style Italianate	Date c. 1852-90
Architectural Style Rananate	Bate c1852-90
Summary/Noteworthy Features: Restrained, simple decorative element. Typical alley two-bay, two-story simple iron railings. Brick segmental-headed opening Brick and stone sills.	form, with concrete block (?) steps and
Alterations: Formstone	Stucco
	x Window/Door Changes
Villyl/Aldillillalli Aumines	Missing Cornice Elements
First-Floor Use Change	Other:
Status: Occupied Vacantx	Mixed
NR Evaluation:x Contributing Non	-Contributing
Recommended for Intensive Level: Yes	_x_ No
Surveyor: Joey Lampl Affiliation: Robin Date: February-April 1992	son & Associates





SANDTOWN - WINCHESTER PENN-NORTH #8-4434 BALTIHORE MD · ELIZABETH OO LAMPL MARCH 992 CITY OF BAUTHORE, GAMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 1008 (partial , 184) - 1028 WHATCAT ST. (FULMERLY NORRIS ALLEY) VIZW FACING NORTHWEST ROLL 3/ NEG 12

SANDTOWN-WINCHESTER/PENN-NORTH	Survey No. <u>B-4434</u>
RECONNAISSANCE-LEVEL SURVEY FORM	N N 040
Historia Nama	Neg. No3/12
Historic Name	
Address(es) 1215-1223 Whatcoat Street	
Address(es) 1213-1225 Whatcoat Street	
x Attached x Public H	cial Structure stitutional Building
Freestanding Site	
Other	
Note:	
Stories 2 + B	
Primary Material <u>brick</u> Secon	dary Material <u>concrete</u>
Roof Form <u>pitch</u>	
No. of Bays in Unit/Facade 3 If Rowhouse:	_x Flat Front Swell Front Porch
Window Type: _x Double-Hung Door Type: 1/1 Sash 2/2 Sash 2/1 Sash Other Sash Transom	<ul> <li>x Single-Leaf</li> <li>Double-Leaf</li> <li>6 Number of panels (if visible)</li> <li>Transom</li> </ul>
Architectural Style Contemporary	Date c. <u>1991</u>
Noteworthy Features: Three-bay, two-story brick-gutters. Flat-headed openings with 6/6 sash. Case "marble steps".	
Alterations: Formstone	Stucco
Vinyl/Aluminum	Window/Door Changes
Awnings	Missing Cornice Elements
Awings First-Floor Use Change	Other:
First-Floor Use Change	Other:
Status:x Occupied Vacant	Mixed
NR Evaluation: Contributing x No	on-Contributing
Recommended for Intensive Level: Ye	es <u>x</u> No
Surveyor: Joey Lampl Affiliation: Rob Date: February-April 1992	inson & Associates





SANDTOWN - WINCHESTER / PENN - NORTH #8-4434 BALTIMORE, MD ELIZABETH GO LAMPL MARCH 1992 CITY OF BALTIHORE, COMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION NEHEMIAH HOUSING 1215 (partal, 1+. 1-1223 (partal, 1844) WHATOAT ST. ROLL 3/186 12

SANDTOWN-WINCHESTER/PENN-NORTH Survey No. <u>B-44</u>	134
RECONNAISSANCE-LEVEL SURVEY FORM	n.,
Neg. No7/	24
Historic Name	<del>10001-10-10-10-10-10-10-10-10-10-10-10-1</del>
Address(es) 1101 Block, Whitelock Street	
Resource/Property Type x Rowhouses Commercial Structure	
Public/Institutional Building Attached Public Housing Site Other	
Note: <u>semi-detached</u> Stories <u>2 + B</u>	8 -
Primary Material <u>brick</u> Secondary Material <u>marble</u> , st	amped metal
Roof Form <u>flat</u>	
No. of Bays in Unit/Facade 2 If Rowhouse: x Flat Front Sw	ell Front Porch
Window Type: _x Double-Hung Door Type: _x Single-Leaf	f visible)
Architectural Style"Marble Houses"/Classical Revival Date c	1914-28
Summary/Noteworthy Features: These semi-detached Marble House units for the survey area. Unique, paired, one-story "sally ports" are located between a door and window lintels, sills. Double windows with transoms on first floor.	structures. Marble
Alterations: Formstone Stucco  Vinyl/Aluminum x Window/Door Ch.  Awnings Missing Cornice F.  First-Floor Use Change Other:	Elements
Status:x Occupied Vacant Mixed	
NR Evaluation: X Contributing Non-Contributing	
Recommended for Intensive Level: Yes x No	
Surveyor: Joey Lampl Affiliation: Robinson & Associates Date: February-April 1992	

SANDTOWN-WINCHESTER/PENN-NORTH	Survey No. B-4434
RECONNAISSANCE-LEVEL SURVEY FORM	No. No. 704
Historic Name	Neg. No
Historic Name	
Address(es)1101 Block, Whitelock Street	
Address(es) Hole, whitelock street	
Resource/Property Type x Rowhouses Commercial Stru	acture
Public/Institution	
x Attached Public Housing	<b></b>
Freestanding Site	
Other	
Note: semi-detached	
Stories 2 + B	<del>DEST</del>
Stories 2 + B	
Primary Material <u>brick</u> Secondary Material	aterial <u>marble</u> , stamped metal
Roof Form flat	
No. of Bays in Unit/Facade 2 If Rowhouse: x Fl	lat Front Swell Front Porch
Window Type: x Double-Hung Door Type: x S	lingle-Leaf
	Double-Leaf
	Number of panels (if visible)
17 - A //	Cransom
Other Sash	Tanson
x Transom	
_X_ ITalisom	
Architectural Style <u>"Marble Houses"/Classical Revival</u>	Date c. <u>1914-28</u>
Summary/Noteworthy Features: These semi-detached Man	rble House units form a rare row in
the survey area. Unique, paired, one-story "sally ports" ar	
door and window lintels, sills. Double windows with trans	
door and window initess, shis. Dodore windows with trans	soms on mist noor. Dracketed cormec.
Alterations: Formstone	Stucco
	Window/Door Changes
	_ Missing Cornice Elements
First-Floor Use Change	Other:
Status:x Occupied Vacant Mixe	d
NR Evaluation: X Contributing Non-Contri	ributing
Recommended for Intensive Level: Yes	x_ No
Surveyor: Joey Lampl Affiliation: Robinson & Date: February-April 1992	Associates




1101 Block



SANDTOWN - WINCHESTER / PENN-NORTH # B-4434 BALTIMORE, MD ELIZABETH QO LAMPL MARCH 1992 CITY OF BALTIMORE, GAMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 1101 BLOCK WHITELOCK ST. VIEW FACING EAST ROLL 7/NEG 24

SANDIOWN-WINCHESTER/PER	18.8.2는 18.2.2는 18.2.2
RECONNAISSANCE-LEVEL SUI	Neg. No2/14
Historic Name	
Current Name/Use	
Address(es)1511-19 Winches	ster Street
	x Rowhouses x Commercial Structure
x Attached _	Public/Institutional Building Public Housing Site
I reestanding	Other
$\bar{N}$	ote: former store (1519) converted to church
Stories 2 + B	
rimary Material <u>brick</u>	Secondary Material marble, wood
Roof Form <u>flat</u>	
lo. of Bays in Unit/Facade3_	If Rowhouse: _x Flat Front Swell Front Porch
Window Type: _x Double-Hung _x 1/1 Sash	Door Type: _x Single-Leaf Double-Leaf
x 2/2 Sash	Number of panels (if visible)
2/1 Sash	x Transom
Other Sash	Ash 1-9 spectroscoled control
Transom	
Architectural Style <u>Italianate</u>	Date c. <u>1852-90</u>
owhouses with slight Queen Anne	epresentative short row of three-bay, two-story Italianate influence at the door surrounds. Bracketed cornice with (some are missing). Segmental-headed openings, molded brick
	9, was originally a store; now sheathed in synthetic vertical
Alterations: x Formstone	Stucco
? Vinyl/Alumir	
Awnings	x Missing Cornice Elements
<u>x</u> First-Floor U	Jse Change Other:
Status:x_ Occupied	Vacant Mixed
NR Evaluation:x Contribut	ing Non-Contributing
Recommended for Intensive Level	Yes x No Affiliation: Robinson & Associates





SANDTOWN-WINCHESTER / PENW-NORTH #B-4434 BALTIMORE, MD ELIZABETH GO LAMPL MARCH 1992 CITY OF EACTIONES, COMMISSION FOR HISTORICAL AND ARCHITECTURAL PREJERVATION 1511-19 WINCHESTER ST. NORTH ELENATION ROLL & INEG 14

SANDTOWN-WINCHESTER/PENN-NORTH Survey No. B-4434		
RECONNAISSANCE-LEVEL SURVEY FORM		
Neg. No		
Historic Name		
Current Name/Use The Tabernacle of God Church		
Address(es) 1512 Winchester Street		
Resource/Property Type  Rowhouses Commercial Structure x Public/Institutional Building		
x Freestanding Site		
Other Date:		
Note:		
Stories1		
Primary Material Secondary Material		
Roof Form gable		
No. of Bays in Unit/Facade 3 If Rowhouse: Flat Front Swell Front Porch		
Window Type: x Double-Hung Door Type: Single-Leaf x 1/1 Sash x Double-Leaf 2/2 Sash 9 Number of panels (if visible) 2/1 Sash Transom Transom		
Architectural Style vernacular Date c. post-1978		
Noteworthy Features: Simple structure, facade covered with and side or sides stuccoed. Formstone pediments containing crosses over 2 front windows, which flank central entrance. Low front gable, and roof overhang.		
Alterations: x Formstone x Stucco Vinyl/Aluminum ? Window/Door Changes Awnings Missing Cornice Elements ? First-Floor Use Change Other:		
Status:x Occupied Vacant Mixed		
NR Evaluation: Contributing x Non-Contributing		
Recommended for Intensive Level: Yes x No		
Surveyor: Joey Lampl Affiliation: Robinson & Associates Date: February-April 1992		



SANDTOWN - WINCHESTER / PENN-NORTH

#B-4434

BALTIMORE, MD

ELIZABETH GO LAMPL

MARCH 1992

CITY OF BALTIMORE, GMMISSION FOR HISTORICAL AND ARCHITECTURAL

PRESERVATION

THE TABERNACLE OF GOD CHURCH

1512 WINCHESTER ST.

ROLL 2/NEG 13

RECONNAISSANCE-LEVEL SURVEY FORM		
Neg. No. <u>6/22, 7/34</u>		
Historic Name Consolidated Gas and Electric, Power Sub Station  Current Name/Use Electrical Substation		
Address(es) 2500 block Woodbrook Avenue		
Resource/Property Type Rowhouses		
X Commercial Structure Public/Institutional Building		
Attached Public Housing		
x Freestanding Site		
Other		
Note: <u>electrical power substation</u>		
Stories2		
Primary Material <u>brick</u> Secondary Material <u>stone</u>		
Roof Form		
No. of Bays in Unit/Facade3		
Window Type: Double-Hung Door Type: Single-Leaf		
1/1 Sash x Double-Leaf		
2/2 Sash Number of panels (if visible)		
271 Sashx Transom		
x Other Sash		
Transom		
Architectural Style Renaissance Revival Date c. post-1914		
Noteworthy Features: Vault-like structure. Stone water table. Stone architrave with medallions around door. Stone beltcourse at sill level of second floor. Multi-paned industrial sash rectangular windows with brick surrounds. Denticulated stone cornice with parapet above. Windowless 1-story wing to left.		
Alterations: Formstone Stucco		
Vinyl/Aluminum Window/Door Changes		
Awnings Missing Cornice Elements		
First-Floor Use Change Other:		
Status:x Occupied Vacant Mixed		
NR Evaluation: X Contributing Non-Contributing		
Recommended for Intensive Level:x Yes No		
Surveyor: Joey Lampl Affiliation: Robinson & Associates Date: February-April 1992		





Officials and notables attended an oyster roast at the dedication of the Woodbrook Electric Station. A fleet of "dainty taxicabs" brought many of the honoraries to the celebration.

costs were no different from a century earlier. By 1917 the county was spending half a million a year to grade, gravel, and oil the roads, and had hired an engineer to reorganize the operation, but the public was still dissatisfied. At the state level, with the Automobile Club and the "good roads movement" behind him, Governor Austin Crothers initiated a \$5 million program, acquired the private turnpikes, and built Route 1 to Washington. As in all aspects of state politics, the ambiguity remained between private and public enterprise. In 1904, when the Pennsylvania Railroad built a double-track bridge across the Susquehanna, it offered its obsolete 1873 single-track bridge at Havre de Grace (thirteen feet wide and thirty-three hundred feet long) free to any taker, so the company would not have to remove it. A group of seven private citizens accepted the offer and put in \$100 each to convert it to a highway bridge. They were, in fact, all connected with state politics (e.g., the governor's brother, Omar). Over thir-




SANDTOWN - WINCHESTER / PENN-NORTH # B-4434 BALTIMORE, ND ELIZABETH QO LAMPL MARCH 1992" CITY OF BALTIMORE, GMMISSION FOR HISTORICAL AND ARCHITECTURAL FRESHIPTION 2500 BLOCK MOODBROOK AVE. ACRITICAST ELEVATION ROLL 7/NEG 34



#B-4434 BALTIMORE, MD ELIZABETH OD LAMPL MARCH 1992 CITY OF BALTIMORE, GMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 2500 BLOCK WOODBROOK AVE. MOPTHEAST ELEVATION ROLL 6/ NEG 22

SANDTOWN - WINCHESTER / PENN-NORTH

RECONNAISSANCE-LEVEL SURVEY FORM		
Neg. No. 6/24		
Historic Name Current Name/Use		
Address(es)2500-2522 Woodbrook Avenue		
Address(es)		
Resource/Property Type x Rowhouses Commercial Structure		
Public/Institutional Building Attached Public Housing Freestanding Site Other		
Stories 2 + B Note:		
Primary Material <u>brick</u> Secondary Material <u>marble, stamped metal</u>		
Roof Form flat		
No. of Bays in Unit/Facade 3 If Rowhouse: Flat Front _x Swell Front Porch		
Window Type: _x Double-Hung Door Type: _x Single-Leaf _x 1/1 Sash Double-Leaf _ 2/2 Sash Number of panels (if visible) _ 2/1 Sash Transom _ Other Sash _ Transom		
Architectural Style <u>"Swell Front"/Romanesque Revival</u> Date c. <u>1890-1901</u>		
Summary/Noteworthy Features: More intimately scaled version of the Swell Front features two-story, two-bays and red (not iron spot) brick, corbelled brick and stamped metal cornice. Rough-faced stone door and window sills and lintels. Molded brick beltcourse.		
Alterations: x Formstone Stucco Vinyl/Aluminum x Window/Door Changes Awnings x Missing Cornice Elements First-Floor Use Change Other:		
Status:x Occupied Vacant Mixed		
NR Evaluation: X Contributing Non-Contributing		
Recommended for Intensive Level: Yes _x_ No		
Surveyor: Joey Lampl Affiliation: Robinson & Associates Date: February-April 1992		





BALTIMORE, MD

ELIZABETH SO LAMPL MARCH 1992


CITY OF BALTIMORE, GMMISSION FOR HISTORIAL AND ARCHITECTURAL PRESERVATION
2500-22 (pana) WOODBROOK AVE.

NORTHEAST ELEVATION

ROLL 6/NEG 24

SANDTOWN-WINCHESTER PENN-NORTH

SANDIOWN-WINCHESTER/PENN-NORTH	Survey No. <u>B-4434</u>	
RECONNAISSANCE-LEVEL SURVEY FORM		
TY'-A'- No	Neg. No6/23	
Historic Name		
Address(es) 2538-2540 Woodbrook Avenue		
Address(es)		
Resource/Property Type Rowhouses Commercial Str	ncture	
Public/Institutio	nal Building	
x Attached Public Housing		
Freestanding Site		
x Other		
Note: semi-detached		
Stories 3 + B		
Primary Material <u>brick</u> Secondary N	Material wood, stone	
Roof Form <u>flat</u>		
No. of Bays in Unit/Facade5 If Rowhouse: _x 1	Flat Front Swell Front Porch	
Window Type: Double-Hung Door Type:	Single-Leaf	
1/1 Sash	Double-Leaf	
2/2 Sash	Number of panels (if visible)	
2/1 Sash	Transom	
Other Sash		
Transom		
Architectural Style Italianate	Date c. <u>1852-90</u>	
Summary/Noteworthy Features: Only remaining evidence	e of three stately semi-detached	
dwellings (six units) which used to stand on this block of		
the Penn North neighborhood. Doors and windows are		
Flat-arched openings, except for original doors and center	_	
segmental heads. Stone sills.		
,		
Alterations: Formstone	Stucco	
	Window/Door Changes	
Awnings	Missing Cornice Elements	
First-Floor Use Change	Other:	
	######################################	
Status: Occupiedx Vacant	Mixed	
NR Evaluation:x Contributing Non-Contributing		
Recommended for Intensive Level: Yes x No		
	- Commence	
Surveyor: Joey Lampl Affiliation: Robinson of Date: February-April 1992	& Associates	
J J		





Officials and notables attended an oyster roast at the dedication of the Woodbrook Electric Station. A fleet of "dainty taxicabs" brought many of the honoraries to the celebration.

costs were no different from a century earlier. By 1917 the county was spending half a million a year to grade, gravel, and oil the roads, and had hired an engineer to reorganize the operation, but the public was still dissatisfied. At the state level, with the Automobile Club and the "good roads movement" behind him, Governor Austin Crothers initiated a \$5 million program, acquired the private turnpikes, and built Route I to Washington. As in all aspects of state politics, the ambiguity remained between private and public enterprise. In 1904, when the Pennsylvania Railroad built a double-track bridge across the Susquehanna, it offered its obsolete 1873 single-track bridge at Havre de Grace (thirteen feet wide and thirty-three hundred feet long) free to any taker, so the company would not have to remove it. A group of seven private citizens accepted the offer and put in \$100 each to convert it to a highway bridge. They were, in fact, all connected with state politics (e.g., the governor's brother, Omar). Over thir-





# B.4434
BALTIMORE, MD

E. IZABETH GO LAMPL MARCH 1992
CITY OF BALTIMORE, GMMISSION FOR HISTORICAL AND
ARCHITECTURAL PRESERVATION
2538-2540 WOODBROOK AVE.
VIEW FACING MORTHWEST
ROLL 6/NEG 23

SANSTOWN-WINCHESTER / PENN-NORTH

SANDTOWN-WINCHESTER/PENN-NORTH Survey No. B-4434
RECONNAISSANCE-LEVEL SURVEY FORM
Neg. No8/25
Historic Name
Current Name/Usealley dwellings
Address(es) 1101 Block, North Woodyear
Resource/Property Typex Rowhouses Commercial Structure Public/Institutional Building
x Attached Public Housing
Freestanding Site
Freestanding Site
Notes Other
Note:
Stories 2 + B
Primary Material <u>brick</u> Secondary Material <u>metal</u>
Roof Formflat
No. of Bays in Unit/Facade 2 If Rowhouse: x Flat Front Swell Front Porch
Window Type: x Double-Hung Door Type: x Single-Leaf
x 1/1 Sash Double-Leaf
2/2 Sash Number of panels (if visible)
? Other Sash
The state of the s
<u>x</u> Transom
Architectural Style Late Italianate Date c. 1890-1901
Summary/Notawarthy Fanturas, Simple two how two story Late Italianate allow row suffering
Summary/Noteworthy Features: Simple two-bay, two-story Late Italianate alley row, suffering
from formstone re-siding and loss of some original cornices. Segmental-headed openings.
MONOGRAPHICAL STORM ASSETS BY ASSETS BY
Alterations:x Formstone Stucco
Vinyl/Aluminum Window/Door Changes
Awnings x Missing Cornice Elements
First-Floor Use Change Other:
Status:x Occupied Vacant Mixed
NR Evaluation: X Contributing Non-Contributing
Recommended for Intensive Level: Yes x No
Surveyor: Joey Lampl Affiliation: Robinson & Associates Date: February-April 1992




1101 Block



#B-4434 BALTIMORE, MD ELIZABETH GO LAMPL MARCH 1992 CITY OF BALTIMORE, CHMISSION FOR HISTORICAL AND ARCHITECTURAL PIPESERVATION 1101 BLOCK, N. WOODYSAR VISIN FACING NORTHEAST ROLL 8/ NEG 25

SANDTOWN - WINDYESTER / PENN-NORTH

RECONNAISSANCE-LEVEL SURVEY FORM		
Neg. No5/25		
Historic Name Current Name/Usealley dwellings		
Address(es) 1816-26 Woodyear Place		
Audiess(cs) 1010-20 Woodycar Trace		
Resource/Property Type Rowhouses Commercial Structure		
Public/Institutional Building		
x Attached Public Housing		
Freestanding Site		
Other Other		
Note:		
Stories 2 + B		
Primary Material <u>brick</u> Secondary Material <u>stamped metal, wood</u>		
Roof Form flat		
No. of Bays in Unit/Facade 2 If Rowhouse: x Flat Front Swell Front Porch		
Window Type: x Double-Hung Door Type: x Single-Leaf		
1/1 Sash Double-Leaf		
x 2/2 Sash Number of panels (if visible)		
2/1 Sash x Transom		
Other Sash		
Transom		
Architectural Style Renaissance Revival Date c. 1901-1914		
Summary/Noteworthy Features: Renaissance Revival version of the flat-fronted alley dwelling. This intact, short block is in good condition. Metal cornice with singular brackets defining unit widths. Arched doors and arched and segmental-headed window openings. Large arched first-floor windows. Second-floor windows have jigsawn tympanums. Decorative brick voussoirs. Marble sills.		
Alterations: Formstone Stucco  Vinyl/Aluminum x Window/Door Changes  Awnings Missing Cornice Elements		
x First-Floor Use Change Other:		
Status: Nixed Nixed		
NR Evaluation:x Contributing Non-Contributing		
Recommended for Intensive Level: Yes x No		
Surveyor: Joey Lampl Affiliation: Robinson & Associates Date: February-April 1992		





SANDTOWN - WINCHESTER / PENN-NORTH #B-4434 BALTIMORE, MD ELIZABETH GO LAMPL MARCH 1992 CITY OF BALTIMORE, COMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION 1816-26 WOODYEAR PLACE SAST ELEVATION ROLL 5/ NEG 25